

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C07K 14/47		A2	(11) International Publication Number: WO 99/57144
			(43) International Publication Date: 11 November 1999 (11.11.99)
(21) International Application Number: PCT/US99/09935 (22) International Filing Date: 4 May 1999 (04.05.99) (30) Priority Data: 60/084,254 5 May 1998 (05.05.98) US 60/095,827 7 August 1998 (07.08.98) US 60/102,745 2 October 1998 (02.10.98) US (63) Related by Continuation (CON) or Continuation-in-Part (CIP) to Earlier Applications US 60/084,254 (CIP) Filed on 5 May 1998 (05.05.98) US 60/095,827 (CIP) Filed on 7 August 1998 (07.08.98) US 60/102,745 (CIP) Filed on 2 October 1998 (02.10.98) (71) Applicant (for all designated States except US): INCYTE PHARMACEUTICALS, INC. [US/US]; 3174 Porter Drive, Palo Alto, CA 94304 (US). (72) Inventors; and (75) Inventors/Applicants (for US only): HILLMAN, Jennifer, L. [US/US]; 230 Monroe Drive #12, Mountain View,		CA 94040 (US). BANDMAN, Olga [US/US]; 366 Anna Avenue, Mountain View, CA 94043 (US). LAL, Preeti [IN/US]; 2382 Lass Drive, Santa Clara, CA 95054 (US). YUE, Henry [US/US]; 826 Lois Avenue, Sunnyvale, CA 94087 (US). REDDY, Roopa [IN/US]; 1233 W. McKinley Drive, Sunnyvale, CA 94086 (US). TANG, Y., Tom [CN/US]; 4230 Ranwick Court, San Jose, CA 95118 (US). GERSTIN, Edward, H. [US/US]; 1408 38th Avenue, San Francisco, CA 94122 (US). PATTERSON, Chandra [US/US]; 490 Sherwood Way #1, Menlo Park, CA 94025 (US). BAUGHN, Mariah, R. [US/US]; 14244 Santiago Road, San Leandro, CA 94577 (US). AZIMZAI, Yalda [US/US]; 2045 Rock Springs Drive, Hayward, CA 94547 (US). LU, Dyung, Aina, M. [US/US]; 55 Park Belmont Place, San Jose, CA 95136 (US). (74) Agents: BILLINGS, Lucy, J. et al.; Incyte Pharmaceuticals, Inc., 3174 Porter Drive, Palo Alto, CA 94304 (US). (81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, P, J, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published Without international search report and to be republished upon receipt of that report.	
(54) Title: HUMAN TRANSCRIPTIONAL REGULATOR MOLECULES			
(57) Abstract			
The invention provides human transcriptional regulator molecules (HTRM) and polynucleotides which identify and encode HTRM. The invention also provides expression vectors, host cells, antibodies, agonists and antagonists. The invention also provides methods for diagnosing, treating or preventing disorders associated with expression of HTRM.			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

HUMAN TRANSCRIPTIONAL REGULATOR MOLECULES

5

TECHNICAL FIELD

This invention relates to nucleic acid and amino acid sequences of human transcriptional regulator molecules and to the use of these sequences in the diagnosis, treatment, and prevention of cell proliferative and immune disorders.

10

BACKGROUND OF THE INVENTION

Differential control of gene expression is essential to the growth and development of all multicellular organisms. Although gene expression can be controlled at many steps along the path from DNA to protein, the major control point for most genes is at the initiation of transcription. This critical step is regulated both positively and negatively by a combination of general and tissue specific transcription factors, the majority of which function to regulate transcription of one or more target genes.

Mutations in transcription factors (TFs) contribute to oncogenesis. This is probably due to the role of transcription factors on the expression of genes involved in cell proliferation. For example, mutations in transcription factors encoded by proto-oncogenes, such as Fos, Jun, Myc, Rel, and Spi-1, may be oncogenic due to increased stimulation of cell proliferation. Conversely, mutations in transcription factors encoded by tumor suppressor genes, such as p53, RB1, and WT1, may be oncogenic due to decreased inhibition of cell proliferation. (Latchman, D. (1995) Gene Regulation: A Eukaryotic Perspective, Chapman and Hall, London, UK, pp 242-255.)

Many transcription factors are modular proteins that contain separate domains for DNA binding and transcriptional regulation. The DNA binding domain interacts with specific DNA sequences (control elements) near to or within the promoter region of the gene. This interaction brings the regulatory domain of the TF into a position where it can interact with other proteins to stimulate or repress transcription. Many TFs require dimerization or multimerization to be fully functional. Five different types of transcription factors have been described based on five well characterized structural motifs. These five types are the helix-turn-helix, zinc finger, leucine zipper, and helix-loop-helix (HLH) proteins and the steroid-hormone receptors.

The helix-turn-helix motif consists of two α helices held at a fixed angle. The two helices are connected by a short chain of amino acids, which represents the "turn". The more carboxyl-terminal helix is called the recognition helix and fits into the major groove of the DNA double helix. The recognition helix, whose amino acid side chains differ from protein to protein, plays an

important role in recognizing the specific DNA sequence to which the protein binds. All of the helix-turn-helix proteins bind DNA as dimers in which the two copies of the recognition helix are separated by exactly one turn of the DNA helix. Homeodomain proteins are a special class of helix-turn-helix protein. The homeodomain is folded into three α helices which are packed tightly together by hydrophobic interactions. Helices two and three closely resemble the helix-turn-helix motif, with the third helix acting as the recognition helix. Proteins containing homeodomain motifs often function as developmental switches.

The zinc finger motif consists of an α helix and antiparallel β sheet held together by a zinc atom. The zinc finger motif is usually repeated in a tandem array within a protein, such that the α helix of each zinc finger in the protein makes contact with the major groove of the DNA double helix. This repeated contact between the protein and the DNA produces a strong and specific DNA-protein interaction. The strength and specificity of the interaction can be regulated by the number of zinc finger motifs within the protein.

The leucine zipper motif consists of a single α helix which is involved in both protein dimerization and DNA binding. Two proteins containing leucine zippers can dimerize by interactions between hydrophobic amino acid residues, commonly leucines, that extend from one side of their respective α helices. In this way, the α helices of each protein monomer dimerize to form a short coiled-coil. Just beyond this coiled-coil, the two α helices separate to form a Y-shaped structure which contacts the major groove of the DNA. Leucine zipper proteins may form homodimers, in which the two protein monomers are identical, or heterodimers, in which the two protein monomers are different. The specificity of DNA binding depends on the dimer formed, since each protein monomer has distinct DNA-binding specificities.

The helix-loop-helix (HLH) motif consists of a short α helix connected by a loop to a second, longer α helix. The flexible loop allows the two helices to fold back and pack together. As with the leucine zipper, the HLH motif is involved in both protein dimerization and DNA binding. The dimers can be homodimers or heterodimers, thus increasing the repertoire of DNA-binding sites to which HLH proteins can bind.

The steroid-hormone receptors contain a motif composed of two perpendicular α helices. In the absence of ligand the steroid-hormone receptors assume a conformation which sequesters the α helices. Binding of ligand, commonly steroid hormones, thyroid hormones, retinoids, or vitamin D, to the receptor causes a conformational change which exposes the α helices. The first α helix contains about seventy residues and includes eight conserved cysteines. This helix fits into the major groove of the DNA double helix and enables DNA-receptor binding. The second α helix provides for protein dimerization. As with leucine zipper and HLH proteins, both homodimers and heterodimers may be formed by steroid-hormone receptors.

Hundreds of regulatory proteins from a wide variety of organisms have been identified. Most of these proteins have at least one of the common structural motifs described. However, several important regulatory proteins, including the p53 tumor suppressor, have a unique structure not shared with other known regulatory molecules. (Faisst, S. and S. Meyer (1992) Nucl. Acids Res. 20:3-26.) Moreover, other domains of the regulatory proteins often form crucial contacts with the DNA, thereby affecting binding specificity. Accessory proteins can also provide important interactions which may convert a particular regulatory protein from an activator to a repressor, from a repressor to an activator, or it may prevent DNA binding by the regulatory protein completely.

The discovery of new human transcriptional regulator molecules and the polynucleotides encoding them satisfies a need in the art by providing new compositions which are useful in the diagnosis, prevention, and treatment of cell proliferative and immune disorders.

SUMMARY OF THE INVENTION

The invention features substantially purified polypeptides, human transcriptional regulator molecules, referred to collectively as "HTRM". In one aspect, the invention provides a substantially purified polypeptide comprising an amino acid sequence selected from the group consisting of

SEQ ID NO:1-65, and fragments thereof.

The invention further provides a substantially purified variant having at least 90% amino acid identity to at least one of the amino acid sequences selected from the group consisting of SEQ ID

NO:1-65, and fragments thereof. The invention also provides an isolated and purified polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-65, and fragments thereof. The invention also includes an isolated and purified polynucleotide variant having at least 70% polynucleotide sequence identity to the polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting

of SEQ ID NO:1-65, and fragments thereof.

Additionally, the invention provides an isolated and purified polynucleotide which hybridizes under stringent conditions to the polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-65, and fragments thereof. The invention also provides an isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide encoding the polypeptide comprising the amino

acid sequence selected from the group consisting of SEQ ID NO:1-65, and fragments thereof.

The invention also provides an isolated and purified polynucleotide comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO:66-130, and fragments thereof. The invention further provides an isolated and purified polynucleotide variant having at least 70% polynucleotide sequence identity to the polynucleotide sequence selected from the group consisting of SEQ ID NO:66-130, and fragments thereof. The invention also provides an isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO:66-130, and fragments thereof.

The invention also provides a method for detecting a polynucleotide in a sample containing nucleic acids, the method comprising the steps of (a) hybridizing the complement of the polynucleotide sequence to at least one of the polynucleotides of the sample, thereby forming a hybridization complex; and (b) detecting the hybridization complex, wherein the presence of the hybridization complex correlates with the presence of a polynucleotide in the sample. In one aspect, the method further comprises amplifying the polynucleotide prior to hybridization.

The invention further provides an expression vector containing at least a fragment of the polynucleotide encoding the polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-65, and fragments thereof. In another aspect, the expression vector is contained within a host cell.

The invention also provides a method for producing a polypeptide, the method comprising the steps of: (a) culturing the host cell containing an expression vector containing at least a fragment of a polynucleotide under conditions suitable for the expression of the polypeptide; and (b) recovering the polypeptide from the host cell culture.

The invention also provides a pharmaceutical composition comprising a substantially purified polypeptide having the amino acid sequence selected from the group consisting of SEQ ID NO:1-65, and fragments thereof, in conjunction with a suitable pharmaceutical carrier.

The invention further includes a purified antibody which binds to a polypeptide selected from the group consisting of SEQ ID NO:1-65, and fragments thereof. The invention also provides a purified agonist and a purified antagonist to the polypeptide.

The invention also provides a method for treating or preventing a disorder of cell proliferation associated with decreased expression or activity of HTRM, the method comprising administering to a subject in need of such treatment an effective amount of a pharmaceutical composition comprising a substantially purified polypeptide having the amino acid sequence selected from the group consisting of SEQ ID NO:1-65, and fragments thereof, in conjunction with a suitable pharmaceutical carrier.

The invention also provides a method for treating or preventing a disorder of cell proliferation associated with increased expression or activity of HTRM, the method comprising administering to a subject in need of such treatment an effective amount of an antagonist of a polypeptide having an amino acid sequence selected from the group consisting of SEQ ID NO:1-65, and fragments thereof.

BRIEF DESCRIPTION OF THE TABLES

Table 1 shows nucleotide and polypeptide sequence identification numbers (SEQ ID NO), clone identification numbers (clone ID), cDNA libraries, and cDNA fragments used to assemble full-length sequences encoding HTRM.

Table 2 shows features of each polypeptide sequence including potential motifs, homologous sequences, and methods and algorithms used for identification of HTRM.

Table 3 shows the tissue-specific expression patterns of each nucleic acid sequence as determined by northern analysis, diseases, disorders, or conditions associated with these tissues, and the vector into which each cDNA was cloned.

Table 4 describes the tissues used to construct the cDNA libraries from which Incyte cDNA clones encoding HTRM were isolated.

Table 5 shows the programs, their descriptions, references, and threshold parameters used to analyze HTRM.

DESCRIPTION OF THE INVENTION

Before the present proteins, nucleotide sequences, and methods are described, it is understood that this invention is not limited to the particular machines, materials and methods described, as these may vary. It is also to be understood that the terminology used herein is for the purpose of describing particular embodiments only, and is not intended to limit the scope of the present invention which will be limited only by the appended claims.

It must be noted that as used herein and in the appended claims, the singular forms "a," "an," and "the" include plural reference unless the context clearly dictates otherwise. Thus, for example, a reference to "a host cell" includes a plurality of such host cells, and a reference to "an antibody" is a reference to one or more antibodies and equivalents thereof known to those skilled in the art, and so forth.

Unless defined otherwise, all technical and scientific terms used herein have the same meanings as commonly understood by one of ordinary skill in the art to which this invention belongs. Although any machines, materials, and methods similar or equivalent to those described herein can be used to practice or test the present invention, the preferred machines, materials and

methods are now described. All publications mentioned herein are cited for the purpose of describing and disclosing the cell lines, protocols, reagents and vectors which are reported in the publications and which might be used in connection with the invention. Nothing herein is to be construed as an admission that the invention is not entitled to antedate such disclosure by virtue of

5 prior invention.

DEFINITIONS

"HTRM" refers to the amino acid sequences of substantially purified HTRM obtained from any species, particularly a mammalian species, including bovine, ovine, porcine, murine, equine, and preferably the human species, from any source, whether natural, synthetic,

10 semi-synthetic, or recombinant.

The term "agonist" refers to a molecule which, when bound to HTRM, increases or prolongs the duration of the effect of HTRM. Agonists may include proteins, nucleic acids, carbohydrates, or any other molecules which bind to and modulate the effect of HTRM.

An "allelic variant" is an alternative form of the gene encoding HTRM. Allelic variants
15 may result from at least one mutation in the nucleic acid sequence and may result in altered mRNAs or in polypeptides whose structure or function may or may not be altered. Any given natural or recombinant gene may have none, one, or many allelic forms. Common mutational changes which give rise to allelic variants are generally ascribed to natural deletions, additions, or substitutions of nucleotides. Each of these types of changes may occur alone, or in combination
20 with the others, one or more times in a given sequence.

"Altered" nucleic acid sequences encoding HTRM include those sequences with deletions, insertions, or substitutions of different nucleotides, resulting in a polynucleotide the same as HTRM or a polypeptide with at least one functional characteristic of HTRM. Included within this definition are polymorphisms which may or may not be readily detectable using a particular
25 oligonucleotide probe of the polynucleotide encoding HTRM, and improper or unexpected hybridization to allelic variants, with a locus other than the normal chromosomal locus for the polynucleotide sequence encoding HTRM. The encoded protein may also be "altered," and may contain deletions, insertions, or substitutions of amino acid residues which produce a silent change and result in a functionally equivalent HTRM. Deliberate amino acid substitutions may be made
30 on the basis of similarity in polarity, charge, solubility, hydrophobicity, hydrophilicity, and/or the amphipathic nature of the residues, as long as the biological or immunological activity of HTRM is retained. For example, negatively charged amino acids may include aspartic acid and glutamic acid, positively charged amino acids may include lysine and arginine, and amino acids with uncharged polar head groups having similar hydrophilicity values may include leucine, isoleucine,
35 and valine; glycine and alanine; asparagine and glutamine; serine and threonine; and

phenylalanine and tyrosine.

The terms "amino acid" or "amino acid sequence" refer to an oligopeptide, peptide, polypeptide, or protein sequence, or a fragment of any of these, and to naturally occurring or synthetic molecules. In this context, "fragments," "immunogenic fragments," or "antigenic fragments" refer to fragments of HTRM which are preferably at least 5 to about 15 amino acids in length, most preferably at least 14 amino acids, and which retain some biological activity or immunological activity of HTRM. Where "amino acid sequence" is recited to refer to an amino acid sequence of a naturally occurring protein molecule, "amino acid sequence" and like terms are not meant to limit the amino acid sequence to the complete native amino acid sequence associated with the recited protein molecule.

"Amplification" relates to the production of additional copies of a nucleic acid sequence. Amplification is generally carried out using polymerase chain reaction (PCR) technologies well known in the art.

The term "antagonist" refers to a molecule which, when bound to HTRM, decreases the amount or the duration of the effect of the biological or immunological activity of HTRM. Antagonists may include proteins, nucleic acids, carbohydrates, antibodies, or any other molecules which decrease the effect of HTRM.

The term "antibody" refers to intact molecules as well as to fragments thereof, such as Fab, F(ab')₂, and Fv fragments, which are capable of binding the epitopic determinant. Antibodies that bind HTRM polypeptides can be prepared using intact polypeptides or using fragments containing small peptides of interest as the immunizing antigen. The polypeptide or oligopeptide used to immunize an animal (e.g., a mouse, a rat, or a rabbit) can be derived from the translation of RNA, or synthesized chemically, and can be conjugated to a carrier protein if desired. Commonly used carriers that are chemically coupled to peptides include bovine serum albumin, thyroglobulin, and keyhole limpet hemocyanin (KLH). The coupled peptide is then used to immunize the animal.

The term "antigenic determinant" refers to that fragment of a molecule (i.e., an epitope) that makes contact with a particular antibody. When a protein or a fragment of a protein is used to immunize a host animal, numerous regions of the protein may induce the production of antibodies which bind specifically to antigenic determinants (given regions or three-dimensional structures on the protein). An antigenic determinant may compete with the intact antigen (i.e., the immunogen used to elicit the immune response) for binding to an antibody.

The term "antisense" refers to any composition containing a nucleic acid sequence which is complementary to the "sense" strand of a specific nucleic acid sequence. Antisense molecules may be produced by any method including synthesis or transcription. Once introduced into a cell, the complementary nucleotides combine with natural sequences produced by the cell to form

duplexes and to block either transcription or translation. The designation "negative" can refer to the antisense strand, and the designation "positive" can refer to the sense strand.

The term "biologically active," refers to a protein having structural, regulatory, or biochemical functions of a naturally occurring molecule. Likewise, "immunologically active" refers to the capability of the natural, recombinant, or synthetic HTRM, or of any oligopeptide thereof, to induce a specific immune response in appropriate animals or cells and to bind with specific antibodies.

The terms "complementary" or "complementarity" refer to the natural binding of polynucleotides by base pairing. For example, the sequence "5' A-G-T 3'" bonds to the complementary sequence "3' T-C-A 5'." Complementarity between two single-stranded molecules may be "partial," such that only some of the nucleic acids bind, or it may be "complete," such that total complementarity exists between the single stranded molecules. The degree of complementarity between nucleic acid strands has significant effects on the efficiency and strength of the hybridization between the nucleic acid strands. This is of particular importance in amplification reactions, which depend upon binding between nucleic acids strands, and in the design and use of peptide nucleic acid (PNA) molecules.

A "composition comprising a given polynucleotide sequence" or a "composition comprising a given amino acid sequence" refer broadly to any composition containing the given polynucleotide or amino acid sequence. The composition may comprise a dry formulation or an aqueous solution. Compositions comprising polynucleotide sequences encoding HTRM or fragments of HTRM may be employed as hybridization probes. The probes may be stored in freeze-dried form and may be associated with a stabilizing agent such as a carbohydrate. In hybridizations, the probe may be deployed in an aqueous solution containing salts (e.g., NaCl), detergents (e.g., sodium dodecyl sulfate; SDS), and other components (e.g., Denhardt's solution, dry milk, salmon sperm DNA, etc.).

"Consensus sequence" refers to a nucleic acid sequence which has been resequenced to resolve uncalled bases, extended using XL-PCR kit (Perkin-Elmer, Norwalk CT) in the 5' and/or the 3' direction, and resequenced, or which has been assembled from the overlapping sequences of more than one Incyte Clone using a computer program for fragment assembly, such as the GELVIEW Fragment Assembly system (GCG, Madison WI). Some sequences have been both extended and assembled to produce the consensus sequence.

The term "correlates with expression of a polynucleotide" indicates that the detection of the presence of nucleic acids, the same or related to a nucleic acid sequence encoding HTRM, by northern analysis is indicative of the presence of nucleic acids encoding HTRM in a sample, and thereby correlates with expression of the transcript from the polynucleotide encoding HTRM.

A "deletion" refers to a change in the amino acid or nucleotide sequence that results in the absence of one or more amino acid residues or nucleotides.

The term "derivative" refers to the chemical modification of a polypeptide sequence, or a polynucleotide sequence. Chemical modifications of a polynucleotide sequence can include, for example, replacement of hydrogen by an alkyl, acyl, or amino group. A derivative polynucleotide encodes a polypeptide which retains at least one biological or immunological function of the natural molecule. A derivative polypeptide is one modified by glycosylation, pegylation, or any similar process that retains at least one biological or immunological function of the polypeptide from which it was derived.

10 The term "similarity" refers to a degree of complementarity. There may be partial similarity or complete similarity. The word "identity" may substitute for the word "similarity." A partially complementary sequence that at least partially inhibits an identical sequence from hybridizing to a target nucleic acid is referred to as "substantially similar." The inhibition of hybridization of the completely complementary sequence to the target sequence may be examined
15 using a hybridization assay (Southern or northern blot, solution hybridization, and the like) under conditions of reduced stringency. A substantially similar sequence or hybridization probe will compete for and inhibit the binding of a completely similar (identical) sequence to the target sequence under conditions of reduced stringency. This is not to say that conditions of reduced stringency are such that non-specific binding is permitted, as reduced stringency conditions
20 require that the binding of two sequences to one another be a specific (i.e., a selective) interaction. The absence of non-specific binding may be tested by the use of a second target sequence which lacks even a partial degree of complementarity (e.g., less than about 30% similarity or identity). In the absence of non-specific binding, the substantially similar sequence or probe will not hybridize to the second non-complementary target sequence.

25 The phrases "percent identity" or "% identity" refer to the percentage of sequence similarity found in a comparison of two or more amino acid or nucleic acid sequences. Percent identity can be determined electronically, e.g., by using the MEGALIGN program (DNASTAR, Madison WI) which creates alignments between two or more sequences according to methods selected by the user, e.g., the clustal method. (See, e.g., Higgins, D.G. and P.M. Sharp (1988)
30 Gene 73:237-244.) The clustal algorithm groups sequences into clusters by examining the distances between all pairs. The clusters are aligned pairwise and then in groups. The percentage similarity between two amino acid sequences, e.g., sequence A and sequence B, is calculated by dividing the length of sequence A, minus the number of gap residues in sequence A, minus the number of gap residues in sequence B, into the sum of the residue matches between sequence A
35 and sequence B, times one hundred. Gaps of low or of no similarity between the two amino acid

sequences are not included in determining percentage similarity. Percent identity between nucleic acid sequences can also be counted or calculated by other methods known in the art, e.g., the Jotun Hein method. (See, e.g., Hein, J. (1990) *Methods Enzymol.* 183:626-645.) Identity between sequences can also be determined by other methods known in the art, e.g., by varying

5 hybridization conditions.

“Human artificial chromosomes” (HACs) are linear microchromosomes which may contain DNA sequences of about 6 kb to 10 Mb in size, and which contain all of the elements required for stable mitotic chromosome segregation and maintenance.

The term “humanized antibody” refers to antibody molecules in which the amino acid
10 sequence in the non-antigen binding regions has been altered so that the antibody more closely resembles a human antibody, and still retains its original binding ability.

“Hybridization” refers to any process by which a strand of nucleic acid binds with a complementary strand through base pairing.

The term “hybridization complex” refers to a complex formed between two nucleic acid
15 sequences by virtue of the formation of hydrogen bonds between complementary bases. A hybridization complex may be formed in solution (e.g., C_0t or R_0t analysis) or formed between one nucleic acid sequence present in solution and another nucleic acid sequence immobilized on a solid support (e.g., paper, membranes, filters, chips, pins or glass slides, or any other appropriate substrate to which cells or their nucleic acids have been fixed).

20 The words “insertion” or “addition” refer to changes in an amino acid or nucleotide sequence resulting in the addition of one or more amino acid residues or nucleotides, respectively, to the sequence found in the naturally occurring molecule.

“Immune response” can refer to conditions associated with inflammation, trauma, immune disorders, or infectious or genetic disease, etc. These conditions can be characterized by
25 expression of various factors, e.g., cytokines, chemokines, and other signaling molecules, which may affect cellular and systemic defense systems.

The term “microarray” refers to an arrangement of distinct polynucleotides on a substrate.

The terms “element” or “array element” in a microarray context, refer to hybridizable polynucleotides arranged on the surface of a substrate.

30 The term “modulate” refers to a change in the activity of HTRM. For example, modulation may cause an increase or a decrease in protein activity, binding characteristics, or any other biological, functional, or immunological properties of HTRM.

The phrases “nucleic acid” or “nucleic acid sequence” refer to a nucleotide, oligonucleotide, polynucleotide, or any fragment thereof. These phrases also refer to DNA or
35 RNA of genomic or synthetic origin which may be single-stranded or double-stranded and may

represent the sense or the antisense strand, to peptide nucleic acid (PNA), or to any DNA-like or RNA-like material. In this context, "fragments" refers to those nucleic acid sequences which, when translated, would produce polypeptides retaining some functional characteristic, e.g., antigenicity, or structural domain characteristic, e.g., ATP-binding site, of the full-length
5 polypeptide.

The terms "operably associated" or "operably linked" refer to functionally related nucleic acid sequences. A promoter is operably associated or operably linked with a coding sequence if the promoter controls the translation of the encoded polypeptide. While operably associated or operably linked nucleic acid sequences can be contiguous and in the same reading frame, certain
10 genetic elements, e.g., repressor genes, are not contiguously linked to the sequence encoding the polypeptide but still bind to operator sequences that control expression of the polypeptide.

The term "oligonucleotide" refers to a nucleic acid sequence of at least about 6 nucleotides to 60 nucleotides, preferably about 15 to 30 nucleotides, and most preferably about 20 to 25 nucleotides, which can be used in PCR amplification or in a hybridization assay or
15 microarray. "Oligonucleotide" is substantially equivalent to the terms "amplimer," "primer," "oligomer," and "probe," as these terms are commonly defined in the art.

"Peptide nucleic acid" (PNA) refers to an antisense molecule or anti-gene agent which comprises an oligonucleotide of at least about 5 nucleotides in length linked to a peptide backbone of amino acid residues ending in lysine. The terminal lysine confers solubility to the composition.
20 PNAs preferentially bind complementary single stranded DNA or RNA and stop transcript elongation, and may be pegylated to extend their lifespan in the cell.

The term "sample" is used in its broadest sense. A sample suspected of containing nucleic acids encoding HTRM, or fragments thereof, or HTRM itself, may comprise a bodily fluid: an extract from a cell, chromosome, organelle, or membrane isolated from a cell; a cell; genomic
25 DNA, RNA, or cDNA, in solution or bound to a substrate; a tissue; a tissue print; etc.

The terms "specific binding" or "specifically binding" refer to that interaction between a protein or peptide and an agonist, an antibody, or an antagonist. The interaction is dependent upon the presence of a particular structure of the protein, e.g., the antigenic determinant or epitope, recognized by the binding molecule. For example, if an antibody is specific for epitope "A," the
30 presence of a polypeptide containing the epitope A, or the presence of free unlabeled A, in a reaction containing free labeled A and the antibody will reduce the amount of labeled A that binds to the antibody.

The term "stringent conditions" refers to conditions which permit hybridization between polynucleotides and the claimed polynucleotides. Stringent conditions can be defined by salt
35 concentration, the concentration of organic solvent, e.g., formamide, temperature, and other

conditions well known in the art. In particular, stringency can be increased by reducing the concentration of salt, increasing the concentration of formamide, or raising the hybridization temperature.

The term "substantially purified" refers to nucleic acid or amino acid sequences that are removed from their natural environment and are isolated or separated, and are at least about 60% free, preferably about 75% free, and most preferably about 90% free from other components with which they are naturally associated.

A "substitution" refers to the replacement of one or more amino acids or nucleotides by different amino acids or nucleotides, respectively.

"Substrate" refers to any suitable rigid or semi-rigid support including membranes, filters, chips, slides, wafers, fibers, magnetic or nonmagnetic beads, gels, tubing, plates, polymers, microparticles and capillaries. The substrate can have a variety of surface forms, such as wells, trenches, pins, channels and pores, to which polynucleotides or polypeptides are bound.

"Transformation" describes a process by which exogenous DNA enters and changes a recipient cell. Transformation may occur under natural or artificial conditions according to various methods well known in the art, and may rely on any known method for the insertion of foreign nucleic acid sequences into a prokaryotic or eukaryotic host cell. The method for transformation is selected based on the type of host cell being transformed and may include, but is not limited to, viral infection, electroporation, heat shock, lipofection, and particle bombardment. The term "transformed" cells includes stably transformed cells in which the inserted DNA is capable of replication either as an autonomously replicating plasmid or as part of the host chromosome, as well as transiently transformed cells which express the inserted DNA or RNA for limited periods of time.

A "variant" of HTRM polypeptides refers to an amino acid sequence that is altered by one or more amino acid residues. The variant may have "conservative" changes, wherein a substituted amino acid has similar structural or chemical properties (e.g., replacement of leucine with isoleucine). More rarely, a variant may have "nonconservative" changes (e.g., replacement of glycine with tryptophan). Analogous minor variations may also include amino acid deletions or insertions, or both. Guidance in determining which amino acid residues may be substituted, inserted, or deleted without abolishing biological or immunological activity may be found using computer programs well known in the art, for example, LASERGENE software (DNASTAR).

The term "variant," when used in the context of a polynucleotide sequence, may encompass a polynucleotide sequence related to HTRM. This definition may also include, for example, "allelic" (as defined above), "splice," "species," or "polymorphic" variants. A splice variant may have significant identity to a reference molecule, but will generally have a greater or

lesser number of polynucleotides due to alternate splicing of exons during mRNA processing. The corresponding polypeptide may possess additional functional domains or an absence of domains.

Species variants are polynucleotide sequences that vary from one species to another. The resulting polypeptides generally will have significant amino acid identity relative to each other. A

- 5 polymorphic variant is a variation in the polynucleotide sequence of a particular gene between individuals of a given species. Polymorphic variants also may encompass "single nucleotide polymorphisms" (SNPs) in which the polynucleotide sequence varies by one base. The presence of SNPs may be indicative of, for example, a certain population, a disease state, or a propensity for a disease state.

10 THE INVENTION

The invention is based on the discovery of new human transcriptional regulator molecules (HTRM), the polynucleotides encoding HTRM, and the use of these compositions for the diagnosis, treatment, or prevention of cell proliferative and immune disorders.

- Table 1 lists the Incyte Clones used to derive full length nucleotide sequences encoding HTRM. Columns 1 and 2 show the sequence identification numbers (SEQ ID NO) of the amino acid and nucleic acid sequences, respectively. Column 3 shows the Clone ID of the Incyte Clone in which nucleic acids encoding each HTRM were identified, and column 4, the cDNA libraries from which these clones were isolated. Column 5 shows Incyte clones, their corresponding cDNA libraries, and shotgun sequences. The clones and shotgun sequences are part of the consensus
- 15 nucleotide sequence of each HTRM and are useful as fragments in hybridization technologies.

- The columns of Table 2 show various properties of the polypeptides of the invention: column 1 references the SEQ ID NO; column 2 shows the number of amino acid residues in each polypeptide; column 3, potential phosphorylation sites; column 4, potential glycosylation sites; column 5, the amino acid residues comprising signature sequences and motifs; column 6, the
- 25 identity of each protein; and column 7, analytical methods used to identify each protein through sequence homology and protein motifs.

- The columns of Table 3 show the tissue-specificity and diseases, disorders, or conditions associated with nucleotide sequences encoding HTRM. The first column of Table 3 lists the nucleotide sequence identifiers. The second column lists tissue categories which express HTRM as
- 30 a fraction of total tissue categories expressing HTRM. The third column lists the diseases, disorders, or conditions associated with those tissues expressing HTRM. The fourth column lists the vectors used to subclone the cDNA library.

- The following fragments of the nucleotide sequences encoding HTRM are useful in hybridization or amplification technologies to identify SEQ ID NO:110-130 and to distinguish
- 35 between SEQ ID NO:110-130 and related polynucleotide sequences. The useful fragments are the

fragment of SEQ ID NO:110 from about nucleotide 273 to about nucleotide 317; the fragment of SEQ ID NO:111 from about nucleotide 217 to about nucleotide 261 the fragment of SEQ ID NO:112 from about nucleotide 273 to about nucleotide 308; the fragment of SEQ ID NO:113 from about nucleotide 163 to about nucleotide 207; the fragment of SEQ ID NO:114 from about
5 nucleotide 433 to about nucleotide 477; the fragment of SEQ ID NO:115 from about nucleotide 597 to about nucleotide 641; the fragment of SEQ ID NO:116 from about nucleotide 111 to about nucleotide 146; the fragment of SEQ ID NO:117 from about nucleotide 217 to about nucleotide 261; the fragment of SEQ ID NO:118 from about nucleotide 867 to about nucleotide 911; the fragment of SEQ ID NO:119 from about nucleotide 1082 to about nucleotide 1126; the fragment
10 of SEQ ID NO:120 from about nucleotide 702 to about nucleotide 748; the fragment of SEQ ID NO:121 from about nucleotide 380 to about nucleotide 424; the fragment of SEQ ID NO:122 from about nucleotide 352 to about nucleotide 396; the fragment of SEQ ID NO:123 from about nucleotide 219 to about nucleotide 263; the fragment of SEQ ID NO:124 from about nucleotide 326 to about nucleotide 370; the fragment of SEQ ID NO:125 from about nucleotide 595 to about
15 nucleotide 639; the fragment of SEQ ID NO:126 from about nucleotide 272 to about nucleotide 316; the fragment of SEQ ID NO:127 from about nucleotide 163 to about nucleotide 207; the fragment of SEQ ID NO:128 from about nucleotide 271 to about nucleotide 315; the fragment of SEQ ID NO:129 from about nucleotide 866 to about nucleotide 910; and the fragment of SEQ ID NO:130 from about nucleotide 487 to about nucleotide 531.

20 The invention also encompasses HTRM variants. A preferred HTRM variant is one which has at least about 80%, more preferably at least about 90%, and most preferably at least about 95% amino acid sequence identity to the HTRM amino acid sequence, and which contains at least one functional or structural characteristic of HTRM.

The invention also encompasses polynucleotides which encode HTRM. In a particular
25 embodiment, the invention encompasses a polynucleotide sequence comprising a sequence selected from the group consisting of SEQ ID NO:66-130, which encodes HTRM.

The invention also encompasses a variant of a polynucleotide sequence encoding HTRM. In particular, such a variant polynucleotide sequence will have at least about 70%, more preferably at least about 85%, and most preferably at least about 95% polynucleotide sequence identity to the
30 polynucleotide sequence encoding HTRM. A particular aspect of the invention encompasses a variant of a polynucleotide sequence comprising a sequence selected from the group consisting of SEQ ID NO:66-130 which has at least about 70%, more preferably at least about 85%, and most preferably at least about 95% polynucleotide sequence identity to a nucleic acid sequence selected from the
35 group consisting of SEQ ID NO:66-130. Any one of the polynucleotide variants described above

can encode an amino acid sequence which contains at least one functional or structural characteristic of HTRM.

It will be appreciated by those skilled in the art that as a result of the degeneracy of the genetic code, a multitude of polynucleotide sequences encoding HTRM, some bearing minimal
5 similarity to the polynucleotide sequences of any known and naturally occurring gene, may be produced. Thus, the invention contemplates each and every possible variation of polynucleotide sequence that could be made by selecting combinations based on possible codon choices. These combinations are made in accordance with the standard triplet genetic code as applied to the polynucleotide sequence of naturally occurring HTRM, and all such variations are to be
10 considered as being specifically disclosed.

Although nucleotide sequences which encode HTRM and its variants are preferably capable of hybridizing to the nucleotide sequence of the naturally occurring HTRM under appropriately selected conditions of stringency, it may be advantageous to produce nucleotide sequences encoding HTRM or its derivatives possessing a substantially different codon usage,
15 e.g., inclusion of non-naturally occurring codons. Codons may be selected to increase the rate at which expression of the peptide occurs in a particular prokaryotic or eukaryotic host in accordance with the frequency with which particular codons are utilized by the host. Other reasons for substantially altering the nucleotide sequence encoding HTRM and its derivatives without altering the encoded amino acid sequences include the production of RNA transcripts having more
20 desirable properties, such as a greater half-life, than transcripts produced from the naturally occurring sequence.

The invention also encompasses production of DNA sequences which encode HTRM and HTRM derivatives, or fragments thereof, entirely by synthetic chemistry. After production, the synthetic sequence may be inserted into any of the many available expression vectors and cell
25 systems using reagents well known in the art. Moreover, synthetic chemistry may be used to introduce mutations into a sequence encoding HTRM or any fragment thereof.

Also encompassed by the invention are polynucleotide sequences that are capable of hybridizing to the claimed polynucleotide sequences, and, in particular, to those shown in SEQ ID NO:66-130 and fragments thereof under various conditions of stringency. (See, e.g., Wahl, G.M.
30 and S.L. Berger (1987) *Methods Enzymol.* 152:399-407; Kimmel, A.R. (1987) *Methods Enzymol.* 152:507-511.) For example, stringent salt concentration will ordinarily be less than about 750 mM NaCl and 75 mM trisodium citrate, preferably less than about 500 mM NaCl and 50 mM trisodium citrate, and most preferably less than about 250 mM NaCl and 25 mM trisodium citrate. Low stringency hybridization can be obtained in the absence of organic solvent, e.g., formamide, while
35 high stringency hybridization can be obtained in the presence of at least about 35% formamide.

and most preferably at least about 50% formamide. Stringent temperature conditions will ordinarily include temperatures of at least about 30°C, more preferably of at least about 37°C, and most preferably of at least about 42°C. Varying additional parameters, such as hybridization time, the concentration of detergent, e.g., sodium dodecyl sulfate (SDS), and the inclusion or exclusion
5 of carrier DNA, are well known to those skilled in the art. Various levels of stringency are accomplished by combining these various conditions as needed. In a preferred embodiment, hybridization will occur at 30°C in 750 mM NaCl, 75 mM trisodium citrate, and 1% SDS. In a more preferred embodiment, hybridization will occur at 37°C in 500 mM NaCl, 50 mM trisodium citrate, 1% SDS, 35% formamide, and 100 µg/ml denatured salmon sperm DNA (ssDNA). In a
10 most preferred embodiment, hybridization will occur at 42°C in 250 mM NaCl, 25 mM trisodium citrate, 1% SDS, 50 % formamide, and 200 µg/ml ssDNA. Useful variations on these conditions will be readily apparent to those skilled in the art.

The washing steps which follow hybridization can also vary in stringency. Wash stringency conditions can be defined by salt concentration and by temperature. As above, wash
15 stringency can be increased by decreasing salt concentration or by increasing temperature. For example, stringent salt concentration for the wash steps will preferably be less than about 30 mM NaCl and 3 mM trisodium citrate, and most preferably less than about 15 mM NaCl and 1.5 mM trisodium citrate. Stringent temperature conditions for the wash steps will ordinarily include temperature of at least about 25°C, more preferably of at least about 42°C, and most preferably of
20 at least about 68°C. In a preferred embodiment, wash steps will occur at 25°C in 30 mM NaCl, 3 mM trisodium citrate, and 0.1% SDS. In a more preferred embodiment, wash steps will occur at 42°C in 15 mM NaCl, 1.5 mM trisodium citrate, and 0.1% SDS. In a most preferred embodiment, wash steps will occur at 68°C in 15 mM NaCl, 1.5 mM trisodium citrate, and 0.1% SDS. Additional variations on these conditions will be readily apparent to those skilled in the art.

25 Methods for DNA sequencing are well known in the art and may be used to practice any of the embodiments of the invention. The methods may employ such enzymes as the Klenow fragment of DNA polymerase I, SEQUENASE (US Biochemical, Cleveland OH), Taq polymerase (Perkin-Elmer), thermostable T7 polymerase (Amersham Pharmacia Biotech, Piscataway NJ), or combinations of polymerases and proofreading exonucleases such as those found in the
30 ELONGASE amplification system (Life Technologies, Gaithersburg MD). Preferably, sequence preparation is automated with machines such as the Hamilton MICROLAB 2200 (Hamilton, Reno NV), Peltier Thermal Cycler 200 (PTC200; MJ Research, Watertown MA) and the ABI CATALYST 800 (Perkin-Elmer). Sequencing is then carried out using either ABI 373 or 377 DNA sequencing systems (Perkin-Elmer) or the MEGABACE 1000 DNA sequencing system
35 (Molecular Dynamics, Sunnyvale CA). The resulting sequences are analyzed using a variety of

algorithms which are well known in the art. (See, e.g., Ausubel, F.M. (1997) Short Protocols in Molecular Biology, John Wiley & Sons, New York NY, unit 7.7; Meyers, R.A. (1995) Molecular Biology and Biotechnology, Wiley VCH, New York NY, pp. 856-853.)

The nucleic acid sequences encoding HTRM may be extended utilizing a partial
5 nucleotide sequence and employing various PCR-based methods known in the art to detect upstream sequences, such as promoters and regulatory elements. For example, one method which may be employed, restriction-site PCR, uses universal and nested primers to amplify unknown sequence from genomic DNA within a cloning vector. (See, e.g., Sarkar, G. (1993) *PCR Methods Applic.* 2:318-322.) Another method, inverse PCR, uses primers that extend in divergent
10 directions to amplify unknown sequence from a circularized template. The template is derived from restriction fragments comprising a known genomic locus and surrounding sequences. (See, e.g., Triglia, T. et al. (1988) *Nucleic Acids Res.* 16:8186.) A third method, capture PCR, involves PCR amplification of DNA fragments adjacent to known sequences in human and yeast artificial chromosome DNA. (See, e.g., Lagerstrom, M. et al. (1991) *PCR Methods Applic.* 1:111-119.) In
15 this method, multiple restriction enzyme digestions and ligations may be used to insert an engineered double-stranded sequence into a region of unknown sequence before performing PCR. Other methods which may be used to retrieve unknown sequences are known in the art. (See, e.g., Parker, J.D. et al. (1991) *Nucleic Acids Res.* 19:3055-306). Additionally, one may use PCR, nested primers, and PROMOTERFINDER libraries (Clontech, Palo Alto CA) to walk genomic
20 DNA. This procedure avoids the need to screen libraries and is useful in finding intron/exon junctions. For all PCR-based methods, primers may be designed using commercially available software, such as OLIGO 4.06 Primer Analysis software (National Biosciences, Plymouth MN) or another appropriate program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the template at temperatures of about 68°C to 72°C.

25 When screening for full-length cDNAs, it is preferable to use libraries that have been size-selected to include larger cDNAs. In addition, random-primed libraries, which often include sequences containing the 5' regions of genes, are preferable for situations in which an oligo d(T) library does not yield a full-length cDNA. Genomic libraries may be useful for extension of sequence into 5' non-transcribed regulatory regions.

30 Capillary electrophoresis systems which are commercially available may be used to analyze the size or confirm the nucleotide sequence of sequencing or PCR products. In particular, capillary sequencing may employ flowable polymers for electrophoretic separation, four different nucleotide-specific, laser-stimulated fluorescent dyes, and a charge coupled device camera for detection of the emitted wavelengths. Output/light intensity may be converted to electrical signal
35 using appropriate software (e.g., GENOTYPER and SEQUENCE NAVIGATOR, Perkin-Elmer),

and the entire process from loading of samples to computer analysis and electronic data display may be computer controlled. Capillary electrophoresis is especially preferable for sequencing small DNA fragments which may be present in limited amounts in a particular sample.

In another embodiment of the invention, polynucleotide sequences or fragments thereof
5 which encode HTRM may be cloned in recombinant DNA molecules that direct expression of HTRM, or fragments or functional equivalents thereof, in appropriate host cells. Due to the inherent degeneracy of the genetic code, other DNA sequences which encode substantially the same or a functionally equivalent amino acid sequence may be produced and used to express HTRM.

10 The nucleotide sequences of the present invention can be engineered using methods generally known in the art in order to alter HTRM-encoding sequences for a variety of purposes including, but not limited to, modification of the cloning, processing, and/or expression of the gene product. DNA shuffling by random fragmentation and PCR reassembly of gene fragments and synthetic oligonucleotides may be used to engineer the nucleotide sequences. For example,
15 oligonucleotide-mediated site-directed mutagenesis may be used to introduce mutations that create new restriction sites, alter glycosylation patterns, change codon preference, produce splice variants, and so forth.

In another embodiment, sequences encoding HTRM may be synthesized, in whole or in part, using chemical methods well known in the art. (See, e.g., Caruthers, M.H. et al. (1980) Nucl.
20 Acids Res. Symp. Ser. 215-223, and Horn, T. et al. (1980) Nucl. Acids Res. Symp. Ser. 225-232.) Alternatively, HTRM itself or a fragment thereof may be synthesized using chemical methods. For example, peptide synthesis can be performed using various solid-phase techniques. (See, e.g., Roberge, J.Y. et al. (1995) Science 269:202-204.) Automated synthesis may be achieved using the ABI 431A Peptide Synthesizer (Perkin-Elmer). Additionally, the amino acid sequence of
25 HTRM, or any part thereof, may be altered during direct synthesis and/or combined with sequences from other proteins, or any part thereof, to produce a variant polypeptide.

The peptide may be substantially purified by preparative high performance liquid chromatography. (See, e.g., Chiez, R.M. and F.Z. Regnier (1990) Methods Enzymol. 182:392-421.) The composition of the synthetic peptides may be confirmed by amino acid analysis or by
30 sequencing. (See, e.g., Creighton, T. (1984) Proteins. Structures and Molecular Properties, WH Freeman, New York NY.)

In order to express a biologically active HTRM, the nucleotide sequences encoding HTRM or derivatives thereof may be inserted into an appropriate expression vector, i.e., a vector which contains the necessary elements for transcriptional and translational control of the inserted
35 coding sequence in a suitable host. These elements include regulatory sequences, such as

enhancers, constitutive and inducible promoters, and 5' and 3' untranslated regions in the vector and in polynucleotide sequences encoding HTRM. Such elements may vary in their strength and specificity. Specific initiation signals may also be used to achieve more efficient translation of sequences encoding HTRM. Such signals include the ATG initiation codon and adjacent
5 sequences, e.g. the Kozak sequence. In cases where sequences encoding HTRM and its initiation codon and upstream regulatory sequences are inserted into the appropriate expression vector, no additional transcriptional or translational control signals may be needed. However, in cases where only coding sequence, or a fragment thereof, is inserted, exogenous translational control signals including an in-frame ATG initiation codon should be provided by the vector. Exogenous
10 translational elements and initiation codons may be of various origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of enhancers appropriate for the particular host cell system used. (See, e.g., Scharf, D. et al. (1994) *Results Probl. Cell Differ.* 20:125-162.)

Methods which are well known to those skilled in the art may be used to construct
15 expression vectors containing sequences encoding HTRM and appropriate transcriptional and translational control elements. These methods include in vitro recombinant DNA techniques, synthetic techniques, and in vivo genetic recombination. (See, e.g., Sambrook, J. et al. (1989) Molecular Cloning, A Laboratory Manual, Cold Spring Harbor Press, Plainview NY, ch. 4, 8, and 16-17; Ausubel, F.M. et al. (1995) Current Protocols in Molecular Biology, John Wiley & Sons,
20 New York NY, ch. 9, 13, and 16.)

A variety of expression vector/host systems may be utilized to contain and express sequences encoding HTRM. These include, but are not limited to, microorganisms such as bacteria transformed with recombinant bacteriophage, plasmid, or cosmid DNA expression vectors; yeast transformed with yeast expression vectors; insect cell systems infected with viral
25 expression vectors (e.g., baculovirus); plant cell systems transformed with viral expression vectors (e.g., cauliflower mosaic virus, CaMV, or tobacco mosaic virus, TMV) or with bacterial expression vectors (e.g., Ti or pBR322 plasmids); or animal cell systems. The invention is not limited by the host cell employed.

In bacterial systems, a number of cloning and expression vectors may be selected
30 depending upon the use intended for polynucleotide sequences encoding HTRM. For example, routine cloning, subcloning, and propagation of polynucleotide sequences encoding HTRM can be achieved using a multifunctional E. coli vector such as PBLUESCRIPT (Stratagene, La Jolla CA) or pSPORT1 plasmid (Life Technologies). Ligation of sequences encoding HTRM into the vector's multiple cloning site disrupts the *lacZ* gene, allowing a colorimetric screening procedure
35 for identification of transformed bacteria containing recombinant molecules. In addition, these

vectors may be useful for in vitro transcription, dideoxy sequencing, single strand rescue with helper phage, and creation of nested deletions in the cloned sequence. (See, e.g., Van Heeke, G. and S.M. Schuster (1989) J. Biol. Chem. 264:5503-5509.) When large quantities of HTRM are needed, e.g. for the production of antibodies, vectors which direct high level expression of HTRM
5 may be used. For example, vectors containing the strong, inducible T5 or T7 bacteriophage promoter may be used.

Yeast expression systems may be used for production of HTRM. A number of vectors containing constitutive or inducible promoters, such as alpha factor, alcohol oxidase, and PGH, may be used in the yeast Saccharomyces cerevisiae or Pichia pastoris. In addition, such vectors
10 direct either the secretion or intracellular retention of expressed proteins and enable integration of foreign sequences into the host genome for stable propagation. (See, e.g., Ausubel, 1995. supra; Grant et al. (1987) Methods Enzymol. 153:516-54; and Scorer, C. A. et al. (1994) Bio/Technology 12:181-184.)

Plant systems may also be used for expression of HTRM. Transcription of sequences
15 encoding HTRM may be driven viral promoters, e.g., the 35S and 19S promoters of CaMV used alone or in combination with the omega leader sequence from TMV (Takamatsu, N. (1987) EMBO J. 6:307-311). Alternatively, plant promoters such as the small subunit of RUBISCO or heat shock promoters may be used. (See, e.g., Coruzzi, G. et al. (1984) EMBO J. 3:1671-1680; Broglie, R. et al. (1984) Science 224:838-843; and Winter, J. et al. (1991) Results Probl. Cell
20 Differ. 17:85-105.) These constructs can be introduced into plant cells by direct DNA transformation or pathogen-mediated transfection. (See, e.g., The McGraw Hill Yearbook of Science and Technology (1992) McGraw Hill, New York NY, pp. 191-196.)

In mammalian cells, a number of viral-based expression systems may be utilized. In cases where an adenovirus is used as an expression vector, sequences encoding HTRM may be ligated
25 into an adenovirus transcription/translation complex consisting of the late promoter and tripartite leader sequence. Insertion in a non-essential E1 or E3 region of the viral genome may be used to obtain infective virus which expresses HTRM in host cells. (See, e.g., Logan, J. and T. Shenk (1984) Proc. Natl. Acad. Sci. 81:3655-3659.) In addition, transcription enhancers, such as the Rous sarcoma virus (RSV) enhancer, may be used to increase expression in mammalian host cells.
30 SV40 or EBV-based vectors may also be used for high-level protein expression.

Human artificial chromosomes (HACs) may also be employed to deliver larger fragments of DNA than can be contained in and expressed from a plasmid. HACs of about 6 kb to 10 Mb are constructed and delivered via conventional delivery methods (liposomes, polycationic amino polymers, or vesicles) for therapeutic purposes. (See, e.g., Harrington, J.J. et al. (1997) Nat Genet.
35 15:345-355.)

For long term production of recombinant proteins in mammalian systems, stable expression of HTRM in cell lines is preferred. For example, sequences encoding HTRM can be transformed into cell lines using expression vectors which may contain viral origins of replication and/or endogenous expression elements and a selectable marker gene on the same or on a separate
5 vector. Following the introduction of the vector, cells may be allowed to grow for about 1 to 2 days in enriched media before being switched to selective media. The purpose of the selectable marker is to confer resistance to a selective agent, and its presence allows growth and recovery of cells which successfully express the introduced sequences. Resistant clones of stably transformed cells may be propagated using tissue culture techniques appropriate to the cell type.

10 Any number of selection systems may be used to recover transformed cell lines. These include, but are not limited to, the herpes simplex virus thymidine kinase and adenine phosphoribosyltransferase genes, for use in *tk* or *apr*⁻ cells, respectively. (See, e.g., Wigler, M. et al. (1977) Cell 11:223-232; Lowy, I. et al. (1980) Cell 22:817-823.) Also, antimetabolite, antibiotic, or herbicide resistance can be used as the basis for selection. For example, *dhfr* confers
15 resistance to methotrexate; *neo* confers resistance to the aminoglycosides, neomycin and G-418; and *als* or *pat* confer resistance to chlorsulfuron and phosphinotricin acetyltransferase, respectively. (See, e.g., Wigler, M. et al. (1980) Proc. Natl. Acad. Sci. 77:3567-3570; Colbere-Garapin, F. et al. (1981) J. Mol. Biol. 150:1-14.) Additional selectable genes have been described, e.g., *trpB* and *hisD*, which alter cellular requirements for metabolites. (See, e.g.,
20 Hartman, S.C. and R.C. Mulligan (1988) Proc. Natl. Acad. Sci. 85:8047-8051.) Visible markers, e.g., anthocyanins, green fluorescent proteins (GFP; Clontech), β glucuronidase and its substrate β -glucuronide, or luciferase and its substrate luciferin may be used. These markers can be used not only to identify transformants, but also to quantify the amount of transient or stable protein expression attributable to a specific vector system. (See, e.g., Rhodes, C.A. (1995) Methods Mol.
25 Biol. 55:121-131.)

Although the presence/absence of marker gene expression suggests that the gene of interest is also present, the presence and expression of the gene may need to be confirmed. For example, if the sequence encoding HTRM is inserted within a marker gene sequence, transformed cells containing sequences encoding HTRM can be identified by the absence of marker gene
30 function. Alternatively, a marker gene can be placed in tandem with a sequence encoding HTRM under the control of a single promoter. Expression of the marker gene in response to induction or selection usually indicates expression of the tandem gene as well.

In general, host cells that contain the nucleic acid sequence encoding HTRM and that express HTRM may be identified by a variety of procedures known to those of skill in the art.
35 These procedures include, but are not limited to, DNA-DNA or DNA-RNA hybridizations, PCR

amplification, and protein bioassay or immunoassay techniques which include membrane solution, or chip based technologies for the detection and/or quantification of nucleic acid or protein sequences.

Immunological methods for detecting and measuring the expression of HTRM using either
5 specific polyclonal or monoclonal antibodies are known in the art. Examples of such techniques include enzyme-linked immunosorbent assays (ELISAs), radioimmunoassays (RIAs), and fluorescence activated cell sorting (FACS). A two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering epitopes on HTRM is preferred, but a competitive binding assay may be employed. These and other assays are well known in the art.
10 (See, e.g., Hampton, R. et al. (1990) Serological Methods, a Laboratory Manual, APS Press, St Paul MN. Sect. IV; Coligan, J. E. et al. (1997) Current Protocols in Immunology, Greene Pub. Associates and Wiley-Interscience, New York NY; and Pound, J.D. (1998) Immunochemical Protocols, Humana Press. Totowa NJ).

A wide variety of labels and conjugation techniques are known by those skilled in the art
15 and may be used in various nucleic acid and amino acid assays. Means for producing labeled hybridization or PCR probes for detecting sequences related to polynucleotides encoding HTRM include oligolabeling, nick translation, end-labeling, or PCR amplification using a labeled nucleotide. Alternatively, the sequences encoding HTRM, or any fragments thereof, may be cloned into a vector for the production of an mRNA probe. Such vectors are known in the art, are
20 commercially available, and may be used to synthesize RNA probes in vitro by addition of an appropriate RNA polymerase such as T7, T3, or SP6 and labeled nucleotides. These procedures may be conducted using a variety of commercially available kits, such as those provided by Amersham Pharmacia Biotech, Promega (Madison WI), and US Biochemical. Suitable reporter molecules or labels which may be used for ease of detection include radionuclides, enzymes,
25 fluorescent, chemiluminescent, or chromogenic agents, as well as substrates, cofactors, inhibitors, magnetic particles, and the like.

Host cells transformed with nucleotide sequences encoding HTRM may be cultured under conditions suitable for the expression and recovery of the protein from cell culture. The protein produced by a transformed cell may be secreted or retained intracellularly depending on the
30 sequence and/or the vector used. As will be understood by those of skill in the art, expression vectors containing polynucleotides which encode HTRM may be designed to contain signal sequences which direct secretion of HTRM through a prokaryotic or eukaryotic cell membrane.

In addition, a host cell strain may be chosen for its ability to modulate expression of the inserted sequences or to process the expressed protein in the desired fashion. Such modifications
35 of the polypeptide include, but are not limited to, acetylation, carboxylation, glycosylation.

phosphorylation, lipidation, and acylation. Post-translational processing which cleaves a "prepro" form of the protein may also be used to specify protein targeting, folding, and/or activity.

Different host cells which have specific cellular machinery and characteristic mechanisms for post-translational activities (e.g., CHO, HeLa, MDCK, HEK293, and W138), are available from
5 the American Type Culture Collection (ATCC, Bethesda MD) and may be chosen to ensure the correct modification and processing of the foreign protein.

In another embodiment of the invention, natural, modified, or recombinant nucleic acid sequences encoding HTRM may be ligated to a heterologous sequence resulting in translation of a fusion protein in any of the aforementioned host systems. For example, a chimeric HTRM protein
10 containing a heterologous moiety that can be recognized by a commercially available antibody may facilitate the screening of peptide libraries for inhibitors of HTRM activity. Heterologous protein and peptide moieties may also facilitate purification of fusion proteins using commercially available affinity matrices. Such moieties include, but are not limited to, glutathione S-transferase (GST), maltose binding protein (MBP), thioredoxin (Trx), calmodulin binding peptide (CBP), 6-
15 His, FLAG, *c-myc*, and hemagglutinin (HA). GST, MBP, Trx, CBP, and 6-His enable purification of their cognate fusion proteins on immobilized glutathione, maltose, phenylarsine oxide, calmodulin, and metal-chelate resins, respectively. FLAG, *c-myc*, and hemagglutinin (HA) enable immunoaffinity purification of fusion proteins using commercially available monoclonal and polyclonal antibodies that specifically recognize these epitope tags. A fusion protein may also be
20 engineered to contain a proteolytic cleavage site located between the HTRM encoding sequence and the heterologous protein sequence, so that HTRM may be cleaved away from the heterologous moiety following purification. Methods for fusion protein expression and purification are discussed in Ausubel (1995, supra, ch 10). A variety of commercially available kits may also be used to facilitate expression and purification of fusion proteins.

25 In a further embodiment of the invention, synthesis of radiolabeled HTRM may be achieved in vitro using the TNT rabbit reticulocyte lysate or wheat germ extract systems (Promega). These systems couple transcription and translation of protein-coding sequences operably associated with the T7, T3, or SP6 promoters. Translation takes place in the presence of a radiolabeled amino acid precursor, preferably ³⁵S-methionine.

30 Fragments of HTRM may be produced not only by recombinant production, but also by direct peptide synthesis using solid-phase techniques. (See, e.g., Creighton, supra, pp. 55-60.) Protein synthesis may be performed by manual techniques or by automation. Automated synthesis may be achieved, for example, using the ABI 431A Peptide Synthesizer (Perkin-Elmer). Various fragments of HTRM may be synthesized separately and then combined to produce the full length
35 molecule.

THERAPEUTICS

Chemical and structural similarity, e.g., in the context of sequences and motifs, exists between regions of HTRM and human transcriptional regulator molecules. In addition, the expression of HTRM is closely associated with cell proliferation, inflammation, and the immune response. Therefore, HTRM appears to play a role in cell proliferative and immune disorders. In the treatment of disorders associated with increased HTRM expression or activity, it is desirable to decrease the expression or activity of HTRM. In the treatment of disorders associated with decreased HTRM expression or activity, it is desirable to increase the expression or activity of HTRM.

Therefore, in one embodiment, HTRM or a fragment or derivative thereof may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HTRM. Examples of such disorders include, but are not limited to, a cell proliferative disorder such as actinic keratosis, arteriosclerosis, atherosclerosis, bursitis, cirrhosis, hepatitis, mixed connective tissue disease (MCTD), myelofibrosis, paroxysmal nocturnal hemoglobinuria, polycythemia vera, psoriasis, primary thrombocythemia; cancers including adenocarcinoma, leukemia, lymphoma, melanoma, myeloma, sarcoma, teratocarcinoma, and, in particular, cancers of the adrenal gland, bladder, bone, bone marrow, brain, breast, cervix, gall bladder, ganglia, gastrointestinal tract, heart, kidney, liver, lung, muscle, ovary, pancreas, parathyroid, penis, prostate, salivary glands, skin, spleen, testis, thymus, thyroid, and uterus; and an immune disorder such as acquired immunodeficiency syndrome (AIDS), Addison's disease, adult respiratory distress syndrome, allergies, ankylosing spondylitis, amyloidosis, anemia, asthma, atherosclerosis, autoimmune hemolytic anemia, autoimmune thyroiditis, bronchitis, cholecystitis, contact dermatitis, Crohn's disease, atopic dermatitis, dermatomyositis, diabetes mellitus, emphysema, episodic lymphopenia with lymphocytotoxins, erythroblastosis fetalis, erythema nodosum, atrophic gastritis, glomerulonephritis, Goodpasture's syndrome, gout, Graves' disease, Hashimoto's thyroiditis, hypereosinophilia, irritable bowel syndrome, multiple sclerosis, myasthenia gravis, myocardial or pericardial inflammation, osteoarthritis, osteoporosis, pancreatitis, polymyositis, psoriasis, Reiter's syndrome, rheumatoid arthritis, scleroderma, Sjögren's syndrome, systemic anaphylaxis, systemic lupus erythematosus, systemic sclerosis, thrombocytopenic purpura, ulcerative colitis, uveitis, Werner syndrome, complications of cancer, hemodialysis, and extracorporeal circulation, viral, bacterial, fungal, parasitic, protozoal, and helminthic infections, and trauma

In another embodiment, a vector capable of expressing HTRM or a fragment or derivative thereof may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HTRM including, but not limited to, those described above.

In a further embodiment, a pharmaceutical composition comprising a substantially purified HTRM in conjunction with a suitable pharmaceutical carrier may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HTRM including, but not limited to, those provided above.

5 In still another embodiment, an agonist which modulates the activity of HTRM may be administered to a subject to treat or prevent a disorder associated with decreased expression or activity of HTRM including, but not limited to, those listed above.

In a further embodiment, an antagonist of HTRM may be administered to a subject to treat or prevent a disorder associated with increased expression or activity of HTRM. Examples of
10 such disorders include, but are not limited to, those described above. In one aspect, an antibody which specifically binds HTRM may be used directly as an antagonist or indirectly as a targeting or delivery mechanism for bringing a pharmaceutical agent to cells or tissue which express HTRM.

In an additional embodiment, a vector expressing the complement of the polynucleotide
15 encoding HTRM may be administered to a subject to treat or prevent a disorder associated with increased expression or activity of HTRM including, but not limited to, those described above.

In other embodiments, any of the proteins, antagonists, antibodies, agonists, complementary sequences, or vectors of the invention may be administered in combination with other appropriate therapeutic agents. Selection of the appropriate agents for use in combination
20 therapy may be made by one of ordinary skill in the art, according to conventional pharmaceutical principles. The combination of therapeutic agents may act synergistically to effect the treatment or prevention of the various disorders described above. Using this approach, one may be able to achieve therapeutic efficacy with lower dosages of each agent, thus reducing the potential for adverse side effects.

25 An antagonist of HTRM may be produced using methods which are generally known in the art. In particular, purified HTRM may be used to produce antibodies or to screen libraries of pharmaceutical agents to identify those which specifically bind HTRM. Antibodies to HTRM may also be generated using methods that are well known in the art. Such antibodies may include, but are not limited to, polyclonal, monoclonal, chimeric, and single chain antibodies, Fab fragments,
30 and fragments produced by a Fab expression library. Neutralizing antibodies (i.e., those which inhibit dimer formation) are especially preferred for therapeutic use.

For the production of antibodies, various hosts including goats, rabbits, rats, mice, humans, and others may be immunized by injection with HTRM or with any fragment or oligopeptide thereof which has immunogenic properties. Depending on the host species, various
35 adjuvants may be used to increase immunological response. Such adjuvants include, but are not

limited to. Freund's, mineral gels such as aluminum hydroxide, and surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, KLH, and dinitrophenol. Among adjuvants used in humans, BCG (bacilli Calmette-Guerin) and Corynebacterium parvum are especially preferable.

5 It is preferred that the oligopeptides, peptides, or fragments used to induce antibodies to HTRM have an amino acid sequence consisting of at least about 5 amino acids, and, more preferably, of at least about 10 amino acids. It is also preferable that these oligopeptides, peptides, or fragments are identical to a portion of the amino acid sequence of the natural protein and contain the entire amino acid sequence of a small, naturally occurring molecule. Short stretches of
10 HTRM amino acids may be fused with those of another protein, such as KLH, and antibodies to the chimeric molecule may be produced.

Monoclonal antibodies to HTRM may be prepared using any technique which provides for the production of antibody molecules by continuous cell lines in culture. These include, but are not limited to, the hybridoma technique, the human B-cell hybridoma technique, and the EBV-
15 hybridoma technique. (See, e.g., Kohler, G. et al. (1975) Nature 256:495-497; Kozbor, D. et al. (1985) J. Immunol. Methods 81:31-42; Cote, R.J. et al. (1983) Proc. Natl. Acad. Sci. 80:2026-2030; and Cole, S.P. et al. (1984) Mol. Cell Biol. 62:109-120.)

In addition, techniques developed for the production of "chimeric antibodies," such as the splicing of mouse antibody genes to human antibody genes to obtain a molecule with appropriate
20 antigen specificity and biological activity, can be used. (See, e.g., Morrison, S.L. et al. (1984) Proc. Natl. Acad. Sci. 81:6851-6855; Neuberger, M.S. et al. (1984) Nature 312:604-608; and Takeda, S. et al. (1985) Nature 314:452-454.) Alternatively, techniques described for the production of single chain antibodies may be adapted, using methods known in the art, to produce HTRM-specific single chain antibodies. Antibodies with related specificity, but of distinct
25 idiotypic composition, may be generated by chain shuffling from random combinatorial immunoglobulin libraries. (See, e.g., Burton D.R. (1991) Proc. Natl. Acad. Sci. 88:10134-10137.)

Antibodies may also be produced by inducing in vivo production in the lymphocyte population or by screening immunoglobulin libraries or panels of highly specific binding reagents as disclosed in the literature. (See, e.g., Orlandi, R. et al. (1989) Proc. Natl. Acad. Sci. 86:
30 3833-3837; Winter, G. et al. (1991) Nature 349:293-299.)

Antibody fragments which contain specific binding sites for HTRM may also be generated. For example, such fragments include, but are not limited to, F(ab')₂ fragments produced by pepsin digestion of the antibody molecule and Fab fragments generated by reducing the disulfide bridges of the F(ab')₂ fragments. Alternatively, Fab expression libraries may be
35 constructed to allow rapid and easy identification of monoclonal Fab fragments with the desired

specificity. (See, e.g., Huse, W.D. et al. (1989) Science 246:1275-1281.)

Various immunoassays may be used for screening to identify antibodies having the desired specificity. Numerous protocols for competitive binding or immunoradiometric assays using either polyclonal or monoclonal antibodies with established specificities are well known in the art. Such immunoassays typically involve the measurement of complex formation between HTRM and its specific antibody. A two-site, monoclonal-based immunoassay utilizing monoclonal antibodies reactive to two non-interfering HTRM epitopes is preferred, but a competitive binding assay may also be employed (Pound, supra).

Various methods such as Scatchard analysis in conjunction with radioimmunoassay techniques may be used to assess the affinity of antibodies for HTRM. Affinity is expressed as an association constant, K_a , which is defined as the molar concentration of HTRM-antibody complex divided by the molar concentrations of free antigen and free antibody under equilibrium conditions. The K_a determined for a preparation of polyclonal antibodies, which are heterogeneous in their affinities for multiple HTRM epitopes, represents the average affinity, or avidity, of the antibodies for HTRM. The K_a determined for a preparation of monoclonal antibodies, which are monospecific for a particular HTRM epitope, represents a true measure of affinity. High-affinity antibody preparations with K_a ranging from about 10^9 to 10^{12} L/mole are preferred for use in immunoassays in which the HTRM-antibody complex must withstand rigorous manipulations. Low-affinity antibody preparations with K_a ranging from about 10^6 to 10^7 L/mole are preferred for use in immunopurification and similar procedures which ultimately require dissociation of HTRM, preferably in active form, from the antibody (Catty, D. (1988) Antibodies, Volume I: A Practical Approach, IRL Press, Washington, DC; Liddell, J. E. and Cryer, A. (1991) A Practical Guide to Monoclonal Antibodies, John Wiley & Sons, New York NY).

The titer and avidity of polyclonal antibody preparations may be further evaluated to determine the quality and suitability of such preparations for certain downstream applications. For example, a polyclonal antibody preparation containing at least 1-2 mg specific antibody/ml, preferably 5-10 mg specific antibody/ml, is preferred for use in procedures requiring precipitation of HTRM-antibody complexes. Procedures for evaluating antibody specificity, titer, and avidity, and guidelines for antibody quality and usage in various applications, are generally available. (See, e.g., Catty, supra, and Coligan et al. supra.)

In another embodiment of the invention, the polynucleotides encoding HTRM, or any fragment or complement thereof, may be used for therapeutic purposes. In one aspect, the complement of the polynucleotide encoding HTRM may be used in situations in which it would be desirable to block the transcription of the mRNA. In particular, cells may be transformed with sequences complementary to polynucleotides encoding HTRM. Thus, complementary molecules

or fragments may be used to modulate HTRM activity, or to achieve regulation of gene function. Such technology is now well known in the art, and sense or antisense oligonucleotides or larger fragments can be designed from various locations along the coding or control regions of sequences encoding HTRM.

5 Expression vectors derived from retroviruses, adenoviruses, or herpes or vaccinia viruses, or from various bacterial plasmids, may be used for delivery of nucleotide sequences to the targeted organ, tissue, or cell population. Methods which are well known to those skilled in the art can be used to construct vectors to express nucleic acid sequences complementary to the polynucleotides encoding HTRM. (See, e.g., Sambrook, supra; Ausubel, 1995, supra.)

10 Genes encoding HTRM can be turned off by transforming a cell or tissue with expression vectors which express high levels of a polynucleotide, or fragment thereof, encoding HTRM. Such constructs may be used to introduce untranslatable sense or antisense sequences into a cell. Even in the absence of integration into the DNA, such vectors may continue to transcribe RNA molecules until they are disabled by endogenous nucleases. Transient expression may last for a
15 month or more with a non-replicating vector, and may last even longer if appropriate replication elements are part of the vector system.

As mentioned above, modifications of gene expression can be obtained by designing complementary sequences or antisense molecules (DNA, RNA, or PNA) to the control, 5', or regulatory regions of the gene encoding HTRM. Oligonucleotides derived from the transcription
20 initiation site, e.g., between about positions -10 and +10 from the start site, are preferred. Similarly, inhibition can be achieved using triple helix base-pairing methodology. Triple helix pairing is useful because it causes inhibition of the ability of the double helix to open sufficiently for the binding of polymerases, transcription factors, or regulatory molecules. Recent therapeutic advances using triplex DNA have been described in the literature. (See, e.g., Gee, J.E. et al.
25 (1994) in Huber, B.E. and B.I. Carr, Molecular and Immunologic Approaches, Futura Publishing, Mt. Kisco NY, pp. 163-177.) A complementary sequence or antisense molecule may also be designed to block translation of mRNA by preventing the transcript from binding to ribosomes.

Ribozymes, enzymatic RNA molecules, may also be used to catalyze the specific cleavage of RNA. The mechanism of ribozyme action involves sequence-specific hybridization of the
30 ribozyme molecule to complementary target RNA, followed by endonucleolytic cleavage. For example, engineered hammerhead motif ribozyme molecules may specifically and efficiently catalyze endonucleolytic cleavage of sequences encoding HTRM.

Specific ribozyme cleavage sites within any potential RNA target are initially identified by scanning the target molecule for ribozyme cleavage sites, including the following sequences:
35 GUA, GUU, and GUC. Once identified, short RNA sequences of between 15 and 20

ribonucleotides, corresponding to the region of the target gene containing the cleavage site, may be evaluated for secondary structural features which may render the oligonucleotide inoperable. The suitability of candidate targets may also be evaluated by testing accessibility to hybridization with complementary oligonucleotides using ribonuclease protection assays.

5 Complementary ribonucleic acid molecules and ribozymes of the invention may be prepared by any method known in the art for the synthesis of nucleic acid molecules. These include techniques for chemically synthesizing oligonucleotides such as solid phase phosphoramidite chemical synthesis. Alternatively, RNA molecules may be generated by in vitro and in vivo transcription of DNA sequences encoding HTRM. Such DNA sequences may be
10 incorporated into a wide variety of vectors with suitable RNA polymerase promoters such as T7 or SP6. Alternatively, these cDNA constructs that synthesize complementary RNA, constitutively or inducibly, can be introduced into cell lines, cells, or tissues.

RNA molecules may be modified to increase intracellular stability and half-life. Possible modifications include, but are not limited to, the addition of flanking sequences at the 5' and/or 3'
15 ends of the molecule, or the use of phosphorothioate or 2' O-methyl rather than phosphodiesterase linkages within the backbone of the molecule. This concept is inherent in the production of PNAs and can be extended in all of these molecules by the inclusion of nontraditional bases such as inosine, queosine, and wybutosine, as well as acetyl-, methyl-, thio-, and similarly modified forms of adenine, cytidine, guanine, thymine, and uridine which are not as easily recognized by
20 endogenous endonucleases.

Many methods for introducing vectors into cells or tissues are available and equally suitable for use in vivo, in vitro, and ex vivo. For ex vivo therapy, vectors may be introduced into stem cells taken from the patient and clonally propagated for autologous transplant back into that same patient. Delivery by transfection, by liposome injections, or by polycationic amino polymers
25 may be achieved using methods which are well known in the art. (See, e.g., Goldman, C.K. et al. (1997) Nature Biotechnology 15:462-466.)

Any of the therapeutic methods described above may be applied to any subject in need of such therapy, including, for example, mammals such as dogs, cats, cows, horses, rabbits, monkeys, and most preferably, humans.

30 An additional embodiment of the invention relates to the administration of a pharmaceutical or sterile composition, in conjunction with a pharmaceutically acceptable carrier, for any of the therapeutic effects discussed above. Such pharmaceutical compositions may consist of HTRM, antibodies to HTRM, and mimetics, agonists, antagonists, or inhibitors of HTRM. The compositions may be administered alone or in combination with at least one other agent, such as a
35 stabilizing compound, which may be administered in any sterile, biocompatible pharmaceutical

carrier including, but not limited to, saline, buffered saline, dextrose, and water. The compositions may be administered to a patient alone, or in combination with other agents, drugs, or hormones.

The pharmaceutical compositions utilized in this invention may be administered by any number of routes including, but not limited to, oral, intravenous, intramuscular, intra-arterial, 5 intramedullary, intrathecal, intraventricular, transdermal, subcutaneous, intraperitoneal, intranasal, enteral, topical, sublingual, or rectal means.

In addition to the active ingredients, these pharmaceutical compositions may contain suitable pharmaceutically-acceptable carriers comprising excipients and auxiliaries which facilitate processing of the active compounds into preparations which can be used 10 pharmaceutically. Further details on techniques for formulation and administration may be found in the latest edition of Remington's Pharmaceutical Sciences (Maack Publishing, Easton PA).

Pharmaceutical compositions for oral administration can be formulated using pharmaceutically acceptable carriers well known in the art in dosages suitable for oral administration. Such carriers enable the pharmaceutical compositions to be formulated as tablets, 15 pills, dragees, capsules, liquids, gels, syrups, slurries, suspensions, and the like, for ingestion by the patient.

Pharmaceutical preparations for oral use can be obtained through combining active compounds with solid excipient and processing the resultant mixture of granules (optionally, after grinding) to obtain tablets or dragee cores. Suitable auxiliaries can be added, if desired. Suitable 20 excipients include carbohydrate or protein fillers, such as sugars, including lactose, sucrose, mannitol, and sorbitol; starch from corn, wheat, rice, potato, or other plants; cellulose, such as methyl cellulose, hydroxypropylmethyl-cellulose, or sodium carboxymethylcellulose; gums, including arabic and tragacanth; and proteins, such as gelatin and collagen. If desired, disintegrating or solubilizing agents may be added, such as the cross-linked polyvinyl pyrrolidone, 25 agar, and alginic acid or a salt thereof, such as sodium alginate.

Dragee cores may be used in conjunction with suitable coatings, such as concentrated sugar solutions, which may also contain gum arabic, talc, polyvinylpyrrolidone, carbopol gel, polyethylene glycol, and/or titanium dioxide, lacquer solutions, and suitable organic solvents or solvent mixtures. Dyestuffs or pigments may be added to the tablets or dragee coatings for 30 product identification or to characterize the quantity of active compound, i.e., dosage.

Pharmaceutical preparations which can be used orally include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin and a coating, such as glycerol or sorbitol. Push-fit capsules can contain active ingredients mixed with fillers or binders, such as lactose or starches, lubricants, such as talc or magnesium stearate, and, optionally, stabilizers. In soft 35 capsules, the active compounds may be dissolved or suspended in suitable liquids, such as fatty

oils, liquid, or liquid polyethylene glycol with or without stabilizers.

Pharmaceutical formulations suitable for parenteral administration may be formulated in aqueous solutions, preferably in physiologically compatible buffers such as Hanks' solution, Ringer's solution, or physiologically buffered saline. Aqueous injection suspensions may contain
5 substances which increase the viscosity of the suspension, such as sodium carboxymethyl cellulose, sorbitol, or dextran. Additionally, suspensions of the active compounds may be prepared as appropriate oily injection suspensions. Suitable lipophilic solvents or vehicles include fatty oils, such as sesame oil, or synthetic fatty acid esters, such as ethyl oleate, triglycerides, or liposomes. Non-lipid polycationic amino polymers may also be used for delivery. Optionally, the
10 suspension may also contain suitable stabilizers or agents to increase the solubility of the compounds and allow for the preparation of highly concentrated solutions.

For topical or nasal administration, penetrants appropriate to the particular barrier to be permeated are used in the formulation. Such penetrants are generally known in the art.

The pharmaceutical compositions of the present invention may be manufactured in a
15 manner that is known in the art, e.g., by means of conventional mixing, dissolving, granulating, dragee-making, levigating, emulsifying, encapsulating, entrapping, or lyophilizing processes.

The pharmaceutical composition may be provided as a salt and can be formed with many acids, including but not limited to, hydrochloric, sulfuric, acetic, lactic, tartaric, malic, and succinic acid. Salts tend to be more soluble in aqueous or other protonic solvents than are the
20 corresponding free base forms. In other cases, the preferred preparation may be a lyophilized powder which may contain any or all of the following: 1 mM to 50 mM histidine, 0.1% to 2% sucrose, and 2% to 7% mannitol, at a pH range of 4.5 to 5.5, that is combined with buffer prior to use.

After pharmaceutical compositions have been prepared, they can be placed in an
25 appropriate container and labeled for treatment of an indicated condition. For administration of HTRM, such labeling would include amount, frequency, and method of administration.

Pharmaceutical compositions suitable for use in the invention include compositions wherein the active ingredients are contained in an effective amount to achieve the intended purpose. The determination of an effective dose is well within the capability of those skilled in the
30 art.

For any compound, the therapeutically effective dose can be estimated initially either in cell culture assays, e.g., of neoplastic cells or in animal models such as mice, rats, rabbits, dogs, or
pigs. An animal model may also be used to determine the appropriate concentration range and route of administration. Such information can then be used to determine useful doses and routes
35 for administration in humans.

A therapeutically effective dose refers to that amount of active ingredient, for example HTRM or fragments thereof, antibodies of HTRM, and agonists, antagonists or inhibitors of HTRM, which ameliorates the symptoms or condition. Therapeutic efficacy and toxicity may be determined by standard pharmaceutical procedures in cell cultures or with experimental animals, such as by calculating the ED_{50} (the dose therapeutically effective in 50% of the population) or LD_{50} (the dose lethal to 50% of the population) statistics. The dose ratio of toxic to therapeutic effects is the therapeutic index, and it can be expressed as the LD_{50}/ED_{50} ratio. Pharmaceutical compositions which exhibit large therapeutic indices are preferred. The data obtained from cell culture assays and animal studies are used to formulate a range of dosage for human use. The dosage contained in such compositions is preferably within a range of circulating concentrations that includes the ED_{50} with little or no toxicity. The dosage varies within this range depending upon the dosage form employed, the sensitivity of the patient, and the route of administration.

The exact dosage will be determined by the practitioner, in light of factors related to the subject requiring treatment. Dosage and administration are adjusted to provide sufficient levels of the active moiety or to maintain the desired effect. Factors which may be taken into account include the severity of the disease state, the general health of the subject, the age, weight, and gender of the subject, time and frequency of administration, drug combination(s), reaction sensitivities, and response to therapy. Long-acting pharmaceutical compositions may be administered every 3 to 4 days, every week, or biweekly depending on the half-life and clearance rate of the particular formulation.

Normal dosage amounts may vary from about $0.1 \mu\text{g}$ to $100,000 \mu\text{g}$, up to a total dose of about 1 gram, depending upon the route of administration. Guidance as to particular dosages and methods of delivery is provided in the literature and generally available to practitioners in the art. Those skilled in the art will employ different formulations for nucleotides than for proteins or their inhibitors. Similarly, delivery of polynucleotides or polypeptides will be specific to particular cells, conditions, locations, etc.

DIAGNOSTICS

In another embodiment, antibodies which specifically bind HTRM may be used for the diagnosis of disorders characterized by expression of HTRM, or in assays to monitor patients being treated with HTRM or agonists, antagonists, or inhibitors of HTRM. Antibodies useful for diagnostic purposes may be prepared in the same manner as described above for therapeutics. Diagnostic assays for HTRM include methods which utilize the antibody and a label to detect HTRM in human body fluids or in extracts of cells or tissues. The antibodies may be used with or without modification, and may be labeled by covalent or non-covalent attachment of a reporter molecule. A wide variety of reporter molecules, several of which are described above, are known

in the art and may be used.

A variety of protocols for measuring HTRM, including ELISAs, RIAs, and FACS, are known in the art and provide a basis for diagnosing altered or abnormal levels of HTRM expression. Normal or standard values for HTRM expression are established by combining body fluids or cell extracts taken from normal mammalian subjects, preferably human, with antibody to HTRM under conditions suitable for complex formation. The amount of standard complex formation may be quantitated by various methods, preferably by photometric means. Quantities of HTRM expressed in subject, control, and disease samples from biopsied tissues are compared with the standard values. Deviation between standard and subject values establishes the parameters for diagnosing disease.

In another embodiment of the invention, the polynucleotides encoding HTRM may be used for diagnostic purposes. The polynucleotides which may be used include oligonucleotide sequences, complementary RNA and DNA molecules, and PNAs. The polynucleotides may be used to detect and quantitate gene expression in biopsied tissues in which expression of HTRM may be correlated with disease. The diagnostic assay may be used to determine absence, presence, and excess expression of HTRM, and to monitor regulation of HTRM levels during therapeutic intervention.

In one aspect, hybridization with PCR probes which are capable of detecting polynucleotide sequences, including genomic sequences, encoding HTRM or closely related molecules may be used to identify nucleic acid sequences which encode HTRM. The specificity of the probe, whether it is made from a highly specific region, e.g., the 5' regulatory region, or from a less specific region, e.g., a conserved motif, and the stringency of the hybridization or amplification (maximal, high, intermediate, or low), will determine whether the probe identifies only naturally occurring sequences encoding HTRM, allelic variants, or related sequences.

Probes may also be used for the detection of related sequences, and should preferably have at least 50% sequence identity to any of the HTRM encoding sequences. The hybridization probes of the subject invention may be DNA or RNA and may be derived from the sequence of SEQ ID NO:66-130 or from genomic sequences including promoters, enhancers, and introns of the HTRM gene.

Means for producing specific hybridization probes for DNAs encoding HTRM include the cloning of polynucleotide sequences encoding HTRM or HTRM derivatives into vectors for the production of mRNA probes. Such vectors are known in the art, are commercially available, and may be used to synthesize RNA probes *in vitro* by means of the addition of the appropriate RNA polymerases and the appropriate labeled nucleotides. Hybridization probes may be labeled by a variety of reporter groups, for example, by radionuclides such as ^{32}P or ^{35}S , or by enzymatic labels.

such as alkaline phosphatase coupled to the probe via avidin/biotin coupling systems, and the like.

Polynucleotide sequences encoding HTRM may be used for the diagnosis of disorders associated with expression of HTRM. Examples of such disorders include, but are not limited to, a cell proliferative disorder such as actinic keratosis, arteriosclerosis, atherosclerosis, bursitis, cirrhosis, hepatitis, mixed connective tissue disease (MCTD), myelofibrosis, paroxysmal nocturnal hemoglobinuria, polycythemia vera, psoriasis, primary thrombocythemia; cancers including adenocarcinoma, leukemia, lymphoma, melanoma, myeloma, sarcoma, teratocarcinoma, and, in particular, cancers of the adrenal gland, bladder, bone, bone marrow, brain, breast, cervix, gall bladder, ganglia, gastrointestinal tract, heart, kidney, liver, lung, muscle, ovary, pancreas, parathyroid, penis, prostate, salivary glands, skin, spleen, testis, thymus, thyroid, and uterus; and an immune disorder such as acquired immunodeficiency syndrome (AIDS), Addison's disease, adult respiratory distress syndrome, allergies, ankylosing spondylitis, amyloidosis, anemia, asthma, atherosclerosis, autoimmune hemolytic anemia, autoimmune thyroiditis, bronchitis, cholecystitis, contact dermatitis, Crohn's disease, atopic dermatitis, dermatomyositis, diabetes mellitus, emphysema, episodic lymphopenia with lymphocytotoxins, erythroblastosis fetalis, erythema nodosum, atrophic gastritis, glomerulonephritis, Goodpasture's syndrome, gout, Graves' disease, Hashimoto's thyroiditis, hypereosinophilia, irritable bowel syndrome, multiple sclerosis, myasthenia gravis, myocardial or pericardial inflammation, osteoarthritis, osteoporosis, pancreatitis, polymyositis, psoriasis, Reiter's syndrome, rheumatoid arthritis, scleroderma, Sjögren's syndrome, systemic anaphylaxis, systemic lupus erythematosus, systemic sclerosis, thrombocytopenic purpura, ulcerative colitis, uveitis, Werner syndrome, complications of cancer, hemodialysis, and extracorporeal circulation, viral, bacterial, fungal, parasitic, protozoal, and helminthic infections, and trauma. The polynucleotide sequences encoding HTRM may be used in Southern or northern analysis, dot blot, or other membrane-based technologies; in PCR technologies; in dipstick, pin, and multiformat ELISA-like assays; and in microarrays utilizing fluids or tissues from patients to detect altered HTRM expression. Such qualitative or quantitative methods are well known in the art.

In a particular aspect, the nucleotide sequences encoding HTRM may be useful in assays that detect the presence of associated disorders, particularly those mentioned above. The nucleotide sequences encoding HTRM may be labeled by standard methods and added to a fluid or tissue sample from a patient under conditions suitable for the formation of hybridization complexes. After a suitable incubation period, the sample is washed and the signal is quantitated and compared with a standard value. If the amount of signal in the patient sample is significantly altered in comparison to a control sample then the presence of altered levels of nucleotide sequences encoding HTRM in the sample indicates the presence of the associated disorder. Such

assays may also be used to evaluate the efficacy of a particular therapeutic treatment regimen in animal studies, in clinical trials, or to monitor the treatment of an individual patient.

In order to provide a basis for the diagnosis of a disorder associated with expression of HTRM, a normal or standard profile for expression is established. This may be accomplished by
5 combining body fluids or cell extracts taken from normal subjects, either animal or human, with a sequence, or a fragment thereof, encoding HTRM, under conditions suitable for hybridization or amplification. Standard hybridization may be quantified by comparing the values obtained from normal subjects with values from an experiment in which a known amount of a substantially purified polynucleotide is used. Standard values obtained in this manner may be compared with
10 values obtained from samples from patients who are symptomatic for a disorder. Deviation from standard values is used to establish the presence of a disorder.

Once the presence of a disorder is established and a treatment protocol is initiated, hybridization assays may be repeated on a regular basis to determine if the level of expression in the patient begins to approximate that which is observed in the normal subject. The results
15 obtained from successive assays may be used to show the efficacy of treatment over a period ranging from several days to months.

With respect to cancer, the presence of an abnormal amount of transcript (either under- or overexpressed) in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the
20 appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

Additional diagnostic uses for oligonucleotides designed from the sequences encoding HTRM may involve the use of PCR. These oligomers may be chemically synthesized, generated
25 enzymatically, or produced *in vitro*. Oligomers will preferably contain a fragment of a polynucleotide encoding HTRM, or a fragment of a polynucleotide complementary to the polynucleotide encoding HTRM, and will be employed under optimized conditions for identification of a specific gene or condition. Oligomers may also be employed under less stringent conditions for detection or quantitation of closely related DNA or RNA sequences.

30 Methods which may also be used to quantitate the expression of HTRM include radiolabeling or biotinylating nucleotides, coamplification of a control nucleic acid, and interpolating results from standard curves. (See, e.g., Melby, P.C. et al. (1993) J. Immunol. Methods 159:235-244; Duplaa, C. et al. (1993) Anal. Biochem. 229-236.) The speed of quantitation of multiple samples may be accelerated by running the assay in an ELISA format
35 where the oligomer of interest is presented in various dilutions and a spectrophotometric or

colorimetric response gives rapid quantitation.

In further embodiments, oligonucleotides or longer fragments derived from any of the polynucleotide sequences described herein may be used as targets in a microarray. The microarray can be used to monitor the expression level of large numbers of genes simultaneously
5 and to identify genetic variants, mutations, and polymorphisms. This information may be used to determine gene function, to understand the genetic basis of a disorder, to diagnose a disorder, and to develop and monitor the activities of therapeutic agents.

Microarrays may be prepared, used, and analyzed using methods known in the art. (See, e.g., Brennan, T.M. et al. (1995) U.S. Patent No. 5,474,796; Schena, M. et al. (1996) Proc. Natl.
10 Acad. Sci. 93:10614-10619; Baldeschweiler et al. (1995) PCT application WO95/251116; Shalon, D. et al. (1995) PCT application WO95/35505; Heller, R.A. et al. (1997) Proc. Natl. Acad. Sci. 94:2150-2155; and Heller, M.J. et al. (1997) U.S. Patent No. 5,605,662.)

In another embodiment of the invention, nucleic acid sequences encoding HTRM may be used to generate hybridization probes useful in mapping the naturally occurring genomic
15 sequence. The sequences may be mapped to a particular chromosome, to a specific region of a chromosome, or to artificial chromosome constructions, e.g., human artificial chromosomes (HACs), yeast artificial chromosomes (YACs), bacterial artificial chromosomes (BACs), bacterial P1 constructions, or single chromosome cDNA libraries. (See, e.g., Harrington, J.J. et al. (1997) Nat Genet. 15:345-355; Price, C.M. (1993) Blood Rev. 7:127-134; and Trask, B.J. (1991) Trends
20 Genet. 7:149-154.)

Fluorescent in situ hybridization (FISH) may be correlated with other physical chromosome mapping techniques and genetic map data. (See, e.g., Heinz-Ulrich, et al. (1995) in Meyers, supra, pp. 965-968.) Examples of genetic map data can be found in various scientific journals or at the Online Mendelian Inheritance in Man (OMIM) site. Correlation between the
25 location of the gene encoding HTRM on a physical chromosomal map and a specific disorder, or a predisposition to a specific disorder, may help define the region of DNA associated with that disorder. The nucleotide sequences of the invention may be used to detect differences in gene sequences among normal, carrier, and affected individuals.

In situ hybridization of chromosomal preparations and physical mapping techniques, such
30 as linkage analysis using established chromosomal markers, may be used for extending genetic maps. Often the placement of a gene on the chromosome of another mammalian species, such as mouse, may reveal associated markers even if the number or arm of a particular human chromosome is not known. New sequences can be assigned to chromosomal arms by physical mapping. This provides valuable information to investigators searching for disease genes using
35 positional cloning or other gene discovery techniques. Once the disease or syndrome has been

crudely localized by genetic linkage to a particular genomic region, e.g., ataxia-telangiectasia to 11q22-23. any sequences mapping to that area may represent associated or regulatory genes for further investigation. (See, e.g., Gatti, R.A. et al. (1988) Nature 336:577-580.) The nucleotide sequence of the subject invention may also be used to detect differences in the chromosomal
5 location due to translocation, inversion, etc., among normal, carrier, or affected individuals.

In another embodiment of the invention, HTRM, its catalytic or immunogenic fragments, or oligopeptides thereof can be used for screening libraries of compounds in any of a variety of drug screening techniques. The fragment employed in such screening may be free in solution, affixed to a solid support, borne on a cell surface, or located intracellularly. The formation of
10 binding complexes between HTRM and the agent being tested may be measured.

Another technique for drug screening provides for high throughput screening of compounds having suitable binding affinity to the protein of interest. (See, e.g., Geysen, et al. (1984) PCT application WO84/03564.) In this method, large numbers of different small test compounds are synthesized on a solid substrate. The test compounds are reacted with HTRM, or
15 fragments thereof, and washed. Bound HTRM is then detected by methods well known in the art. Purified HTRM can also be coated directly onto plates for use in the aforementioned drug screening techniques. Alternatively, non-neutralizing antibodies can be used to capture the peptide and immobilize it on a solid support.

In another embodiment, one may use competitive drug screening assays in which
20 neutralizing antibodies capable of binding HTRM specifically compete with a test compound for binding HTRM. In this manner, antibodies can be used to detect the presence of any peptide which shares one or more antigenic determinants with HTRM.

In additional embodiments, the nucleotide sequences which encode HTRM may be used in any molecular biology techniques that have yet to be developed, provided the new techniques rely
25 on properties of nucleotide sequences that are currently known, including, but not limited to, such properties as the triplet genetic code and specific base pair interactions.

Without further elaboration, it is believed that one skilled in the art can, using the preceding description, utilize the present invention to its fullest extent. The following preferred specific embodiments are, therefore, to be construed as merely illustrative, and not limitative of
30 the remainder of the disclosure in any way whatsoever.

The entire disclosure of all applications, patents, and publications, cited above and below, and of US provisional applications 60/084,254 (filed May 5, 1998), 60/095,827 (filed August 7, 1998), and 60/102,745 (filed Oct. 2, 1998) are hereby incorporated by reference.

EXAMPLES

35 I. Construction of cDNA Libraries

RNA was purchased from Clontech or isolated from tissues described in Table 4. Some tissues were homogenized and lysed in guanidinium isothiocyanate, while others were homogenized and lysed in phenol or in a suitable mixture of denaturants, such as TRIZOL (Life Technologies), a monophasic solution of phenol and guanidine isothiocyanate. The resulting
5 lysates were centrifuged over CsCl cushions or extracted with chloroform. RNA was precipitated from the lysates with either isopropanol or sodium acetate and ethanol, or by other routine methods.

Phenol extraction and precipitation of RNA were repeated as necessary to increase RNA purity. In some cases, RNA was treated with DNase. For most libraries, poly(A+) RNA was
10 isolated using oligo d(T)-coupled paramagnetic particles (Promega), OLIGOTEX latex particles (QIAGEN, Valencia CA), or an OLIGOTEX mRNA purification kit (QIAGEN). Alternatively, RNA was isolated directly from tissue lysates using other RNA isolation kits, e.g., the POLY(A)PURE mRNA purification kit (Ambion, Austin TX).

In some cases, Stratagene was provided with RNA and constructed the corresponding
15 cDNA libraries. Otherwise, cDNA was synthesized and cDNA libraries were constructed with the UNIZAP vector system (Stratagene) or SUPERScript plasmid system (Life Technologies), using the recommended procedures or similar methods known in the art. (See, e.g., Ausubel, 1997, supra, units 5.1-6.6). Reverse transcription was initiated using oligo d(T) or random primers. Synthetic oligonucleotide adapters were ligated to double stranded cDNA, and the cDNA
20 was digested with the appropriate restriction enzyme or enzymes. For most libraries, the cDNA was size-selected (300-1000 bp) using SEPHACRYL S1000, SEPHAROSE CL2B, or SEPHAROSE CL4B column chromatography (Amersham Pharmacia Biotech) or preparative agarose gel electrophoresis. cDNAs were ligated into compatible restriction enzyme sites of the polylinker of a suitable plasmid, e.g., PBLUEScript plasmid (Stratagene), pSPORT1 plasmid
25 (Life Technologies), or pINCY (Incyte Pharmaceuticals, Palo Alto CA). Recombinant plasmids were transformed into competent *E. coli* cells including XL1-Blue, XL1-BlueMRF, or SOLR from Stratagene or DH5 α , DH10B, or ElectroMAX DH10B from Life Technologies.

II. Isolation of cDNA Clones

Plasmids were recovered from host cells by in vivo excision, using the UNIZAP vector
30 system (Stratagene) or cell lysis. Plasmids were purified using at least one of the following: a Magic or WIZARD Minipreps DNA purification system (Promega); an AGTC Miniprep purification kit (Edge Biosystems, Gaithersburg MD); and QIAWELL 8 Plasmid, QIAWELL 8 Plus Plasmid, QIAWELL 8 Ultra Plasmid purification systems or the REAL Prep 96 plasmid kit from QIAGEN. Following precipitation, plasmids were resuspended in 0.1 ml of distilled water
35 and stored, with or without lyophilization, at 4°C.

Alter-

a high-throughput

ther:

5 fluorometri
fluoresc

III. Sequences

The combination of the ADP-1000 calling software, a 1000...

15 reaction kit
and d...
using ...
sequences we

10 were as
 well known :
 referer
 and all
 presents .

25 pres.....
the strength
homology). S
Engineer:

30 by applying
this algorithm
determine regions
comparisons re.
these three param
35 homology to the

lysates using direct link PCR in (6:1-14). Host cell lysis and care. Samples were processed and asmid DNA was quantified (ugene OR) and a Fluoroskan II

ABI CATALYST 800 (Perkin-Elmer)

The cDNAs were sequenced using standard ABI protocols, base binned using the MEGABACE alternative, the cDNAs were then cycle sequencing ready and sequenced using solutions from ABI. ESTs were determined (27). Some of the cDNA sequences are shown in Example V.

extension, and shotgun sequencing
 programs which utilize algorithms
 software programs, descriptions,
 Table 5 shows the tools, programs,
 thereof, the third column
 and the fourth column
 other parameters used to evaluate
 probability the greater the
 software (Hitachi Software
 (DNASTAR).

using a search algorithm developed for the 16S rRNA sequence analysis system. In this study, the BLAST (Altschul et al., 1990) program (University of California, CA) was used to determine how the sequence similarity of the sequences affected the tolerance. Using a combination of sequence similarity and sequence length, sequences containing regions of high similarity were scored with an initial value.

Subsequently, these homologous regions were examined using dot matrix homology plots to distinguish regions of homology from chance matches. Smith-Waterman alignments were used to display the results of the homology search.

Peptide and protein sequence homologies were ascertained using the INHERIT- 670
5 sequence analysis system using the methods similar to those used in DNA sequence homologies. Pattern Specification Language and parameter windows were used to search protein databases for sequences containing regions of homology which were scored with an initial value. Dot-matrix homology plots were examined to distinguish regions of significant homology from chance matches.

10 The polynucleotide sequences were validated by removing vector, linker, and polyA sequences and by masking ambiguous bases, using algorithms and programs based on BLAST, dynamic programming, and dinucleotide nearest neighbor analysis. The sequences were then queried against a selection of public databases such as GenBank primate, rodent, mammalian, vertebrate, and eukaryote databases, and BLOCKS to acquire annotation, using programs based on
15 BLAST, FASTA, and BLIMPS. The sequences were assembled into full length polynucleotide sequences using programs based on Phred, Phrap, and Consed, and were screened for open reading frames using programs based on GeneMark, BLAST, and FASTA. The full length polynucleotide sequences were translated to derive the corresponding full length amino acid sequences, and these full length sequences were subsequently analyzed by querying against
20 databases such as the GenBank databases (described above), SwissProt, BLOCKS, PRINTS, PFAM, and Prosite.

The programs described above for the assembly and analysis of full length polynucleotide and amino acid sequences were also used to identify polynucleotide sequence fragments from SEQ ID NO:110-130. Fragments from about 20 to about 4000 nucleotides which are useful in
25 hybridization and amplification technologies were described in The Invention section above.

IV. Northern Analysis

Northern analysis is a laboratory technique used to detect the presence of a transcript of a gene and involves the hybridization of a labeled nucleotide sequence to a membrane on which RNAs from a particular cell type or tissue have been bound. (See, e.g., Sambrook, supra, ch. 7;
30 Ausubel, 1995, supra, ch. 4 and 16.)

Analogous computer techniques applying BLAST were used to search for identical or related molecules in nucleotide databases such as GenBank or LIFESEQ database (Incyte Pharmaceuticals). This analysis is much faster than multiple membrane-based hybridizations. In addition, the sensitivity of the computer search can be modified to determine whether any
35 particular match is categorized as exact or similar. The basis of the search is the product score,

which is defined as:

$$\frac{\% \text{ sequence identity} \times \% \text{ maximum BLAST score}}{100}$$

The product score takes into account both the degree of similarity between two sequences and the length of the sequence match. For example, with a product score of 40, the match will be exact within a 1% to 2% error, and, with a product score of 70, the match will be exact. Similar molecules are usually identified by selecting those which show product scores between 15 and 40, although lower scores may identify related molecules.

The results of northern analyses are reported a percentage distribution of libraries in which the transcript encoding HTRM occurred. Analysis involved the categorization of cDNA libraries by organ/tissue and disease. The organ/tissue categories included cardiovascular, dermatologic, developmental, endocrine, gastrointestinal, hematopoietic/immune, musculoskeletal, nervous, reproductive, and urologic. The disease categories included cancer, inflammation/trauma, fetal, neurological, and pooled. For each category, the number of libraries expressing the sequence of interest was counted and divided by the total number of libraries across all categories. Percentage values of tissue-specific and disease expression are reported in Table 3.

V. Extension of HTRM Encoding Polynucleotides

The full length nucleic acid sequence of SEQ ID NO:66-130 was produced by extension of an appropriate fragment of the full length molecule using oligonucleotide primers designed from this fragment. One primer was synthesized to initiate 5' extension of the known fragment, and the other primer, to initiate 3' extension of the known fragment. The initial primers were designed using OLIGO 4.06 software (National Biosciences), or another appropriate program, to be about 22 to 30 nucleotides in length, to have a GC content of about 50% or more, and to anneal to the target sequence at temperatures of about 68°C to about 72°C. Any stretch of nucleotides which would result in hairpin structures and primer-primer dimerizations was avoided.

Selected human cDNA libraries were used to extend the sequence. If more than one extension was necessary or desired, additional or nested sets of primers were designed.

High fidelity amplification was obtained by PCR using methods well known in the art. PCR was performed in 96-well plates using the PTC-200 thermal cycler (MJ Research, Inc.). The reaction mix contained DNA template, 200 nmol of each primer, reaction buffer containing Mg^{2+} , $(NH_4)_2SO_4$, and β -mercaptoethanol, Taq DNA polymerase (Amersham Pharmacia Biotech), ELONGASE enzyme (Life Technologies), and Pfu DNA polymerase (Stratagene), with the following parameters for primer pair PCI A and PCI B: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 60°C, 1 min; Step 4: 68°C, 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68°C, 5 min; Step 7: storage at 4°C. In the alternative, the parameters for primer pair T7 and SK+

were as follows: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 57°C, 1 min; Step 4: 68°C, 2 min; Step 5: Steps 2, 3, and 4 repeated 20 times; Step 6: 68°C, 5 min; Step 7: storage at 4°C.

The concentration of DNA in each well was determined by dispensing 100 µl PICOGREEN quantitation reagent (0.25% (v/v) PICOGREEN; Molecular Probes, Eugene OR) dissolved in 1X TE and 0.5 µl of undiluted PCR product into each well of an opaque fluorimeter plate (Corning Costar, Acton MA), allowing the DNA to bind to the reagent. The plate was scanned in a Fluoroskan II (Labsystems Oy, Helsinki, Finland) to measure the fluorescence of the sample and to quantify the concentration of DNA. A 5 µl to 10 µl aliquot of the reaction mixture was analyzed by electrophoresis on a 1 % agarose mini-gel to determine which reactions were successful in extending the sequence.

The extended nucleotides were desalted and concentrated, transferred to 384-well plates, digested with CviJI cholera virus endonuclease (Molecular Biology Research, Madison WI), and sonicated or sheared prior to religation into pUC 18 vector (Amersham Pharmacia Biotech). For shotgun sequencing, the digested nucleotides were separated on low concentration (0.6 to 0.8%) agarose gels, fragments were excised, and agar digested with Agar ACE (Promega). Extended clones were religated using T4 ligase (New England Biolabs, Beverly MA) into pUC 18 vector (Amersham Pharmacia Biotech), treated with Pfu DNA polymerase (Stratagene) to fill-in restriction site overhangs, and transfected into competent *E. coli* cells. Transformed cells were selected on antibiotic-containing media, individual colonies were picked and cultured overnight at 37°C in 384-well plates in LB/2x carb liquid media.

The cells were lysed, and DNA was amplified by PCR using Taq DNA polymerase (Amersham Pharmacia Biotech) and Pfu DNA polymerase (Stratagene) with the following parameters: Step 1: 94°C, 3 min; Step 2: 94°C, 15 sec; Step 3: 60°C, 1 min; Step 4: 72°C, 2 min; Step 5: steps 2, 3, and 4 repeated 29 times; Step 6: 72°C, 5 min; Step 7: storage at 4°C. DNA was quantified by PICOGREEN reagent (Molecular Probes) as described above. Samples with low DNA recoveries were reamplified using the same conditions as described above. Samples were diluted with 20% dimethylsulphoxide (1:2, v/v), and sequenced using DYENAMIC energy transfer sequencing primers and the DYENAMIC DIRECT kit (Amersham Pharmacia Biotech) or the ABI PRISM BIGDYE Terminator cycle sequencing ready reaction kit (Perkin-Elmer).

In like manner, the nucleotide sequence of SEQ ID NO:66-130 is used to obtain 5' regulatory sequences using the procedure above, oligonucleotides designed for such extension, and an appropriate genomic library.

VI. Labeling and Use of Individual Hybridization Probes

Hybridization probes derived from SEQ ID NO:66-130 are employed to screen cDNAs, genomic DNAs, or mRNAs. Although the labeling of oligonucleotides, consisting of about 20

base pairs, is specifically described, essentially the same procedure is used with larger nucleotide fragments. Oligonucleotides are designed using state-of-the-art software such as OLIGO 4.06 software (National Biosciences) and labeled by combining 50 pmol of each oligomer, 250 μ Ci of [γ - 32 P] adenosine triphosphate (Amersham Pharmacia Biotech), and T4 polynucleotide kinase (DuPont NEN, Boston MA). The labeled oligonucleotides are substantially purified using a SEPHADEX G-25 superfine size exclusion dextran bead column (Amersham Pharmacia Biotech). An aliquot containing 10^7 counts per minute of the labeled probe is used in a typical membrane-based hybridization analysis of human genomic DNA digested with one of the following endonucleases: Ase I, Bgl II, Eco RI, Pst I, Xba I, or Pvu II (DuPont NEN).

10 The DNA from each digest is fractionated on a 0.7% agarose gel and transferred to nylon membranes (Nytran Plus, Schleicher & Schuell, Durham NH). Hybridization is carried out for 16 hours at 40°C. To remove nonspecific signals, blots are sequentially washed at room temperature under increasingly stringent conditions up to 0.1 x saline sodium citrate and 0.5% sodium dodecyl sulfate. After XOMAT-AR film (Eastman Kodak, Rochester NY) is exposed to the blots to film 15 for several hours, hybridization patterns are compared visually.

VII. Microarrays

A chemical coupling procedure and an ink jet device can be used to synthesize array elements on the surface of a substrate. (See, e.g., Baldeschweiler, supra.) An array analogous to a dot or slot blot may also be used to arrange and link elements to the surface of a substrate using 20 thermal, UV, chemical, or mechanical bonding procedures. A typical array may be produced by hand or using available methods and machines and contain any appropriate number of elements. After hybridization, nonhybridized probes are removed and a scanner used to determine the levels and patterns of fluorescence. The degree of complementarity and the relative abundance of each probe which hybridizes to an element on the microarray may be assessed through analysis of the 25 scanned images.

Full-length cDNAs, Expressed Sequence Tags (ESTs), or fragments thereof may comprise the elements of the microarray. Fragments suitable for hybridization can be selected using software well known in the art such as LASERGENE software (DNASTAR). Full-length cDNAs, ESTs, or fragments thereof corresponding to one of the nucleotide sequences of the 30 present invention, or selected at random from a cDNA library relevant to the present invention, are arranged on an appropriate substrate, e.g., a glass slide. The cDNA is fixed to the slide using, e.g., UV cross-linking followed by thermal and chemical treatments and subsequent drying. (See, e.g., Schena, M. et al. (1995) Science 270:467-470; Shalon, D. et al. (1996) Genome Res. 6:639-645.) Fluorescent probes are prepared and used for hybridization to the elements on the substrate. The 35 substrate is analyzed by procedures described above.

VIII. Complementary Polynucleotides

Sequences complementary to the HTRM-encoding sequences, or any parts thereof, are used to detect, decrease, or inhibit expression of naturally occurring HTRM. Although use of oligonucleotides comprising from about 15 to 30 base pairs is described, essentially the same
 5 procedure is used with smaller or with larger sequence fragments. Appropriate oligonucleotides are designed using OLIGO 4.06 software (National Biosciences) and the coding sequence of HTRM. To inhibit transcription, a complementary oligonucleotide is designed from the most unique 5' sequence and used to prevent promoter binding to the coding sequence. To inhibit translation, a complementary oligonucleotide is designed to prevent ribosomal binding to the
 10 HTRM-encoding transcript.

IX. Expression of HTRM

Expression and purification of HTRM is achieved using bacterial or virus-based expression systems. For expression of HTRM in bacteria, cDNA is subcloned into an appropriate vector containing an antibiotic resistance gene and an inducible promoter that directs high levels
 15 of cDNA transcription. Examples of such promoters include, but are not limited to, the *trp-lac* (*tac*) hybrid promoter and the T5 or T7 bacteriophage promoter in conjunction with the *lac* operator regulatory element. Recombinant vectors are transformed into suitable bacterial hosts, e.g., BL21(DE3). Antibiotic resistant bacteria express HTRM upon induction with isopropyl beta-D-thiogalactopyranoside (IPTG). Expression of HTRM in eukaryotic cells is achieved by
 20 infecting insect or mammalian cell lines with recombinant Autographica californica nuclear polyhedrosis virus (AcMNPV), commonly known as baculovirus. The nonessential polyhedrin gene of baculovirus is replaced with cDNA encoding HTRM by either homologous recombination or bacterial-mediated transposition involving transfer plasmid intermediates. Viral infectivity is maintained and the strong polyhedrin promoter drives high levels of cDNA transcription.
 25 Recombinant baculovirus is used to infect Spodoptera frugiperda (Sf9) insect cells in most cases, or human hepatocytes, in some cases. Infection of the latter requires additional genetic modifications to baculovirus. (See Engelhard, E. K. et al. (1994) Proc. Natl. Acad. Sci. USA 91:3224-3227; Sandig, V. et al. (1996) Hum. Gene Ther. 7:1937-1945.)

In most expression systems, HTRM is synthesized as a fusion protein with, e.g.,
 30 glutathione S-transferase (GST) or a peptide epitope tag, such as FLAG or 6-His, permitting rapid, single-step, affinity-based purification of recombinant fusion protein from crude cell lysates. GST, a 26-kilodalton enzyme from Schistosoma japonicum, enables the purification of fusion proteins on immobilized glutathione under conditions that maintain protein activity and antigenicity (Amersham Pharmacia Biotech). Following purification, the GST moiety can be
 35 proteolytically cleaved from HTRM at specifically engineered sites. FLAG, an 8-amino acid

peptide, enables immunoaffinity purification using commercially available monoclonal and polyclonal anti-FLAG antibodies (Eastman Kodak). 6-His, a stretch of six consecutive histidine residues, enables purification on metal-chelate resins (QIAGEN). Methods for protein expression and purification are discussed in Ausubel (1995, supra, ch 10 and 16). Purified HTRM obtained
5 by these methods can be used directly in the following activity assay.

X. Demonstration of HTRM Activity

HTRM activity is measured by its ability to stimulate transcription of a reporter gene, essentially as described in Liu, H.Y., et al (1997; EMBO J. 16:5289-5298.). The assay entails the use of a well characterized reporter gene construct, LexA_{op}-LacZ, that consists of LexA DNA
10 transcriptional control elements (LexA_{op}) fused to sequences encoding the *E. coli* β -galactosidase enzyme (LacZ). The methods for fusion gene construction, expression, and introduction into cells, and measurement of β -galactosidase enzyme activity, are well known to those skilled in the art. Sequences encoding HTRM are cloned into a plasmid that directs the synthesis of a fusion protein, LexA-HTRM, consisting of HTRM and a DNA binding domain derived from the LexA
15 transcription factor. The plasmid encoding the LexA-HTRM fusion protein is introduced into yeast cells along with the plasmid containing the LexA_{op}-LacZ reporter gene. The amount of β -galactosidase enzyme activity associated with LexA-HTRM transfected cells, relative to control cells, is proportional to the amount of transcription stimulated by the HTRM gene product.

20 XI. Functional Assays

HTRM function is assessed by expressing the sequences encoding HTRM at physiologically elevated levels in mammalian cell culture systems. cDNA is subcloned into a mammalian expression vector containing a strong promoter that drives high levels of cDNA expression. Vectors of choice include pCMV SPORT (Life Technologies) and pCR3.1
25 (Invitrogen, Carlsbad CA), both of which contain the cytomegalovirus promoter. 5-10 μ g of recombinant vector are transiently transfected into a human cell line, preferably of endothelial or hematopoietic origin, using either liposome formulations or electroporation. 1-2 μ g of an additional plasmid containing sequences encoding a marker protein are co-transfected. Expression of a marker protein provides a means to distinguish transfected cells from nontransfected cells and
30 is a reliable predictor of cDNA expression from the recombinant vector. Marker proteins of choice include, e.g., Green Fluorescent Protein (GFP; Clontech), CD64, or a CD64-GFP fusion protein. Flow cytometry (FCM), an automated, laser optics-based technique, is used to identify transfected cells expressing GFP or CD64-GFP, and to evaluate properties, for example, their apoptotic state. FCM detects and quantifies the uptake of fluorescent molecules that diagnose
35 events preceding or coincident with cell death. These events include changes in nuclear DNA

content as measured by staining of DNA with propidium iodide; changes in cell size and granularity as measured by forward light scatter and 90 degree side light scatter; down-regulation of DNA synthesis as measured by decrease in bromodeoxyuridine uptake; alterations in expression of cell surface and intracellular proteins as measured by reactivity with specific
5 antibodies; and alterations in plasma membrane composition as measured by the binding of fluorescein-conjugated Annexin V protein to the cell surface. Methods in flow cytometry are discussed in Ormerod, M. G. (1994) Flow Cytometry, Oxford, New York NY.

The influence of HTRM on gene expression can be assessed using highly purified populations of cells transfected with sequences encoding HTRM and either CD64 or CD64-GFP.
10 CD64 and CD64-GFP are expressed on the surface of transfected cells and bind to conserved regions of human immunoglobulin G (IgG). Transfected cells are efficiently separated from nontransfected cells using magnetic beads coated with either human IgG or antibody against CD64 (DYNAL, Lake Success NY). mRNA can be purified from the cells using methods well known by those of skill in the art. Expression of mRNA encoding HTRM and other genes of interest can
15 be analyzed by northern analysis or microarray techniques.

XII. Production of HTRM Specific Antibodies

HTRM substantially purified using polyacrylamide gel electrophoresis (PAGE; see, e.g., Harrington, M.G. (1990) *Methods Enzymol.* 182:488-495), or other purification techniques, is used to immunize rabbits and to produce antibodies using standard protocols.

Alternatively, the HTRM amino acid sequence is analyzed using LASERGENE software
20 (DNASTAR) to determine regions of high immunogenicity, and a corresponding oligopeptide is synthesized and used to raise antibodies by means known to those of skill in the art. Methods for selection of appropriate epitopes, such as those near the C-terminus or in hydrophilic regions are well described in the art. (See, e.g., Ausubel, 1995, supra, ch. 11.)

Typically, oligopeptides 15 residues in length are synthesized using an ABI 431A
25 Peptide Synthesizer (Perkin-Elmer) using fmoc-chemistry and coupled to KLH (Sigma-Aldrich, St. Louis MO) by reaction with N-maleimidobenzoyl-N-hydroxysuccinimide ester (MBS) to increase immunogenicity. (See, e.g., Ausubel, 1995, supra.) Rabbits are immunized with the oligopeptide-KLH complex in complete Freund's adjuvant. Resulting antisera are tested for
30 antipeptide activity by, for example, binding the peptide to plastic, blocking with 1% BSA, reacting with rabbit antisera, washing, and reacting with radio-iodinated goat anti-rabbit IgG.

XIII. Purification of Naturally Occurring HTRM Using Specific Antibodies

Naturally occurring or recombinant HTRM is substantially purified by immunoaffinity chromatography using antibodies specific for HTRM. An immunoaffinity column is constructed
35 by covalently coupling anti-HTRM antibody to an activated chromatographic resin, such as

CNBr-activated SEPHAROSE (Amersham Pharmacia Biotech). After the coupling, the resin is blocked and washed according to the manufacturer's instructions.

Media containing HTRM are passed over the immunoaffinity column, and the column is washed under conditions that allow the preferential absorbance of HTRM (e.g., high ionic strength buffers in the presence of detergent). The column is eluted under conditions that disrupt antibody/HTRM binding (e.g., a buffer of pH 2 to pH 3, or a high concentration of a chaotrope, such as urea or thiocyanate ion), and HTRM is collected.

XIV. Identification of Molecules Which Interact with HTRM

HTRM, or biologically active fragments thereof, are labeled with ¹²⁵I Bolton-Hunter reagent. (See, e.g., Bolton et al. (1973) Biochem. J. 133:529.) Candidate molecules previously arrayed in the wells of a multi-well plate are incubated with the labeled HTRM, washed, and any wells with labeled HTRM complex are assayed. Data obtained using different concentrations of HTRM are used to calculate values for the number, affinity, and association of HTRM with the candidate molecules.

Various modifications and variations of the described methods and systems of the invention will be apparent to those skilled in the art without departing from the scope and spirit of the invention. Although the invention has been described in connection with specific preferred embodiments, it should be understood that the invention as claimed should not be unduly limited to such specific embodiments. Indeed, various modifications of the described modes for carrying out the invention which are obvious to those skilled in molecular biology or related fields are intended to be within the scope of the following claims.

Table 1

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
1	66	001106	U937NOT01	001106 (U937NOT01), 1291142 (BRAINOT11), 2590425 (LUNGNOT22), 1300570 (BRSTNOT07)
2	67	004586	HMCINOT01	004586 (HMCINOT01), 3889843 (BRSTTUT16), 1432988 (BEPINON01), 788995 (PROSTUT03), 1605475 (LUNGNOT15)
3	68	052927	FIBRNOT01	052927 (FIBRNOT01), 2518848 (BRAITUT21), 3520218 (LUNGNOT03), 086878 (LIVRNOT01)
4	69	082843	HUVESTB01	082843 (HUVESTB01), 4008105 (ENDCNOT04), 2083528 (UTRSNOT08), 2345764 (TESTTUT02), 3771780 (BRSTNOT25), 190782 (CONUTUT01), 2206259 (SPLNFET02), 2509193 (CONUTUT01)
5	70	322349	EOSIHET02	322349 (EOSIHET02), 3686018 (HEAANOT01), 1853592 (LUNGFET03), 815966 (OVARUT01), 1505002 (BRAITUT07), 1511883 (LUNGNOT14), 2232826 (PROSNOT16)
6	71	397663	PITUNOT02	397663 (PITUNOT02), 491141 (HMT2AGT01), 3809879 (CONITUT01), 3562349 (SKINNOT05), 1518413 (BLADTUT04), 3600151 (DRGTNOT01), 2474103 (THPINOT03), 2105304 (BRAITUT03), 2187330 (PROSNOT26), 1781572 (PGANNON02), 2056258 (BEPINOT01), 1888065 (BLADTUT07)
7	72	673766	CRBLNOT01	673766 (CRBLNOT01), 2494421 (ADRETUT05), 3267748 (BRAINOT20), 2194042 (THYRTUT03), 3186455 (THYMNON04), 1712236 (PROSNOT16), 1844092 (COLANOT08), 1602283 (BLADNOT03), 033357 (THPINOB01), 1995828 (BRSTTUT03), 1485594 (CORPNOT02)
8	73	1504753	BRAITUT07	1504753 (BRAITUT07), 633939 (NEUTGMT01), 2741379 (BRSTTUT14), 2959661 (ADRENOT09), 3483904 (KIDNNOT31), 999401 (KIDNTUT01), 1965504 (BRSTNOT04), 588535 (UTRSNOT01)
9	74	1760185	PITUNOT03	1760085 (PITUNOT03), 1914471 (PROSTUT04), 836831 (PROSNOT07), 729798 (LUNGNOT03), 1290847 (BRAINOT11), 1492387 (PROSNOT01), 1368472 (SCORNON02)

Table 1 cont.

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
10	75	1805061	SINTNOT13	1805061 (SINTNOT13), 1435949 (PANCNOT08), 086122(LIVRNOT01) 1482366 (CORPNOT02), 1835310 (BRAINON01), 1333758 (COLANNOT13), 3521449 (LUNGNON03)
11	76	1850120	LUNGFET03	1850120 (LUNGFET03), 3126350 (LUNGTUT12), 786916 (PROSNOT05) 2899740 (DRGCNOT01), 1259221 (MENITUT03), 1334740 (COLANNOT13), 2466350 (THYRNOT08)
12	77	1852290	LUNGFET03	1852290 (LUNGFET03), 2901081 (DRGCNOT01), 1384842 (BRAITUT08) 1293541 (PGANNOT03), 1964126 (BRSTNOT04)
13	78	1944530	PITUNOT01	1944530 (PITUNOT01), 2808142 and 2809196 (BLADTUT08), 2961779 (ADRENOT09)
14	79	2019742	CONNNOT01	2019742 (CONNNOT01), 2968014 (SCORNOT04), 168472 (LIVRNOT01) 1875993 (LEUKNOT02), 1522480 (BLADTUT04), 1418496 (KIDNNOT09), 149730 (FIBRNGT02)
15	80	2056042	BEPINOT01	2056042 (BEPINOT01), 3097391 (CERVNOT03), 1985203 (LUNGAST01) 1962619 (BRSTNOT04), 1335716 (COLNNOT13)
16	81	2398682	THPIAZT01	2398682 (THPIAZT01), 159706 (ADENINB01), 2443910 (THP1NOT03) 2382189 (ISLTNOT01), 2288661 (BRAINON01), 1864422 (PROSNOT19)
17	82	2518753	BRAITUT21	2518753 (BRAITUT21), 4001219 (INT2AZS07), 2606361 (LUNGTUT07) 449043 (TLYMNOT02), SAEA01390
18	83	2709055	PONSASZT01	2709055 (PONSASZT01), 2309703 (NGANNOT01), 1661042 (URETUT01), 2761284 (ESOGTUT02), 2469634 (THPINOT03), SBLA03183, SBLA00549 SBLA00975
19	84	2724537	LUNGTUT10	2724537 (LUNGTUT10), 3869823 (BMARNOT03), 952779 (SCORNON01), 2049127 (LIVRFET02), 1824284 (GBLATUT01), 1870588 and 1869666 (SKINBIT01), 2626505 (PROSTUT12), SAEA03404, SAEA01744 SAEA01672, SAEA10045, SAEA04072, SAEA00149

Table 1 cont.

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragment
20	85	025818	SPLNFET01	025818H1, 025818X12, and 025818X3 (SPLNFET01), 783259H1 (MYOMNOT01), 826162R1 (PROSNOT06)
21	86	438283	THYRNOT01	438283H1 and 438283X29 (THYRNOT01), SAGA01136F1, SAGA01671F1, SAGA02704F1, SAGA03722F1, SZZZ01038R1
22	87	619699	PGANNOT01	619699H1, 619699X11, and 619699X18 (PGANNOT01), 646198T6 (BRSTTUT02), 1322305X20F1 (BLADNOT04), 1724376F6 (PROSNOT14)
23	88	693452	SYNORAT03	118140R1 (MUSCNOT01), 693452H1 and 693452R6 (SYNORAT03), 2455538F6 and 2455538H1 (ENDANOT01), 4500333H1 (BRAVTXT02)
24	89	839651	PROSTUT05	729341X12 (LUNGNOT03), 839651CT1, 839651H1, and 839651X55 (PROSTUT05), 839651X60 (PROSTUT05)
25	90	1253545	LUNGFET03	1253545H1 and 1254914F6 (LUNGFET03), 1806337X13F1 and 1807402X11F1 (SINTNOT13), 2179882X22F1 (SININOT01), 2592938F6 (LUNGNOT22), 2840018F6 (DRGLNOT01)
26	91	1425691	BEPINON01	2727135H1 (OVARUTUT05), 587126X29R1, 588598X17, and 587126F1 (UTRSNOT01), 1714529F6 (UCMCNOT02), 1381341F6 (BRAITUT08), 1273513F6 (TESTTUT02), 060265R1 (LUNGNOT01), 1459659F1 (COLNFET02), 043139R1 (TBLYNOT01), 1425691H1 (BEPINON01)

Table 1 cont.

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
27	92	1484257	CORPNOT02	400685H1, 404702F1, 404702R6, 404702X45C1, 404702X47C1, and 404702X48C1 (TMLR3DT01), 1484257H1 (CORPNOT02), 3396312H1 (UTRSNOT16)
28	93	1732368	BRSTTUT08	920006H1 (RATRNOT02), 1732368F6 and 1732368H1 (BRSTTUT08), 2607269T6 (LUNGUTUT07), 2654363F6 (THYMNOT04)
29	94	1870914	SKINBIT01	1549551R6 (PROSNOT06), 1575349H1 (LNODNOT03), 1870914H1 (SKINBIT01), 2365851T6 (ADRENOT07), SBKA00149F1
30	95	1910984	CONNTUT01	859876X12 (BRAITUT03), 1234976H1 and 1241845H1 (LUNGNOT03), 1910984F6 and 1910984H1 (CONNTUT01), 3276505H1 (PROSBPT06)
31	96	1943040	HIPONOT01	824144R1 (PROSNOT06), 930281H1 (CERVNOT01), 1420545H1 (KIDNNOT09), 1784405H1 (BRAINOT10), 1943040H1 and 1943040R6 (HIPONOT01), 2122271H1 (BRSTNOT07), 2729723H1 (OVRTUT04)
32	97	2076520	ISLTNOT01	419755R1 (BRSTNOT01), 954937R1 (KIDMNOT05), 1460268H1 (COLNFET02), 1599016H1 (BLADNOT03), 2076520H1 (ISLTNOT01), 2082255F6 (UTRSNOT08), 2184150F6 (SININOT01), 2884394F6 (SINJNOT02), 3726575H1 (BRSTNOT23), 3752466H1 (UTRSNOT18), 3764971H1 (BRSTNOT24), 4412005H1 (MONOTXT01)

Table 1 cont.

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
33	98	2291241	BRAINON01	2291241CT1 and 2291241H1 (BRAINON01), 2500586H1 (ADRETUT05)
34	99	2329692	COLNNOT11	158014F1 (ADENINB01), 1519462F1 (BLADTUT04), 1543875R1 (PROSTUT04), 2329692H1, 2331530R6, and 2331530T6 (COLNNOT11), 2478291F6 (SMCANOT01)
35	100	2474110	THP1NOT03	863265H1 (BRAITUT03), 1313444F1 (BLADTUT02), 1872631T6 and 1872869F6 (LEUKNOT02), 2061219R6 (OVARNOT03), 2171863H1 (ENDCNOT03), 2474110H1 (THP1NOT03), 2690250H1 (LUNGNOT23), 2812791F6 (OVARNOT10)
36	101	2495790	ADRETUT05	1360349T1 (LUNGNOT12), 1689792H1 (PROSTUT10), 1795321H1 (PROSTUT05), 1905521F6 (OVARNOT07), 1907168F6 (OVARNOT07), 2495790H1 (ADRETUT05), 2587542F6 (BRAITUT22)
37	102	2661254	ADRENOT08	1241850H1 (LUNGNOT03), 1545867R1 (PROSTUT04), 2325561H1 (OVARNOT02), 2661254H1 (ADRENOT08), 2751457H1 (THP1AZS08)
38	103	2674047	KIDNNOT19	489330H1 (HNT2AGT01), 2059316R6 (OVARNOT03), 2059316T6 (OVARNOT03), 2674047F6 and 2674047H1 (KIDNNOT19), 2805474H1 (BLADTUT08), 3076605H1 (BONEUNT01), 3080137T6 (BRAIUNT01)

Table 1 cont.

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
39	104	2762174	BRAINOS12	2573448T3 (HIPOAZT01), 2762174H1 (BRAINOS12), SBNAA00508F1, SBNAA01683F1, SBNAA00674F1, SBNAA00857F1
40	105	2765991	BRSTNOT12	082008R6 (HUVESTB01), 2127491T6 (KIDNNOT05), 2765991F6 and 2765991H1 (BRSTNOT12), 3147681H1 (PENCNOT05), SZAH01537F1, SZAH01356F1
41	106	2775157	PANCNOT15	2325410H1 (OVARNOT02), 2506671F6 and 2506671T6 (CONUTUT01), 2775157F6 and 2775157H1 (PANCNOT15), 3376091F6 (PENGNOT01), 3412063H1 (BRSTTUS08)
42	107	2918375	THYMFET03	227782F1 (PANCNOT01), 1225559H1 (COLNTUT02), 1511458T1 (LUNGNOT14), 2918375H1 (THYMFET03)
43	108	3149729	ADRENON04	605315F1 (BRSTTUT01), 3149729CT1 and 3149729H1 (ADRENON04)
44	109	3705895	PENCNOT07	744201R1 (BRAITUT01), 2550322H1 (LUNGUT06), 3705895H1 (PENCNOT07)

Table 1 cont.

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
45	110	003256	HMC1NOT01	003256H1, 003256R6, 003256T6, 003256X305F1, 003256X313F, 003256X315F1, and 009404H1 (HMC1NOT01), 43104R1 (TBLYNOT01), 413017F1 (BRSTNOT01)
46	111	156986	THP1PLB02	010084F1 and 012909H1 (THP1PLB01), 156986H1 and 156986R1 (THP1PLB02), 1320255F1 (BLADNOT04), 1512255F1 (LUNGNOT14), 2061923T6 (OVARNOT03), 2398787F6 (THP1AZT01), 2517160H2 (LIVRTUT04)
47	112	319415	EOSIHET02	285773H1, 285773R1, 319415H1, and 319415X19F1 (EOSIHET02), 1231455H1 (BRAITUT01), 1804042F6 (SINTNOT13), 1878858F6 (LEUKNOT03)
48	113	635581	NEUTGMT01	635581H1 (NEUTGMT01), 3045776F6 (HEAANOT01)
49	114	921803	RATRN02	921803H1 (RATRN02), 1275128T6 (TESTTUT02), 1709959F6 (PROSNOT16), 2416547F6 (HNT3AZT01), 3016146H1 (MUSCNOT07), 3577260H1 (BRONNOT01)
50	115	1250492	LUNGFET03	691921X14F1 (LUNGTUT02), 1250492F6, 1250492H1, and 1252265F2 (LUNGFET03), 1361644F6 (LUNGNOT12), 3049358F6 (LUNGNOT25), 4044523H1 and 4048275H1 (LUNGNOT35), 4145295H1 (SINITUT04)
51	116	1427838	SINTBST01	1261181H1 (SYNORAT05), 1427838H1 and 1427838T1 (SINTBST01), 1733769T6 (BRSTTUT08), 2551854H1 (LUNGTUT06)
52	117	1448258	PLACNOT02	1448258H1 and 1448258R1 (PLACNOT02), 1484126F1 (CORPNOT02), 1856631F6 and 1856631X11F1 (PROSNOT18), 2690070F6 (LUNGNOT23), SAMA00131F1 and SAMA00146F1

Table 1 cont.

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
53	118	1645941	PROSTUT09	831680R6 (PROSTUT04), 1645941F6 and 1645941H1 (PROSTUT09), 1748682F6 (STOMTUT02), 1870831F6 (SKINBIT01), 1877907F6 (LEUKNOT03), 2310427R6 (NGANNOT01)
54	119	1646005	PROSTUT09	1646005H1, 1646005X309F1, 1646005X312F1 and 1646883F6 (PROSTUT09), SZA02276F1
55	120	1686561	PROSNOT15	1234124H1 (LUNGFET03), 1299156F6 (BRSTNOT07), 1425185R1 (BEPINON01), 1544751T1 (PROSTUT04), 1686561H1 (PROSNOT15), 2723108H1 (LUNGTUT10), 2752156H1 (THPLAZS08), 3335850F6 (BRAIFET01), 3502259H1 (ADRENOT11), 3857461H1 (LNODNOT03), 5069547H1 (PANCNOT23)
56	121	1821233	GBLATUT01	030744H1 (THPINOB01), 1272043F1 (TESTTUT02), 1419549F1 (KIDNNOT09), 1433773R1 (BEPINON01), 1482848F1 (CORPNOT02), 1821233H1 (GBLATUT01), 1869022H1 (SKINBIT01)
57	122	1877278	LEUKNOT03	1871148F6 (SKINBIT01), 1877278H1 (LEUKNOT03), 2097362T6 (BRAITUT02), 3124246T6 (LNODNOT05), 3450007R6 (UTRSNON03), 4894340H1 (LIVRTUT12), SAE02108R1
58	123	1880692	LEUKNOT03	1880692H1 (LEUKNOT03), SBA00446F1, SARA03727F1

Table 1 cont.

Protein SEQ ID NO:	Nucleotide SEQ ID NO:	Clone ID	Library	Fragments
59	124	2280456	PROSNON01	1557906F6 (BLADTUT04), 2280456H1 (PROSNON01), 2799446F6 (NPOLNOT01), 3519009H1 (LUNGNON03)
60	125	2284580	BRAINON01	783560H1 (MYOMNOT01), 1215190T2 (BRSTTUT01), 1458188F1 (COLNFET02), 2284580H1 (BRAINON01), 2398366F6 (THP1AZT01), 2469268H1 (THPINOT03)
61	126	2779172	OVARTUT03	487548H1 and 487548R6 (HNT2AGT01), 1421684F1 (KIDNNOT09), 2172754F6 (ENDCNOT03), 2672062F6 (ESOGTUT02), 2779172F6 and 2779172H1 (OVARTUT03), 2935502F6 (THYMFET02), 3206879F6 (PENCNOT03)
62	127	3279329	STOMFET02	885282R6 and 885282T1 (PANCNOT05), 901139R1 (BRSTTUT03), 1655530F6 (PROSTUT08), 1818669T6 (PROSNOT20), 2380664F6 (ISLTNOT01), 2921229H1 (SININOT04), 3279329H1 (STOMFET02), 3451425R6 (UTRSNON03)
63	128	3340290	SPLNNOT10	102935H1 (ADRENOR01), 1363193F6 (LUNGNOT12), 1674514H1 (BLADNOT05), 2271374H1 (PROSNON01), 2827770H1 (TLYMNOT03), 3340290H1 (SPLNNOT10), 4556330H1 (KERAUNT01)
64	129	3376404	PENGNOT01	3376404H1, 3376404X300U1, 3376404X310U1, and 3376404X323U1 (PENGNOT01), 3741323X302B1 (MENTNOT01)
65	130	4173111	SINTNOT21	1337315F6 (COLNNOT13), 2486184F6 (CONUTUT01), 4173111H1 (SINTNOT21), 4750042H1 (SMCRUNT01)

Table 2

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
1	155	S9, S16, T25, S37, S56, S57, S81, S114, T152		G38-I73	sigma-54 interaction protein	BLOCKS
2	152	S6, T83, S103, T121, S136		H99-R112	LUPUS La protein	PRINTS
3	304	S30, S61, S94, T109, S132, S133, T183, T236, S277, S289	N65, N294	C228-C368 C231-I255	zinc finger/RING finger protein	PFAM, BLOCKS
4	178	T8, S48, S102, Y121, T144		N18-P32	histone H3 protein	PRINTS
5	301	T58, T70, T85, S148, T165, S256, T272, S281	N191	K21-F38	filaggrin structural protein	PRINTS
6	250	S99, S126, S142, S155, T182		F203-V214	maspin/breast tumor suppressor protein	PRINTS
7	371	T25, S46, S96, T123, S128, T144, S163, S167, S205, S221, T350	N203, N222, N307, N348	EQ165-Y185 K152-L192	luman/leucine zipper/CRE protein	BLAST, BLOCKS, PRINTS

Table 2 cont.

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
8	148	T35, S41, S92, S105	N144		TSC-22 transcription factor	BLAST
9	127	T69	N53	M1-E16	Ribosomal protein S6	PFAM
10	383	S22, T34, S53, S140, T155, T183, S225, T263, S273, S300, S308, T369, S375	N127	Q7-K112	PH-domain protein	Pfam
11	254	T57, S62, S92, S143, S148, T166, T176, S180, T187, S191, S194, T221			cyclin-dependent-k inase binding protein	BLAST
12	305	S65, T88, S146, S230, S248, S272	N221	G84-N271	ribosomal protein L2	PFAM, BLOCKS
13	230	T34, T49, S54, S122, T123, T150, S182, T209	N86, N130, N199	C155-C191	zinc finger/RING finger protein	PFAM, BLOCKS, MOTIFS
14	292	S2, T61, T89, T193, S223, S224, S225, S238, S288	N47, N101, N166, N259	A124-I145	FOS transforming protein	PRINTS

Table 2 cont.

Protein SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
15	232	T58, S72, S127, S149, T154, S191, S199, T203, T204	N56, N183, N187	E39-F73	tropomyosin	BLOCKS PRINTS
16	376	T5, T34, S53, T70, S81, T86, S105, S256, T287, T288, T310, S331, S364, S369, T365		Q97-C135	RecA DNA repair protein	BLOCKS BLAST
17	204	T100, T118, T157, S187, S199		L179-H200	annexin	PRINTS
18	713	S46, T64, T71, T95, S96, T129, T171, S260, S286, T345, S438, S485, T527, T541, Y567, Y593, S644, T656	N110, N453, N460, N595	L563-L576 L583-I596	RSP-1 /Ras-signaling protein	BLAST, PRINTS
19	360	S22, T51, S69, T106, S133, S206, T232, S248			Nucleolar protein Surf-6	BLAST
20	196	S38 S69 T23 T30 S73 S183 S37 T84	N9 N51	E76-L91 R35-K58	Helix-loop-helix protein HES-1	MOTIFS BLOCKS BLAST

Table 2 cont.

Protein Seq ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
21	540	T136 S34 S69 S189 T322 S411 T7 S66 S75 T139 S193 S197 S205 T285 S324 S328 S380 S425	N240 N443	C230-H252, C260- H280, C288-H309, C316-H336, C344- H364, C372-H392, C400-H420, C428- H448, C456-H476, C484-H504, C512- H532	zinc finger protein	MOTIFS BLAST PRINTS
22	549	S123 S22 S182 T319 T465 S161 T205 S208 S332 S392 S459 S534	N167 N335 N422	C214-H234, C242- H262, C270-H290, C298-H318, C326- H346, C354-H374, C382-H402, C410- H430, C438-H458, C466-H486, C494- H514, C522-H542	zinc finger protein ZNF43	MOTIFS BLAST PRINTS
23	361	S244 T254 S8 S58 S180 S193 T269 T283 S284 T26 S45 S174 T254 S314		C139-L163 C227-K263	DNA binding protein	BLOCKS BLAST
24	241	S82 S62 S119 T147 Y111		C52-H75, C83- H105, C113-H133, C141-H161, C172- H193	zinc finger protein PZF	MOTIFS PRINTS BLAST

Table 2 cont.

Protein Seq ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
25	576	S90 T371 S56 T183 T195 S203 S316 T318 S347 S354 S432 S548 S37 S82 S281 T325 S343 S409 S414 S447 S466 T481 S502 S570 Y323	N42 N312 N339 N498	C507-I543, L168- L189, E262-R278	transcription factor	MOTIFS PRINTS BLOCKS BLAST
26	408	S74 S197 T226 S247 T289 S328 S338 S353 S386 S394 T14 S199 S234 T388	N245 N253	G164-R175	transcription factor	PRINTS BLAST
27	810	S392 S113 S155 S185 S225 S262 S283 T298 S342 S433 T449 T665 T695 S728 T756 T801 T79 T190 S377 T438 Y397		C315-H335, C343- H363, C371-H391, C399-H419, C427- H447, C455-H475, C483-H503, C511- H531, C539-H559, C567-H587, C595- H615, C623-H644, C726-H747	zinc finger protein Miz-1	MOTIFS PRINTS BLOCKS
28	324	S72 T189 S209 T223 S279 S302 S156 T182 S316 Y277	N187	C74-R85	Hormone-binding transcription factor protein	PRINTS BLAST
29	292	S242 T41 S136 S137 T176 T200 S205 S284 T52 S61	N229	G62-S69	putative nucleotide-binding protein	MOTIFS PRINTS BLAST

Table 2 cont.

Protein Seq ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
30	259	T79 S99 S180 T20 S152 S241		C71-H92, C43-C71	zinc finger protein	MOTIFS BLOCKS BLAST
31	97	S52		C15-L43	DNA-binding protein	MOTIFS BLOCKS BLAST
32	812	T239 T16 S55 T56 T104 S126 S127 T156 S176 T249 S268 T269 S330 T394 S450 T484 S583 S652 S658 S795 S33 S235 T314 S343 T730 S804	N45 N93 N165 N805	E418-S450	cell cycle protein	BLOCKS BLAST
33	392	T22 S30 T43 S55 S108 T140 S156 S318 T320 S343 S120 S270 S311	N277		TRAF family member-associated NF-kB activator TANK	BLAST
34	60	T49 T30 S50		I2-S55	DNA-binding protein	BLOCKS BLAST
35	209	S21 S57 T93	N67	F160-N179 S151-G185	cellular nucleic acid binding protein	PRINTS BLOCKS BLAST
36	257	T178 S187 S230 T249	N65	Y33-F44 S187-L205	cell-cycle control protein Hst2p	PRINTS BLOCKS BLAST

Table 2 cont.

Protein Seq ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
37	138	T106 T3 S27 S46		E108-Q124	nucleic acid- binding protein	BLOCKS BLAST
38	999	T54 S634 S89 S126 S335 S414 S442 S451 T512 T762 T792 T858 S890 T97 T994 T205 S233 T274 T491 S525 S534 T577 T600 S610 S615 S634 S677 T951 S961 Y152 Y458 Y686 Y815	N43 N532 N672 N749 N818 N943	L574-L595 L647-L668	DNA-binding protein	MOTIFS BLAST
39	377	T142 T254 T48 T138 S292 S71 S74 S108 S114 T138 S222 S250 T332 T364		C130-H150, C158- H178, C186-H206, C214-H234, C242- H262, C270-H290, C296-H316, C324- H344, C352-H372	zinc finger protein ZNF132	MOTIFS PRINTS BLOCKS BLAST
40	324	S28 S214 S16 S81 S114 T225 T33 S44 T66 S203 S209 T229	N47	R26-S37 S77-L115	transcription regulatory protein IRLB	PRINTS BLOCKS BLAST
41	270	S16 T123 T141 T199 S9 S52 S90 T128 T175 S194 S214	N22 N109 N192	V218-L242 P250-Q263		MOTIFS BLOCKS PRINTS

Table 2 cont.

Protein Seq ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
42	252	T20 S48 S89 S101 T127 S218 T121 S126 T152	N33 N46 N216 N230	Y9-L18, S68-F88, D159-S168	cell-cycle control protein	PRINTS BLAST
43	228	T50 T107 T2 S42 S201 T31 S51 T52 T103 T107 T134 T143 T206 S210 T215	N132 N141 N165 N197	A38-S51, Q65- P100, S59-K89	Transcriptional Repressor Protein	PRINTS BLOCKS BLAST
44	117	T93 T11		A86-E104	CCAAT-Binding Transcription factor	PRINTS BLAST
45	252	S83 T2 S57 T159 S250 Y102	N197	M1-S29 A85-K123	Ribosomal protein	BLOCKS MOTIFS
46	530	T177 S234 S461 S519 T24 T238	N217 N227	TM Domains: Y147-A167 Y242-L262 L306-F325 L332-L351 S379-F399 L470-F489	melibiose carrier protein	BLAST MOTIFS HMM

Table 2 cont.

SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
47	355	S7 S21 T127 S213 T279 S134 T276 S315 S331 S334 Y193 Y300	N37 N192 N263 N268 N337	I42-E69 W160-E187 G171-G200 N234-I256	Myelin P0 Protein	BLOCKS, PRINTS MOTIFS, IMM
48	136	T109 S130 T5 T69 T40 S121			geminin	BLAST, MOTIFS
49	235	T138 T142 S180 S230 S111 S120 S137 T224	N140 N198	ATP/GTP binding: G9-T16	PTB-associated splicing factor	BLAST MOTIFS
50	70	T2 S64			ninjurin	BLAST MOTIFS
51	169	T128 T26 S96			B locus M Beta chain 1	BLAST, MOTIFS
52	359	S55 S78 T161 S245 T292 T350 T57 T130 T289	N105	E205-S242 E271-V294	ribosomal protein S6 kinase 2	BLAST, MOTIFS BLOCKS, PRINTS, PFAM
53	545	S235 T317 S47 S73 S114 S146 S184 S236 S241 S394 S538 S2 T84 S109 S124 T230 S231 S266 S340 T360 S379 S525	N45 N139 N431 N478 N511	K88-I106 A333-K362	ribosomal protein	MOTIFS BLOCKS PRINTS

Table 2 cont.

SEQ ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
54	99	T90 T43 T76			ORF E4	BLAST, MOTIFS
55	565	S27 S56 S132 T152 T197 S319 T411 T429 S475 T66 S156 S303 T390 S463 Y549	N2 N55 N165		Sec1 precursor	BLAST, MOTIFS
56	197	S65 T23 S102 S19 T60 T61 S136 S147	N20		Regulatory protein	BLAST, MOTIFS
57	321	S91 S119 T139 S283 S147 T300 Y238	N103 N194		putative ras effector Norel	BLAST, MOTIFS
58	356	T45 S85 S93 S95 T103 S114 T142 S168 T317 S340 S49 S58 T236 S258 S314 Y12 Y296	N91 N312		weak similarity to S. cerevisiae intracellular transport protein	BLAST MOTIFS
59	299	S273 T81 S116 S120 T122 S146 S86 S151 T210 S225 T268			PI3 Kinase P85 Regulator	MOTIFS, PRINTS
60	293	T34 S218 S247 S290 S291 T240 S79 S145 T156 T199 S204 S283	N152	V47-V71 K86-F93	RNA-binding protein	BLAST, MOTIFS, BLOCKS, PFAM

Table 2 cont.

Seq ID NO:	Amino Acid Residues	Potential Phosphorylation Sites	Potential glycosylation sites	Signature Sequence	Identification	Analytical Methods
61	777	S81 S128 S141 T230 S315 S342 S352 T519 S564 S576 S684 T699 T758 T205 S213 S236 S294 S397 T417 S470 S515 T560 S640 T746	N228 N281 N319 N453 N481 N636 N682		Zinc finger helicase	BLAST, MOTIFS
62	97	T83		C20-C28	ferredoxin	MOTIFS
63	308	S15 S81 T97 T102 S103 S135 S200 S238 S28 S131 T154 S171 S186 Y232	N58 N78 N95 N198 N236		ubiquitin- conjugating enzyme	BLAST, MOTIFS
64	290	S121 S165 S167 S248 S17 T188 T207 Y86 Y203	N55 N79	M1-A22 C60-C76 C225-C235 W249-I272	prostatin	BLAST, MOTIFS, BLO CKS, PRINTS PFAM, HMM
65	198	S7 S9 S56 T115 T34 T86	N183		transcriptional regulator	BLAST MOTIFS

TABLE 3

Nucleotide Seq ID NO:	Tissue Expression (Fraction of Total)	Disease Class (Fraction of Total)	Vector
66	Nervous (0.256) Reproductive (0.209)	Cancer (0.442), Inflammation (0.279), Proliferative/Fetal (12%)	pBlueScript
67	Reproductive (0.274) Cardiovascular (0.194)	Cancer (0.484), Inflammation (0.145), Proliferative/Fetal (0.194)	pBlueScript
68	Reproductive (0.231) Cardiovascular (0.205)	Cancer (0.385), Inflammation (0.231), Proliferative/Fetal (0.205)	pBlueScript
69	Reproductive (0.215) Hematopoietic/Immune (0.190)	Cancer (0.397), Inflammation (0.314), Proliferative/Fetal (0.215)	pBlueScript
70	Reproductive (0.367) Cardiovascular (0.122)	Cancer (0.489), Inflammation (0.233), Proliferative/Fetal (0.189)	pBlueScript
71	Reproductive (0.292) Nervous (0.142)	Cancer (0.469), Inflammation (0.257), Proliferative/Fetal (0.177)	pSPORT1
72	Reproductive (0.261) Nervous (0.157)	Cancer (0.493), Inflammation (0.194), Trauma (0.142)	pSPORT1
73	Reproductive (0.343) Hematopoietic/Immune (0.200)	Cancer (0.457), Inflammation (0.257), Trauma (0.229)	pINCY
74	Reproductive (0.320) Nervous (0.160)	Cancer (0.507), Inflammation (0.187), Proliferative/Fetal (0.133)	pSPORT1
75	Gastrointestinal (0.300) Nervous (0.250)	Cancer (0.400), Inflammation (0.300)	pINCY
76	Reproductive (0.262) Nervous (0.180)	Cancer (0.443), Inflammation (0.262), Proliferative/Fetal (0.230)	pINCY
77	Reproductive (0.283) Nervous (0.151)	Cancer (0.509), Inflammation (0.208), Trauma (0.132)	pINCY

TABLE 3 cont.

Nucleotide Seq ID NO:	Tissue Expression (Fraction of Total)	Disease Class (Fraction of Total)	Vector
78	Cardiovascular (0.300) Nervous (0.200)	Cancer (0.450), Inflammation (0.200)	pBlueScript
79	Reproductive (0.270) Cardiovascular (0.150)	Cancer (0.440), Inflammation (0.180), Proliferative/Fetal (0.150)	pINCY
80	Reproductive (0.271) Cardiovascular (0.153)	Cancer (0.506), Inflammation (0.176), Proliferative/Fetal (0.188)	pSPORT1
81	Hematopoietic/Immune (0.312) Reproductive (0.219)	Cancer (0.344), Inflammation (0.344), Proliferative/Fetal (0.281)	pINCY
82	Nervous (0.250) Hematopoietic/Immune (0.188)	Cancer (0.500), Inflammation (0.438), Proliferative/Fetal (0.188)	pINCY
83	Hematopoietic/Immune (0.276) Reproductive (0.276)	Cancer (0.552), Inflammation (0.310)	pINCY
84	Reproductive (0.309) Nervous (0.144)	Cancer (0.526), Inflammation (0.247), Proliferative/Fetal (0.134)	pINCY
85	Reproductive (0.315) Nervous (0.152) Cardiovascular (0.130)	Cancer (0.522) Fetal (0.174) Inflammation (0.141)	pBLUESCRIPT
86	Reproductive (0.545) Hematopoietic/Immune (0.182) Gastrointestinal (0.182)	Cancer (0.636) Fetal (0.273) Inflammation (0.182)	pBLUESCRIPT
87	Reproductive (0.218) Nervous (0.200) Hematopoietic/Immune (0.200)	Cancer (0.509) Inflammation (0.236) Fetal (0.164)	pSPORT1
88	Nervous (0.296) Reproductive (0.185) Hematopoietic/Immune (0.148)	Cancer (0.407) Fetal (0.259) Inflammation (0.222)	pSPORT1

TABLE 3 cont.

Nucleotide Seq ID NO:	Tissue Expression (Fraction of Total)	Disease Class (Fraction of Total)	Vector
89	Reproductive (0.339) Nervous (0.161) Gastrointestinal (0.145) Cardiovascular (0.145)	Cancer (0.613) Fetal (0.145) Inflammation (0.129)	pSPORT1
90	Cardiovascular (0.278) Gastrointestinal (0.204) Reproductive (0.185)	Cancer (0.519) Inflammation (0.204) Fetal (0.148)	pINCY
91	Reproductive (0.228) Nervous (0.149) Gastrointestinal (0.146)	Cancer (0.411) Inflammation (0.343) Fetal (0.240)	pT7T3
92	Reproductive (0.240) Hematopoietic/Immune (0.160) Gastrointestinal (0.160)	Cancer (0.460) Inflammation (0.260) Fetal (0.180)	pINCY
93	Reproductive (0.333) Cardiovascular (0.200) Hematopoietic/Immune (0.133)	Inflammation (0.533) Cancer (0.400) Fetal (0.133)	pINCY
94	Reproductive (0.230) Gastrointestinal (0.164) Cardiovascular (0.115) Hematopoietic/Immune (0.115)	Cancer (0.443) Inflammation (0.442) Fetal (0.197)	pINCY
95	Reproductive (0.333) Cardiovascular (0.167) Gastrointestinal (0.167)	Cancer (0.750) Inflammation (0.250)	pINCY
96	Reproductive (0.369) Nervous (0.215) Hematopoietic/Immune (0.108) Gastrointestinal (0.108)	Cancer (0.508) Inflammation (0.231) Fetal (0.108)	pBLUESCRIPT
97	Reproductive (0.321) Gastrointestinal (0.179) Hematopoietic/Immune (0.161)	Inflammation (0.411) Cancer (0.393) Fetal (0.161)	pINCY
98	Reproductive (0.205) Nervous (0.192) Cardiovascular (0.164)	Cancer (0.452) Inflammation (0.342) Fetal (0.178)	pSPORT1

TABLE 3 cont.

Nucleotide Seq ID NO:	Tissue Expression (Fraction of Total)	Disease Class (Fraction of Total)	Vector
99	Gastrointestinal (0.423) Reproductive (0.115)	Cancer (0.385) Inflammation (0.288) Fetal (0.173)	pSPORT1
100	Reproductive (0.281) Hematopoietic/Immune (0.234) Nervous (0.141)	Cancer (0.375) Fetal (0.312) Inflammation (0.312)	pINCY
101	Reproductive (0.294) Nervous (0.196) Gastrointestinal (0.118)	Cancer (0.529) Fetal (0.255)	pINCY
102	Reproductive (0.217) Nervous (0.163) Cardiovascular (0.141)	Cancer (0.435) Inflammation (0.174) Fetal (0.152)	pINCY
103	Reproductive (0.263) Hematopoietic/Immune (0.158) Musculoskeletal (0.158)	Cancer (0.526) Inflammation (0.263) Fetal (0.158)	pINCY
104	Nervous (0.400) Reproductive (0.300)	Cancer (0.400) Inflammation (0.300)	pSPORT1
105	Reproductive (0.375) Cardiovascular (0.125) Urologic (0.125)	Cancer (0.500) Inflammation (0.250) Fetal (0.208)	pINCY
106	Gastrointestinal (0.400) Reproductive (0.400) Developmental (0.100) Hematopoietic/Immune (0.100)	Cancer (0.600) Fetal (0.200) Inflammation (0.200)	pINCY
107	Reproductive (0.278) Gastrointestinal (0.152) Nervous (0.139)	Cancer (0.418) Inflammation (0.241) Fetal (0.165)	>pINCY
108	Reproductive (0.364) Hematopoietic/Immune (0.182) Nervous (0.167)	Inflammation (0.409) Cancer (0.364) Fetal (0.136)	pSPORT1

TABLE 3 cont.

Nucleotide Seq ID NO:	Tissue Expression (Fraction of Total)	Disease Class (Fraction of Total)	Vector
109	Nervous (0.227) Reproductive (0.205) Cardiovascular (0.136) Urologic (0.136) Gastrointestinal (0.136)	Cancer (0.568) Inflammation (0.182) Fetal (0.136)	pINCY
110	Hematopoietic/Immune (0.400) Urologic (0.400) Reproductive (0.200)	Cell proliferation (0.800) Inflammation (0.800)	pBluescript
111	Gastrointestinal (0.213) Hematopoietic/Immune (0.191) Nervous (0.191)	Cell proliferation (0.744) Inflammation (0.489)	pBluescript
112	Hematopoietic/Immune (0.405) Gastrointestinal (0.167) Cardiovascular (0.119)	Inflammation (0.619) Cell proliferation (0.381)	pBluescript
113	Hematopoietic/Immune (0.667) Cardiovascular (0.333)	Inflammation (1.000)	pSPORT1
114	Cardiovascular (0.412) Nervous (0.235) Musculoskeletal (0.118)	Cell proliferation (0.765) Inflammation (0.353)	pSPORT1
115	Cardiovascular (0.548) Reproductive (0.161) Developmental (0.129)	Cell proliferation (0.806) Inflammation (0.226)	pINCY
116	Reproductive (0.267) Cardiovascular (0.233) Hematopoietic/Immune (0.233)	Cell proliferation (0.467) Inflammation (0.500)	pINCY
117	Reproductive (0.400) Cardiovascular (0.167) Gastrointestinal (0.133)	Cell proliferation (0.600) Inflammation (0.267)	pINCY
118	Nervous (0.205) Reproductive (0.205) Other (0.154)	Cell proliferation (0.461) Inflammation (0.385)	pINCY
119	Reproductive (0.500) Nervous (0.167) Hematopoietic/Immune (0.167)	Cancer (0.500) Inflammation (0.167) Neurological (0.167)	pINCY

TABLE 3 cont.

Nucleotide Seq ID NO:	Tissue Expression (Fraction of Total)	Disease Class (Fraction of Total)	Vector
120	Reproductive (0.396) Cardiovascular (0.125) Musculoskeletal (0.125)	Cell proliferation (0.750) Inflammation (0.209)	pINCY
121	Reproductive (0.248) Hematopoietic/Immune (0.194) Gastrointestinal (0.147)	Cell Proliferation (0.651) Inflammation (0.380)	pINCY
122	Nervous (0.264) Cardiovascular (0.132) Reproductive (0.132)	Cell proliferation (0.547) Inflammation (0.396)	pINCY
123	Reproductive (0.242) Nervous (0.152) Urologic (0.152)	Cell proliferation (0.788) Inflammation (0.303)	pINCY
124	Nervous (0.333) Cardiovascular (0.167) Hematopoietic/Immune (0.167)	Cell proliferation (0.667) Inflammation (0.500)	pSPORT1
125	Reproductive (0.290) Cardiovascular (0.161) Hematopoietic/Immune (0.113)	Cell proliferation (0.709) Inflammation (0.306)	pSPORT1
126	Reproductive (0.360) Nervous (0.120) Urologic (0.100)	Cell proliferation (0.680) Inflammation (0.320)	pINCY
127	Reproductive (0.364) Gastrointestinal (0.145) Nervous (0.145)	Cell proliferation (0.600) Inflammation (0.400)	pINCY
128	Cardiovascular (0.154) Gastrointestinal (0.154) Reproductive (0.154)	Cell proliferation (0.616) Inflammation (0.308)	pINCY
129	Urologic (1.000)	Cancer (1.000)	pINCY
130	Hematopoietic/Immune (0.214) Cardiovascular (0.143) Gastrointestinal (0.143)	Cell proliferation (0.428) Inflammation (0.357)	pINCY

TABLE 4

Protein SEQ ID NO:	Clone ID	Library	Library Comment
1	001106	U937NOT01	U937NOT01 Library was constructed at Stratagene (STR937207) using RNA isolated from U937 monocyte-like cell line (ATCC CRL1593) established from malignant cells obtained from the pleural effusion of a 37-year-old Caucasian male with diffuse histiocytic lymphoma.
2	004586	HMC1NOT01	HMC1NOT01 Library was constructed using RNA isolated from HMC-1 human mast cell line derived from a 52-year-old female. Patient history included mast cell leukemia. Family history included atherosclerotic coronary artery disease, a joint disorder involving multiple joints, cerebrovascular disease, and diabetes insipidus.
3	052927	FIBRNOT01	FIBRNOT01 Library was constructed at Stratagene (STR937212) using RNA isolated from the WI38 lung fibroblast cell line derived from a 3-month-old Caucasian female fetus.
4	082843	HUVESTB01	HUVESTB01 Library was constructed using RNA isolated from shear-stressed HUV-EC-C (ATCC CRL 1730), an endothelial cell line derived from the vein of a normal human umbilical.
5	322349	EOSIHET02	EOSIHET02 Library was constructed using RNA isolated from peripheral blood cells apheresed from a 48-year-old Caucasian male. Patient history included hyperesinophilia.
6	397663	PITUNOT02	PITUNOT02 Library was constructed using RNA (Clontech 6584-1) isolated from the pituitary gland of 87 male and female donors, 15 to 75 years old.
7	673766	CRBLNOT01	CRBLNOT01 Library was constructed using RNA isolated from cerebellum tissue of a 69-year-old Caucasian male, who died from chronic obstructive pulmonary disease. Patient history included heart failure, myocardial infarction, hypertension, osteoarthritis, and tobacco use.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
8	1504753	BRAITUT07	BRAITUT07 Library was constructed using RNA isolated from left frontal lobe tumor tissue removed from the brain of a 32-year-old Caucasian male during excision of a cerebral meningeal lesion. Pathology indicated low grade desmoplastic neuronal neoplasm. Family history included atherosclerotic coronary artery disease.
9	1760185	PITUNOT03	PITUNOT03 Library was constructed using RNA isolated from pituitary tissue of a 46-year-old Caucasian male who died from colon cancer. Patient history included arthritis and peptic ulcer disease.
10	1805061	SINTNOT13	SINTNOT13 Library was constructed using RNA isolated from ileum tissue removed from a 25-year-old Asian female during a partial colectomy and temporary ileostomy. Pathology indicated moderately active chronic ulcerative colitis involving colonic mucosa from the distal margin to the ascending colon. Family history included hyperlipidemia, depressive disorder, malignant cervical neoplasm, and viral hepatitis A.
11 12	1850120 1852290	LUNGFET03 LUNGFET03	LUNGFET03 Library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus who died at 20 weeks' gestation. The mother was given seven days of erythromycin treatment for bronchitis during the first trimester.
13	1944530	PITUNOT01	PITUNOT01 Library was constructed using RNA (Clontech 6584-2) isolated from the normal pituitary glands of 18 male and female Caucasian donors, 16 to 70 years old, who died from trauma.
14	2019742	CONNNOT01	CONNNOT01 Library was constructed using RNA isolated from mesentery fat tissue removed from a 71-year-old Caucasian male during a partial colectomy and permanent colostomy. Patient history included a cholecystectomy, viral hepatitis, and a hemangioma. Family history included atherosclerotic coronary artery disease, myocardial infarction, and extrinsic asthma.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
15	2056042	BEPINOT01	BEPINOT01 Library was constructed using RNA isolated from a bronchial epithelium (NHBE) primary cell line derived from a 54-year-old Caucasian male.
16	2398682	THP1AZT01	THP1AZT01 Library was constructed using RNA isolated from THP-1 promonocyte cells treated for three days with 0.8 micromolar 5-aza-2'-deoxycytidine. THP-1 (ATCC TIB 202) is a human promonocyte line derived from peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.
17	2518753	BRAITUT21	BRAITUT21 Library was constructed using RNA isolated from brain tumor tissue removed from the midline frontal lobe of a 61-year-old Caucasian female during excision of a cerebral meningeal lesion. Pathology indicated subfrontal meningotheial meningioma with no atypia. Patient history included depressive disorder; family history included cerebrovascular disease, senile dementia, hyperlipidemia, benign hypertension, atherosclerotic coronary artery disease, and congestive heart failure.
18	2709055	PONSAZT01	PONSAZT01 Library was constructed using polyA RNA isolated from diseased pons tissue removed from the brain of a 74-year-old Caucasian male who died from Alzheimer's disease.
19	2724537	LUNGTUT10	LUNGTUT10 Library was constructed using RNA isolated from lung tumor tissue removed from the left upper lobe of a 65-year-old Caucasian female during a segmental lung resection. Pathology indicated a metastatic grade 2 myxoid liposarcoma and metastatic grade 4 liposarcoma. Patient history included soft tissue cancer, breast cancer, and secondary lung cancer. Family history included benign hypertension.
20	025818	SPLNFET01	SPLNFET01 Library was constructed at Stratagene using RNA isolated from a pool of fetal spleen tissue. 2x10 ⁶ primary clones were amplified to stabilize the library for long-term storage. Amplification may significantly skew sequence abundances.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
21	438283	THYRN0T01	THYRN0T01 Library was constructed using RNA isolated from thyroid tissue removed from a 64-year-old Caucasian female who died from congestive heart failure.
22	619699	PGANN0T01	PGANN0T01 Library was constructed using RNA isolated from paraganglionic tumor tissue removed from the intra-abdominal region of a 46-year-old Caucasian male during exploratory laparotomy. Pathology indicated a benign paraganglioma and was associated with a grade 2 renal cell carcinoma, clear cell type, which did not penetrate the capsule. Surgical margins were negative for tumor.
23	693452	SYNORAT03	SYNORAT03 Library was constructed using RNA isolated from the wrist synovial membrane tissue of a 56-year-old female with rheumatoid arthritis.
24	839651	PROSTUT05	PROSTUT05 Library was constructed using RNA isolated from prostate tumor tissue removed from a 69-year-old Caucasian male during a radical prostatectomy. Pathology indicated adenocarcinoma (Gleason grade 3+4). Adenofibromatous hyperplasia was also present. Family history included congestive heart failure, multiple myeloma, hyperlipidemia, and rheumatoid arthritis.
25	1253545	LUNGFET03	LUNGFET03 Library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus who died at 20 weeks' gestation.
26	1425691	BEPINON01	BEPINON01 normalized bronchial epithelium library was constructed from 5.12 million independent clones from the BEPINOT01 library. RNA was made from a bronchial epithelium primary cell line derived from a 54-year-old Caucasian male. The normalization and hybridization conditions were adapted from Soares et al., PNAS (1994) 91:9228, using a longer (24-hour) reannealing hybridization period.
27	1484257	CORPNOT02	CORPNOT02 Library was constructed using RNA isolated from diseased corpus callosum tissue removed from the brain of a 74-year-old Caucasian male who died from Alzheimer's disease.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
28	1732368	BRSTTUT08	BRSTTUT08 Library was constructed using RNA isolated from breast tumor tissue removed from a 45-year-old Caucasian female during unilateral extended simple mastectomy. Pathology indicated invasive nuclear grade 2-3 adenocarcinoma, ductal type, with 3 of 23 lymph nodes positive for metastatic disease. Greater than 50% of the tumor volume was in situ, both comedo and non-comedo types. Immunostains were positive for estrogen/progesterone receptors, and uninvolved tissue showed proliferative changes. The patient concurrently underwent a total abdominal hysterectomy. Patient history included valvuloplasty of mitral valve without replacement, rheumatic mitral insufficiency, and rheumatic heart disease. Family history included acute myocardial infarction, atherosclerotic coronary artery disease, and type II diabetes.
29	1870914	SKINBIT01	SKINBIT01 Library was constructed using RNA isolated from diseased skin tissue of the left lower leg. Patient history included erythema nodosum of the left lower leg.
30	1910984	CONNTUT01	CONNTUT01 Library was constructed using RNA isolated from a soft tissue tumor removed from the clival area of the skull of a 30-year-old Caucasian female. Pathology indicated chondroid chordoma with neoplastic cells reactive for keratin.
31	1943040	HIPONOT01	HIPONOT01 Library was constructed using RNA isolated from the hippocampus tissue of a 72-year-old Caucasian female who died from an intracranial bleed. Patient history included nose cancer, hypertension, and arthritis.
32	2076520	ISLTNOT01	ISLTNOT01 Library was constructed using RNA isolated from a pooled collection of pancreatic islet cells.
33	2291241	BRAINON01	BRAINON01 Library was constructed and normalized from 4.88 million independent clones from the BRAINOT03 library. RNA was made from brain tissue removed from a 26-year-old Caucasian male during cranioplasty and excision of a cerebral meningeal lesion. Pathology for the associated tumor tissue indicated a grade 4 oligoastrocytoma in the right fronto-parietal part of the brain.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
34	2329692	COLNNOT11	COLNNOT11 The COLNNOT11 library was constructed using RNA isolated from colon tissue removed from a 60-year-old Caucasian male during a left hemicolectomy.
35	2474110	THPINOT03	THPINOT03 Library was constructed using RNA isolated from untreated THP-1 cells (ATCC TIB 202), a human promonocyte line derived from the peripheral blood of a 1-year-old Caucasian male with acute monocytic leukemia.
36	2495790	ADRETUT05	ADRETUT05 Library was constructed using RNA isolated from adrenal tumor tissue removed from a 52-year-old Caucasian female during a unilateral adrenalectomy. Pathology indicated a pheochromocytoma.
37	2661254	ADRENOT08	ADRENOT08 pINCY Library was constructed using RNA isolated from adrenal tissue removed from a 20-year-old Caucasian male, who died from head trauma.
38	2674047	KIDNNOT19	KIDNNOT19 pINCY Library was constructed using RNA isolated from kidney tissue removed a 65-year-old Caucasian male during an exploratory laparotomy and nephroureterectomy. Pathology for the associated tumor tissue indicated a grade 1 renal cell carcinoma within the upper pole of the left kidney. Patient history included malignant melanoma of the abdominal skin, benign neoplasm of colon, cerebrovascular disease, and umbilical hernia. Family history included cardiovascular and cerebrovascular disease, and prostate cancer.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
39	2762174	BRAINOS12	BRAINOS12 pSPORT1 Library was constructed from 4.9 million clones from the BRAINOT03 library by subtraction of abundantly expressed clone pools. RNA was made from brain tissue removed from a 26-year-old Caucasian male during cranioplasty and excision of a cerebral meningeal lesion. Pathology for the associated tumor tissue indicated a grade 4 oligoastrocytoma in the right fronto-parietal part of the brain.
40	2765991	BRSTNOT12	BRSTNOT12 pINCY Library was constructed using RNA isolated from diseased breast tissue removed from a 32-year-old Caucasian female during a bilateral reduction mammoplasty. Pathology indicated nonproliferative fibrocystic disease. Family history included benign hypertension and atherosclerotic coronary artery disease.
41	2775157	PANCNOT15	PANCNOT15 pINCY Library was constructed using RNA isolated from diseased pancreatic tissue removed from a 15-year-old Caucasian male during a exploratory laparotomy with distal pancreatectomy and total splenectomy. Pathology indicated islet cell hyperplasia. Family history included prostate cancer and cardiovascular disease.
42	2918375	THYMFET03	THYMFET03 Library was constructed using RNA isolated from thymus tissue removed from a Caucasian male fetus.
43	3149729	ADRENON04	ADRENON04 normalized adrenal gland library was constructed from 1.36 million independent clones from an adrenal tissue library. Starting RNA was made from adrenal gland tissue removed from a 20-year-old Caucasian male who died from head trauma. The library was normalized in two rounds using conditions adapted from Soares et al. (PNAS (1994) 91:9228-9232) and Bonaldo et al. (Genome Res (1996) 6: 791-806) and a significantly longer (48-hours/round) reannealing hybridization period.
44	3705895	PENCNOT07	PENCNOT07 Library was constructed using RNA isolated from penis right corpora cavernosa tissue removed from a male.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
45	003256	HMC1NOT01	HMC1NOT01 library was constructed using RNA isolated from the HMC-1 human mast cell line derived from a 52-year-old female. Patient history included mast cell leukemia.
46	156986	THP1PLB02	THP1PLB02 library was constructed by reamplification of THP1PLB01, which was made using RNA isolated from THP-1 cells cultured for 48 hours with 100 ng/ml phorbol ester (PMA), followed by a 4-hour culture in media containing 1 ug/ml LPS. THP-1 (ATCC TIB 202) is a human promonocyte line derived from the peripheral blood of a 1-year-old male with acute monocytic leukemia (ref: Int. J. Cancer (1980) 26:171).
47	319415	EOSIHET02	EOSIHET02 library was constructed using RNA isolated from peripheral blood cells apheresed from a 48-year-old Caucasian male. Patient history included hypereosinophilia. The cell population was determined to be greater than 77% eosinophils by Wright's staining.
48	635581	NEUTGMT01	NEUTGMT01 library was constructed using RNA isolated from peripheral blood granulocytes collected by density gradient centrifugation through Ficoll-Hypaque. The cells were isolated from buffy coat units obtained from 20 unrelated male and female donors. Cells were cultured in 10 nM GM-CSF for 1 hour before washing and harvesting for total RNA preparation.
49	921803	RATRN0T02	RATRN0T02 library was constructed using RNA isolated from the right atrium tissue of a 39-year-old Caucasian male, who died from a gunshot wound.
50	1250492	LUNGFET03	LUNGFET03 library was constructed using RNA isolated from lung tissue removed from a Caucasian female fetus, who died at 20 weeks' gestation.
51	1427838	SINTBST01	SINTBST01 library was constructed using RNA isolated from ileum tissue obtained from an 18-year-old Caucasian female during bowel anastomosis. Pathology indicated Crohn's disease of the ileum, involving 15 cm of the small bowel. Family history included cerebrovascular disease and atherosclerotic coronary artery disease.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
52	1448258	PLACNOT02	PLACNOT02 library was constructed using RNA isolated from the placental tissue of a Hispanic female fetus, who was prematurely delivered at 21 weeks' gestation. Serologies of the mother's blood were positive for CMV (cytomegalovirus).
53	1645941	PROSTUT09	PROSTUT09 library was constructed using RNA isolated from prostate tumor tissue removed from a 66-year-old Caucasian male during a radical prostatectomy, radical cystectomy, and urinary diversion. Pathology indicated grade 3 transitional cell carcinoma. The patient presented with prostatic inflammatory disease. Patient history included lung neoplasm and benign hypertension. Family history included a malignant breast neoplasm, tuberculosis, cerebrovascular disease, atherosclerotic coronary artery disease and lung cancer.
54	1646005	PROSTUT09	PROSTUT09 library was constructed using RNA isolated from prostate tumor tissue removed from a 66-year-old Caucasian male during a radical prostatectomy, radical cystectomy, and urinary diversion. Pathology indicated grade 3 transitional cell carcinoma. The patient presented with prostatic inflammatory disease. Patient history included lung neoplasm and benign hypertension. Family history included a malignant breast neoplasm, tuberculosis, cerebrovascular disease, atherosclerotic coronary artery disease and lung cancer.
55	1686561	PROSNOT15	PROSNOT15 library was constructed using RNA isolated from diseased prostate tissue removed from a 66-year-old Caucasian male during radical prostatectomy and regional lymph node excision. Pathology indicated adenofibromatous hyperplasia. Pathology for the associated tumor tissue indicated an adenocarcinoma (Gleason grade 2+3). The patient presented with elevated prostate specific antigen (PSA). Family history included prostate cancer, secondary bone cancer, and benign hypertension.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
56	1821233	GBLATUT01	The GBLATUT01 library was constructed using RNA isolated from gallbladder tumor tissue removed from a 78-year-old Caucasian female during a cholecystectomy. Pathology indicated invasive grade 2 squamous cell carcinoma, forming a mass in the gallbladder. Patient history included diverticulitis of the colon, palpitations, benign hypertension, and hyperlipidemia. Family history included a cholecystectomy, atherosclerotic coronary artery disease, atherosclerotic coronary artery disease, hyperlipidemia, and benign hypertension.
57	1877278	LEUKNOT03	The LEUKNOT03 library was constructed using RNA isolated from white blood cells of a 27-year-old female with blood type A+. The donor tested negative for cytomegalovirus (CMV).
58	1880692	LEUKNOT03	The LEUKNOT03 library was constructed using RNA isolated from white blood cells of a 27-year-old female with blood type A+. The donor tested negative for cytomegalovirus (CMV).
59	2280456	PROSNON01	The PROSNON01 library was constructed and normalized from 4.4 Million independent clones from the PROSNOT11 library. RNA was made from prostate tissue removed from a 28-year-old Caucasian male who died from a self-inflicted gunshot wound. The normalization and hybridization conditions were adapted from Soares, M.B. et al. (1994) Proc. Natl. Acad. Sci. USA 91:9228-9232, using a longer (19 hour) reannealing hybridization period.
60	2284580	BRAINON01	The BRAINON01 library was constructed and normalized from 4.88 million independent clones from the BRAINOT03 library. RNA was made from brain tissue removed from a 26-year-old Caucasian male during cranioplasty and excision of a cerebral meningeal lesion. Pathology for the associated tumor tissue indicated a grade 4 oligoastrocytoma in the right fronto-parietal part of the brain.

TABLE 4 cont.

Protein SEQ ID NO:	Clone ID	Library	Library Comment
61	2779172	OVARTUT03	OVARTUT03 library was constructed using RNA isolated from ovarian tumor tissue removed from the left ovary of a 52-year-old mixed ethnicity female during a total abdominal hysterectomy, bilateral salpingo-oophorectomy, peritoneal and lymphatic structure biopsy, regional lymph node excision, and peritoneal tissue destruction. Pathology indicated an invasive grade 3 (of 4) seroanaplastic carcinoma forming a mass in the left ovary. Patient history included breast cancer, chronic peptic ulcer, and joint pain. Family history included colon cancer, cerebrovascular disease, breast cancer, type II diabetes, esophagus cancer, and depressive disorder.
62	3279329	STOMFET02	STOMFET02 library was constructed using RNA isolated from stomach tissue removed from a Hispanic male fetus, who died at 18 weeks' gestation.
63	3340290	SPLNNOT10	SPLNNOT10 library was constructed using RNA isolated from spleen tissue removed from a 59-year-old Caucasian male during a total splenectomy and exploratory laparotomy. Pathology for the spleen indicated splenomegaly with congestion. The lymph nodes showed reactive follicular hyperplasia. The liver showed mild, nonspecific steatosis. The patient presented with abdominal pain, bloating of the abdomen, low-grade fever, and diaphoresis. Family history included myocardial infarction, arteriosclerotic cardiovascular disease, primary tuberculous infection, cerebrovascular disease and lymphoma.
64	3376404	PENGNOT01	PENGNOT01 library was constructed using RNA isolated from glans tissue removed from the penis of a 3-year-old Black male. Pathology for the associated tumor tissue indicated invasive grade 4 urothelial carcinoma forming a soft tissue scrotal mass that invaded the cavernous body of the penis and encased both testicles.
65	4173111	SINTNOT21	SINTNOT21 library was constructed using RNA isolated from small intestine tissue obtained from a 8-year-old Black male, who died from anoxia. Serology was negative.

Table 5

Program	Description	Reference	Parameter Threshold
ABI FACTURA	A program that removes vector sequences and masks ambiguous bases in nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA.	
ABI/PARACEL FDF	A Fast Data Finder useful in comparing and annotating amino acid or nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA; Paracel Inc., Pasadena, CA.	Mismatch <50%
ABI AutoAssembler	A program that assembles nucleic acid sequences.	Perkin-Elmer Applied Biosystems, Foster City, CA.	
BLAST	A Basic Local Alignment Search Tool useful in sequence similarity search for amino acid and nucleic acid sequences. BLAST includes five functions: blastp, blastn, blastx, tblastn, and tblastx.	Altschul, S.F. et al. (1990) J. Mol. Biol. 215:403-410; Altschul, S.F. et al. (1997) Nucleic Acids Res. 25: 3389-3402.	ESTs: Probability value= 1.0E-8 or less Full Length sequences: Probability value= 1.0E-10 or less
FASTA	A Pearson and Lipman algorithm that searches for similarity between a query sequence and a group of sequences of the same type. FASTA comprises at least five functions: fasta, tfasta, fastx, tfastx, and ssearch.	Pearson, W.R. and D.J. Lipman (1988) Proc. Natl. Acad. Sci. 85:2444-2448; Pearson, W.R. (1990) Methods Enzymol. 183: 63-98; and Smith, T.F. and M. S. Waterman (1981) Adv. Appl. Math. 2:482-489.	ESTs: fasta E value=1.06E-6 Assembled ESTs: fasta Identity= 95% or greater and Match length=200 bases or greater; fastx E value=1.0E-8 or less Full Length sequences: fastx score=100 or greater
BLIMPS	A BLocks IMProved Searcher that matches a sequence against those in BLOCKS, PRINTS, DOMO, PRODOM, and PFAM databases to search for gene families, sequence homology, and structural fingerprint regions.	Henikoff, S and J.G. Henikoff, Nucl. Acid Res. 19:6565-72, 1991. J.G. Henikoff and S. Henikoff (1996) Methods Enzymol. 266:88-105; and Attwood, T.K. et al. (1997) J. Chem. Inf. Comput. Sci. 37: 417-424.	Score=1000 or greater; Ratio of Score/Strength = 0.75 or larger; and, if applicable, Probability value= 1.0E-3 or less
HMMER	An algorithm for searching a query sequence against hidden Markov model (HMM)-based databases of protein family consensus sequences, such as PFAM.	Krogh, A. et al. (1994) J. Mol. Biol., 235:1501-1531; Sonnhammer, E.L.L. et al. (1988) Nucleic Acids Res. 26:320-322.	Score=10-50 bits for PFAM hits, depending on individual protein families

Table 5 cont.

Program	Description	Reference	Parameter Threshold
ProfileScan	An algorithm that searches for structural and sequence motifs in protein sequences that match sequence patterns defined in Prosite.	Gribskov, M. et al. (1988) CABIOS 4:61-66; Gribskov, et al. (1989) Methods Enzymol. 183:146-159; Bairoch, A. et al. (1997) Nucleic Acids Res. 25: 217-221.	Score= 4.0 or greater
Phred	A base-calling algorithm that examines automated sequencer traces with high sensitivity and probability.	Ewing, B. et al. (1998) Genome Res. 8:175-185; Ewing, B. and P. Green (1998) Genome Res. 8:186-194.	
Phrap	A Phils Revised Assembly Program including SWAT and CrossMatch, programs based on efficient implementation of the Smith-Waterman algorithm, useful in searching sequence homology and assembling DNA sequences.	Smith, T.F. and M. S. Waterman (1981) Adv. Appl. Math. 2:482-489; Smith, T.F. and M. S. Waterman (1981) J. Mol. Biol. 147:195-197; and Green, P., University of Washington, Seattle, WA.	Score= 120 or greater; Match length= 56 or greater
Consed	A graphical tool for viewing and editing Phrap assemblies	Gordon, D. et al. (1998) Genome Res. 8:195-202.	
SPScan	A weight matrix analysis program that scans protein sequences for the presence of secretory signal peptides.	Nielson, H. et al. (1997) Protein Engineering 10:1-6; Claverie, J.M. and S. Audic (1997) CABIOS 12: 431-439.	Score=5 or greater
Motifs	A program that searches amino acid sequences for patterns that matched those defined in Prosite.	Bairoch et al. <i>supra</i> ; Wisconsin Package Program Manual, version 9, page M51-59, Genetics Computer Group, Madison, WI.	

What is claimed is:

1. A substantially purified polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:1-65, and fragments thereof.
- 5 2. A substantially purified variant having at least 90% amino acid sequence identity to the amino acid sequence of claim 1.
3. An isolated and purified polynucleotide encoding the polypeptide of claim 1.
4. An isolated and purified polynucleotide variant having at least 70% polynucleotide sequence identity to the polynucleotide of claim 3.
- 10 5. An isolated and purified polynucleotide which hybridizes under stringent conditions to the polynucleotide of claim 3.
6. An isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide of claim 3.
7. A method for detecting a polynucleotide, the method comprising the steps of:
 - 15 (a) hybridizing the polynucleotide of claim 6 to at least one nucleic acid in a sample, thereby forming a hybridization complex; and
 - (b) detecting the hybridization complex, wherein the presence of the hybridization complex correlates with the presence of the polynucleotide in the sample.
8. The method of claim 7 further comprising amplifying the polynucleotide prior to
20 hybridization.
9. An isolated and purified polynucleotide comprising a polynucleotide sequence selected from the group consisting of SEQ ID NO:66-130, and fragments thereof.
10. An isolated and purified polynucleotide variant having at least 70% polynucleotide sequence identity to the polynucleotide of claim 9.
- 25 11. An isolated and purified polynucleotide having a sequence which is complementary to the polynucleotide of claim 9.
12. An expression vector comprising at least a fragment of the polynucleotide of claim 3.
13. A host cell comprising the expression vector of claim 12.
- 30 14. A method for producing a polypeptide, the method comprising the steps of:
 - a) culturing the host cell of claim 13 under conditions suitable for the expression of the polypeptide; and
 - b) recovering the polypeptide from the host cell culture.
15. A pharmaceutical composition comprising the polypeptide of claim 1 in
35 conjunction with a suitable pharmaceutical carrier.

16. A purified antibody which specifically binds to the polypeptide of claim 1.
17. A purified agonist of the polypeptide of claim 1.
18. A purified antagonist of the polypeptide of claim 1.
19. A method for treating or preventing a disorder associated with decreased
5 expression or activity of HTRM, the method comprising administering to a subject in need of such treatment an effective amount of the pharmaceutical composition of claim 15.
20. A method for treating or preventing a disorder associated with increased expression or activity of HTRM, the method comprising administering to a subject in need of such treatment an effective amount of the antagonist of claim 18.

SEQUENCE LISTING

<110> INCYTE PHARMACEUTICALS, INC.
 HILLMAN, Jennifer L.
 BANDMAN, Olga
 LAL, Preeti
 YUE, Henry
 REDDY, Roopa
 TANG, Y. Tom
 GERSTIN, Edward H.
 PATTERSON, Chandra
 BAUGHN, Mariah R.
 AZIMZAI, Yalda
 LU, Dyung Aina M.

<120> HUMAN TRANSCRIPTIONAL REGULATOR MOLECULES

<130> PF-0509 PCT

<140> To Be Assigned
 <141> Herewith

<150> 60/084,254; 60/095,827; 60/102,745
 <151> 1998-05-05; 1998-08-07; 1998-10-02

<160> 130

<170> PERL Program

<210> 1
 <211> 155
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 001106CD1

<400> 1
 Met Val Ala Arg Lys Gly Gln Lys Ser Pro Arg Phe Arg Arg Val
 1 5 10 15
 Ser Cys Phe Leu Arg Leu Gly Arg Ser Thr Leu Leu Glu Leu Glu
 20 25 30
 Pro Ala Gly Arg Pro Cys Ser Gly Arg Thr Arg His Arg Ala Leu
 35 40 45
 His Arg Arg Leu Val Ala Cys Val Thr Val Ser Ser Arg Arg His
 50 55 60
 Arg Lys Glu Ala Gly Arg Gly Arg Ala Glu Ser Phe Ile Ala Val
 65 70 75
 Gly Met Ala Ala Pro Ser Met Lys Glu Arg Gln Val Cys Trp Gly
 80 85 90
 Ala Arg Asp Glu Tyr Trp Lys Cys Leu Asp Glu Asn Leu Glu Asp
 95 100 105
 Ala Ser Gln Cys Lys Lys Leu Arg Ser Ser Phe Glu Ser Ser Cys
 110 115 120
 Pro Gln Gln Trp Ile Lys Tyr Phe Asp Lys Arg Arg Asp Tyr Leu
 125 130 135
 Lys Phe Lys Glu Lys Phe Glu Ala Gly Gln Phe Glu Pro Ser Glu
 140 145 150
 Thr Thr Ala Lys Ser
 155

<210> 2
 <211> 152
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 004586CD1

<400> 2
 Met Leu Ser Thr Leu Ser Gln Cys Glu Phe Ser Met Gly Lys Thr
 1 5 10 15
 Leu Leu Val Tyr Asp Met Asn Leu Arg Glu Met Glu Asn Tyr Glu
 20 25 30
 Lys Ile Tyr Lys Glu Ile Glu Cys Ser Ile Ala Gly Ala His Glu
 35 40 45
 Lys Ile Ala Glu Cys Lys Lys Gln Ile Leu Gln Ala Lys Arg Ile
 50 55 60
 Arg Lys Asn Arg Gln Glu Tyr Asp Ala Leu Ala Lys Val Ile Gln
 65 70 75
 His His Pro Asp Arg His Glu Thr Leu Lys Glu Leu Glu Ala Leu
 80 85 90
 Gly Lys Glu Leu Glu His Leu Ser His Ile Lys Glu Ser Val Glu
 95 100 105
 Asp Lys Leu Glu Leu Arg Arg Lys Gln Phe His Val Leu Leu Ser
 110 115 120
 Thr Ile His Glu Leu Gln Gln Thr Leu Glu Asn Asp Glu Lys Leu
 125 130 135
 Ser Glu Val Glu Glu Ala Gln Glu Ala Ser Met Glu Thr Asp Pro
 140 145 150
 Lys Pro

<210> 3
 <211> 304
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc-feature
 <223> Incyte clone 052927CD1

<400> 3
 Met Ala Glu Ala Ser Ala Ala Gly Ala Asp Ser Gly Ala Ala Val
 1 5 10 15
 Ala Ala His Arg Phe Phe Cys His Phe Cys Lys Gly Glu Val Ser
 20 25 30
 Pro Lys Leu Pro Glu Tyr Ile Cys Pro Arg Cys Glu Ser Gly Phe
 35 40 45
 Ile Glu Glu Val Thr Asp Asp Ser Ser Phe Leu Gly Gly Gly Gly
 50 55 60
 Ser Arg Ile Asp Asn Thr Thr Thr Thr His Phe Ala Glu Leu Trp
 65 70 75
 Gly His Leu Asp His Thr Met Phe Phe Gln Asp Phe Arg Pro Phe
 80 85 90
 Leu Ser Ser Ser Pro Leu Asp Gln Asp Asn Arg Ala Asn Glu Arg
 95 100 105
 Gly His Gln Thr His Thr Asp Phe Trp Gly Ala Arg Pro Pro Arg
 110 115 120
 Leu Pro Leu Gly Arg Arg Tyr Arg Ser Arg Gly Ser Ser Arg Pro
 125 130 135
 Asp Arg Ser Pro Ala Ile Glu Gly Ile Leu Gln His Ile Phe Ala

	140		145		150
Gly Phe Phe Ala Asn Ser Ala Ile Pro	Gly Ser Pro His Pro Phe				
	155		160		165
Ser Trp Ser Gly Met Leu His Ser Asn Pro	Gly Asp Tyr Ala Trp				
	170		175		180
Gly Gln Thr Gly Leu Asp Ala Ile Val Thr	Gln Leu Leu Gly Gln				
	185		190		195
Leu Glu Asn Thr Gly Pro Pro Pro Ala Asp	Lys Glu Lys Ile Thr				
	200		205		210
Ser Leu Pro Thr Val Thr Val Thr Gln Glu	Gln Val Asp Met Gly				
	215		220		225
Leu Glu Cys Pro Val Cys Lys Glu Asp Tyr	Thr Val Glu Glu Glu				
	230		235		240
Val Arg Gln Leu Pro Cys Asn His Phe Phe	His Ser Ser Cys Ile				
	245		250		255
Val Pro Trp Leu Glu Leu His Asp Thr Cys	Pro Val Cys Arg Lys				
	260		265		270
Ser Leu Asn Gly Glu Asp Ser Thr Arg Gln	Ser Gln Ser Thr Glu				
	275		280		285
Ala Ser Ala Ser Asn Arg Phe Ser Asn Asp	Ser Gln Leu His Asp				
	290		295		300
Arg Trp Thr Phe					

<210> 4
 <211> 178
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 082843CD1

<400> 4	
Met Pro Lys Ala Lys Gly Lys Thr Arg Arg Gln Lys Phe Gly Tyr	
1 5 10 15	
Ser Val Asn Arg Lys Arg Leu Asn Arg Asn Ala Arg Arg Lys Ala	
20 25 30	
Ala Pro Arg Ile Glu Cys Ser His Ile Arg His Ala Trp Asp His	
35 40 45	
Ala Lys Ser Val Arg Gln Asn Leu Ala Glu Met Gly Leu Ala Val	
50 55 60	
Asp Pro Asn Arg Ala Val Pro Leu Arg Lys Arg Lys Val Lys Ala	
65 70 75	
Met Glu Val Asp Ile Glu Glu Arg Pro Lys Glu Leu Val Arg Lys	
80 85 90	
Pro Tyr Val Leu Asn Asp Leu Glu Ala Glu Ala Ser Leu Pro Glu	
95 100 105	
Lys Lys Gly Asn Thr Leu Ser Arg Asp Leu Ile Asp Tyr Val Arg	
110 115 120	
Tyr Met Val Glu Asn His Gly Glu Asp Tyr Lys Ala Met Ala Arg	
125 130 135	
Asp Glu Lys Asn Tyr Tyr Gln Asp Thr Pro Lys Gln Ile Arg Ser	
140 145 150	
Lys Ile Asn Val Tyr Lys Arg Phe Tyr Pro Ala Glu Trp Gln Asp	
155 160 165	
Phe Leu Asp Ser Leu Gln Lys Arg Lys Met Glu Val Glu	
170 175	

<210> 5
 <211> 301

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 322349CD1

<400> 5

```

Met Ala Arg His Gly Leu Pro Leu Leu Pro Leu Leu Ser Leu Leu
 1          5          10          15
Val Gly Ala Trp Leu Lys Leu Gly Asn Gly Gln Ala Thr Ser Met
 20          25          30
Val Gln Leu Gln Gly Gly Arg Phe Leu Met Gly Thr Asn Ser Pro
 35          40          45
Asp Ser Arg Asp Gly Glu Gly Pro Val Arg Glu Ala Thr Val Lys
 50          55          60
Pro Phe Ala Ile Asp Ile Phe Pro Val Thr Asn Lys Asp Phe Arg
 65          70          75
Asp Phe Val Arg Glu Lys Lys Tyr Arg Thr Glu Ala Glu Met Phe
 80          85          90
Gly Trp Ser Phe Val Phe Glu Asp Phe Val Ser Asp Glu Leu Arg
 95          100          105
Asn Lys Ala Thr Gln Pro Met Lys Ser Val Leu Trp Trp Leu Pro
 110          115          120
Val Glu Lys Ala Phe Trp Arg Gln Pro Ala Gly Pro Gly Ser Gly
 125          130          135
Ile Arg Glu Arg Leu Glu His Pro Val Leu His Val Ser Trp Asn
 140          145          150
Asp Ala Arg Ala Tyr Cys Ala Trp Arg Gly Lys Arg Leu Pro Thr
 155          160          165
Glu Glu Glu Trp Glu Phe Ala Ala Arg Gly Gly Leu Lys Gly Gln
 170          175          180
Val Tyr Pro Trp Gly Asn Trp Phe Gln Pro Asn Arg Thr Asn Leu
 185          190          195
Trp Gln Gly Lys Phe Pro Lys Gly Asp Lys Ala Glu Asp Gly Phe
 200          205          210
His Gly Val Ser Pro Val Asn Ala Phe Pro Ala Gln Asn Asn Tyr
 215          220          225
Gly Leu Tyr Asp Leu Leu Gly Asn Val Trp Glu Trp Thr Ala Ser
 230          235          240
Pro Tyr Gln Ala Ala Glu Gln Asp Met Arg Val Leu Arg Gly Ala
 245          250          255
Ser Trp Ile Asp Thr Ala Asp Gly Ser Ala Asn His Arg Ala Arg
 260          265          270
Val Thr Thr Arg Met Gly Asn Thr Pro Asp Ser Ala Ser Asp Asn
 275          280          285
Leu Gly Phe Arg Cys Ala Ala Asp Ala Gly Arg Pro Pro Gly Glu
 290          295          300
Leu

```

<210> 6

<211> 250

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 397663CD1

<400> 6

```

Met Glu Val Arg Asn His Gln Gln Gln Lys Leu Arg Pro Arg Asp

```

```

1           5           10           15
Trp Pro Gln Lys Pro Gln Cys His Gly Ser Gly Val Ile His Gly
20           25           30
Asn Ser Pro Leu Cys Pro Asn Trp Gln Val Phe Pro Leu Val Arg
35           40           45
Pro His Arg Gln Ser Arg Gln Leu Gln Val Pro Glu Pro Ile Gln
50           55           60
Ala Gly Gly Pro Ser Cys Gly His His Ser Pro Trp Arg Leu Phe
65           70           75
Leu Pro Gln Arg Lys Ser Gln Val Ser Arg Gly Gly Arg Leu Ala
80           85           90
Cys Leu Leu Ser Tyr Ala Gly Leu Ser Gly Asp Asp Pro Asp Leu
95           100          105
Gly Pro Ala His Val Val Thr Val Ile Ala Arg Gln Arg Gly Asp
110          115          120
Gln Leu Val Pro Phe Ser Thr Lys Ser Gly Asp Thr Leu Leu Leu
125          130          135
Leu His His Gly Asp Phe Ser Ala Glu Glu Val Phe His Arg Glu
140          145          150
Leu Arg Ser Asn Ser Met Lys Thr Trp Gly Leu Arg Ala Ala Gly
155          160          165
Trp Met Ala Met Phe Met Gly Leu Asn Leu Met Thr Arg Ile Leu
170          175          180
Tyr Thr Leu Val Asp Trp Phe Pro Val Phe Arg Asp Leu Val Asn
185          190          195
Ile Gly Leu Lys Ala Phe Ala Phe Cys Val Ala Thr Ser Leu Thr
200          205          210
Leu Leu Thr Val Ala Ala Gly Trp Leu Phe Tyr Arg Pro Leu Trp
215          220          225
Ala Leu Leu Ile Ala Gly Leu Ala Leu Val Pro Ile Leu Val Ala
230          235          240
Arg Thr Arg Val Pro Ala Lys Lys Leu Glu
245          250

```

<210> 7
 <211> 371
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 673766CD1

```

<400> 7
Met Glu Leu Glu Leu Asp Ala Gly Asp Gln Asp Leu Leu Ala Phe
1           5           10           15
Leu Leu Glu Glu Ser Gly Asp Leu Gly Thr Ala Pro Asp Glu Ala
20           25           30
Val Arg Ala Pro Leu Asp Trp Ala Leu Pro Leu Ser Glu Val Pro
35           40           45
Ser Asp Trp Glu Val Asp Asp Leu Leu Cys Ser Leu Leu Ser Pro
50           55           60
Pro Ala Ser Leu Asn Ile Leu Ser Ser Ser Asn Pro Cys Leu Val
65           70           75
His His Asp His Thr Tyr Ser Leu Pro Arg Glu Thr Val Ser Met
80           85           90
Asp Leu Glu Ser Glu Ser Cys Arg Lys Glu Gly Thr Gln Met Thr
95           100          105
Pro Gln His Met Glu Glu Leu Ala Glu Gln Glu Ile Ala Arg Leu
110          115          120
Val Leu Thr Asp Glu Glu Lys Ser Leu Leu Glu Lys Glu Gly Leu

```

	125		130		135
Ile Leu Pro Glu Thr	Leu Pro Leu Thr	Lys Thr Glu Glu Gln	Ile		
	140		145		150
Leu Lys Arg Val Arg	Arg Lys Ile Arg	Asn Lys Arg Ser Ala	Gln		
	155		160		165
Glu Ser Arg Arg Lys	Lys Lys Val Tyr	Val Gly Gly Leu Glu	Ser		
	170		175		180
Arg Val Leu Lys Tyr	Thr Ala Gln Asn	Met Glu Leu Gln Asn	Lys		
	185		190		195
Val Gln Leu Leu Glu	Glu Gln Asn Leu	Ser Leu Leu Asp Gln	Leu		
	200		205		210
Arg Lys Leu Gln Ala	Met Val Ile Glu	Ile Ser Asn Lys Thr	Ser		
	215		220		225
Ser Ser Ser Thr Cys	Ile Leu Val Leu	Leu Val Ser Phe Cys	Leu		
	230		235		240
Leu Leu Val Pro Ala	Met Tyr Ser Ser	Asp Thr Arg Gly Ser	Leu		
	245		250		255
Pro Ala Glu His Gly	Val Leu Ser Arg	Gln Leu Arg Ala Leu	Pro		
	260		265		270
Ser Glu Asp Pro Tyr	Gln Leu Glu Leu	Pro Ala Leu Gln Ser	Glu		
	275		280		285
Val Pro Lys Asp Ser	Thr His Gln Trp	Leu Asp Gly Ser Asp	Cys		
	290		295		300
Val Leu Gln Ala Pro	Gly Asn Thr Ser	Cys Leu Leu His Tyr	Met		
	305		310		315
Pro Gln Ala Pro Ser	Ala Glu Pro Pro	Leu Glu Trp Pro Phe	Pro		
	320		325		330
Asp Leu Phe Ser Glu	Pro Leu Cys Arg	Gly Pro Ile Leu Pro	Leu		
	335		340		345
Gln Ala Asn Leu Thr	Arg Lys Gly Gly	Trp Leu Pro Thr Gly	Ser		
	350		355		360
Pro Ser Val Ile Leu	Gln Asp Arg Tyr	Ser Gly			
	365		370		

<210> 8

<211> 148

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1504753CD1

<400> 8

Met Asn Ser Leu Ala	Thr Ser Val Phe	Ser Ile Ala Ile Pro	Val
1	5	10	15
Asp Gly Asp Glu Asp	Arg Asn Pro Ser Thr	Ala Phe Tyr Gln	Ala
	20	25	30
Phe His Leu Asn Thr	Leu Lys Glu Ser Lys	Ser Leu Trp Asp	Ser
	35	40	45
Ala Ser Gly Gly Gly	Val Val Ala Ile Asp	Asn Lys Ile Glu	Gln
	50	55	60
Ala Met Asp Leu Val	Lys Ser His Leu Met	Tyr Ala Val Arg	Glu
	65	70	75
Glu Val Glu Val Leu	Lys Glu Gln Ile Lys	Glu Leu Val Glu	Arg
	80	85	90
Asn Ser Leu Leu Glu	Arg Glu Asn Ala Leu	Leu Lys Ser Leu	Ser
	95	100	105
Ser Asn Asp Gln Leu	Ser Gln Leu Pro Thr	Gln Gln Ala Asn	Pro
	110	115	120
Gly Ser Thr Ser Gln	Gln Gln Ala Val Ile	Ala Gln Pro Pro	Gln

WO 99/57144

PCT/US99/09935

				125					130			135
Pro	Thr	Gln	Pro	Pro	Gln	Gln	Pro	Asn	Val	Ser	Ser	Ala
				140					145			

<210> 9
 <211> 127
 <212> PRT
 <213> Homo sapiens
 <220>
 <221> misc_feature
 <223> Incyte clone 1760185CD1

<400> 9
 Met Arg Pro Leu Asp Ile Val Glu Leu Ala Glu Pro Glu Glu Val
 1 5 10 15
 Glu Val Leu Glu Pro Glu Glu Asp Phe Glu Gln Phe Leu Leu Pro
 20 25 30
 Val Ile Asn Glu Met Arg Glu Asp Ile Ala Ser Leu Thr Arg Glu
 35 40 45
 His Gly Arg Ala Tyr Leu Arg Asn Arg Ser Lys Leu Trp Glu Met
 50 55 60
 Asp Asn Met Leu Ile Gln Ile Lys Thr Gln Val Glu Ala Ser Glu
 65 70 75
 Glu Ser Ala Leu Asn His Leu Gln Asn Pro Gly Asp Ala Ala Glu
 80 85 90
 Gly Arg Ala Ala Lys Arg Cys Glu Lys Ala Glu Glu Lys Ala Lys
 95 100 105
 Glu Ile Ala Lys Met Ala Glu Met Leu Val Glu Leu Val Arg Arg
 110 115 120
 Ile Glu Lys Ser Glu Ser Ser
 125

<210> 10
 <211> 383
 <212> PRT
 <213> Homo sapiens
 <220>
 <221> misc_feature
 <223> incyte clone 1805061CD1

<400> 10
 Met Pro Tyr Val Asp Arg Gln Asn Arg Ile Cys Gly Phe Leu Asp
 1 5 10 15
 Ile Glu Glu Asn Glu Asn Ser Gly Lys Phe Leu Arg Arg Tyr Phe
 20 25 30
 Ile Leu Asp Thr Arg Glu Asp Ser Phe Val Trp Tyr Met Asp Asn
 35 40 45
 Pro Gln Asn Leu Pro Ser Gly Ser Ser Arg Val Gly Ala Ile Lys
 50 55 60
 Leu Thr Tyr Ile Ser Lys Val Ser Asp Ala Thr Lys Leu Arg Pro
 65 70 75
 Lys Ala Glu Phe Cys Phe Val Met Asn Ala Gly Met Arg Lys Tyr
 80 85 90
 Phe Leu Gln Ala Asn Asp Gln Gln Asp Leu Val Glu Trp Val Asn
 95 100 105

Val	Leu	Asn	Lys	Ala	Ile	Lys	Ile	Thr	Val	Pro	Lys	Gln	Ser	Asp	
				110					115					120	
Ser	Gln	Pro	Asn	Ser	Asp	Asn	Leu	Ser	Arg	His	Gly	Glu	Cys	Gly	
				125					130					135	
Lys	Lys	Gln	Val	Ser	Tyr	Arg	Thr	Asp	Ile	Val	Gly	Gly	Val	Pro	
				140					145					150	
Ile	Ile	Thr	Pro	Thr	Gln	Lys	Glu	Glu	Val	Asn	Glu	Cys	Gly	Glu	
				155					160					165	
Ser	Ile	Asp	Arg	Asn	Asn	Leu	Lys	Arg	Ser	Gln	Ser	His	Leu	Pro	
				170					175					180	
Tyr	Phe	Thr	Pro	Lys	Pro	Pro	Gln	Asp	Ser	Ala	Val	Ile	Lys	Ala	
				185					190					195	
Gly	Tyr	Cys	Val	Lys	Gln	Gly	Ala	Val	Met	Lys	Asn	Trp	Lys	Arg	
				200					205					210	
Arg	Tyr	Phe	Gln	Leu	Asp	Glu	Asn	Thr	Ile	Gly	Tyr	Phe	Lys	Ser	
				215					220					225	
Glu	Leu	Glu	Lys	Glu	Pro	Leu	Arg	Val	Ile	Pro	Leu	Lys	Glu	Val	
				230					235					240	
His	Lys	Val	Gln	Glu	Cys	Lys	Gln	Ser	Asp	Ile	Met	Met	Arg	Asp	
				245					250					255	
Asn	Leu	Phe	Glu	Ile	Val	Thr	Thr	Ser	Arg	Thr	Phe	Tyr	Val	Gln	
				260					265					270	
Ala	Asp	Ser	Pro	Glu	Glu	Met	His	Ser	Trp	Ile	Lys	Ala	Val	Ser	
				275					280					285	
Gly	Ala	Ile	Val	Ala	Gln	Arg	Gly	Pro	Gly	Arg	Ser	Ala	Ser	Ser	
				290					295					300	
Met	Arg	Gln	Ala	Arg	Arg	Leu	Ser	Asn	Pro	Cys	Ile	Gln	Arg	Ser	
				305					310					315	
Ile	Pro	Pro	Val	Leu	Gln	Asn	Pro	Asn	Thr	Leu	Ser	Val	Leu	Pro	
				320					325					330	
Thr	Gln	Pro	Pro	Pro	Pro	His	Ile	Pro	Gln	Pro	Leu	Ala	Ala	Thr	
				335					340					345	
Leu	Trp	Ser	Gln	Pro	Leu	Pro	Trp	Arg	Ser	Glu	Asp	Phe	Thr	Ser	
				350					355					360	
Leu	Leu	Pro	Arg	Ser	Ser	Gln	Gly	Thr	Ser	Arg	Ser	Arg	Leu	Ser	
				365					370					375	
Leu	Gln	Glu	Asn	Gln	Leu	Pro	Lys								
				380											

<210> 11
 <211> 254
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1850120CD1

<400> 11
 Met Ser Leu Ala Arg Gly His Gly Asp Thr Ala Ala Ser Thr Ala
 1 5 10 15
 Ala Pro Leu Ser Glu Glu Gly Glu Val Thr Ser Gly Leu Gln Ala
 20 25 30
 Leu Ala Val Glu Asp Thr Gly Gly Pro Ser Ala Ser Ala Gly Lys
 35 40 45
 Ala Glu Asp Glu Gly Glu Gly Gly Arg Glu Glu Thr Glu Arg Glu
 50 55 60
 Gly Ser Gly Gly Glu Glu Ala Gln Gly Glu Val Pro Ser Ala Gly
 65 70 75
 Gly Glu Glu Pro Ala Glu Glu Asp Ser Glu Asp Trp Cys Val Pro
 80 85 90
 Cys Ser Asp Glu Glu Val Glu Leu Pro Ala Asp Gly Gln Pro Trp
 95 100 105

```

Met Pro Pro Pro Ser Glu Ile Gln Arg Leu Tyr Glu Leu Leu Ala
110 115 120
Ala His Gly Thr Leu Glu Leu Gln Ala Glu Ile Leu Pro Arg Arg
125 130 135
Pro Pro Thr Pro Glu Arg Gln Ser Glu Glu Glu Arg Ser Asp Glu
140 145 150
Glu Pro Glu Ala Lys Glu Glu Glu Glu Glu Lys Pro His Met Pro
155 160 165
Thr Glu Phe Asp Phe Asp Asp Glu Pro Val Thr Pro Lys Asp Ser
170 175 180
Leu Ile Asp Arg Arg Arg Thr Pro Gly Ser Ser Ala Arg Ser Gln
185 190 195
Lys Arg Glu Ala Arg Leu Asp Lys Val Leu Ser Asp Met Lys Arg
200 205 210
His Lys Lys Leu Glu Glu Gln Ile Leu Arg Thr Gly Arg Asp Leu
215 220 225
Phe Ser Leu Asp Ser Glu Asp Pro Ser Pro Ala Ser Pro Pro Leu
230 235 240
Arg Ser Ser Gly Ser Ser Leu Phe Pro Arg Gln Arg Lys Tyr
245 250

```

<210> 12

<211> 305

<212> PRT

<213> Homo sapiens

<220>

<221> misc feature

<223> Incyte clone 1852290CD1

<400> 12

```

Met Ala Leu Cys Ala Leu Thr Arg Ala Leu Arg Ser Leu Asn Leu
1 5 10 15
Ala Pro Pro Thr Val Ala Ala Pro Ala Pro Ser Leu Phe Pro Ala
20 25 30
Ala Gln Met Met Asn Asn Gly Leu Leu Gln Gln Pro Ser Ala Leu
35 40 45
Met Leu Leu Pro Cys Arg Pro Val Leu Thr Ser Val Ala Leu Asn
50 55 60
Ala Asn Phe Val Ser Trp Lys Ser Arg Thr Lys Tyr Thr Ile Thr
65 70 75
Pro Val Lys Met Arg Lys Ser Gly Gly Arg Asp His Thr Gly Arg
80 85 90
Ile Arg Val His Gly Ile Gly Gly Gly His Lys Gln Arg Tyr Arg
95 100 105
Met Ile Asp Phe Leu Arg Phe Arg Pro Glu Thr Lys Ser Gly
110 115 120
Pro Phe Glu Glu Lys Val Ile Gln Val Arg Tyr Asp Pro Cys Arg
125 130 135
Ser Ala Asp Ile Ala Leu Val Ala Gly Gly Ser Arg Lys Arg Trp
140 145 150
Ile Ile Ala Thr Glu Asn Met Gln Ala Gly Asp Thr Ile Leu Asn
155 160 165
Ser Asn His Ile Gly Arg Met Ala Val Ala Ala Arg Glu Gly Asp
170 175 180
Ala His Pro Leu Gly Ala Leu Pro Val Gly Thr Leu Ile Asn Asn
185 190 195
Val Glu Ser Glu Pro Gly Arg Gly Ala Gln Tyr Ile Arg Ala Ala
200 205 210
Gly Thr Cys Gly Val Leu Leu Arg Lys Val Asn Gly Thr Ala Ile
215 220 225

```

```

Ile Gln Leu Pro Ser Lys Arg Gln Met Gln Val Leu Glu Thr Cys
      230                      235                      240
Val Ala Thr Val Gly Arg Val Ser Asn Val Asp His Asn Lys Arg
      245                      250                      255
Val Ile Gly Lys Ala Gly Arg Asn Arg Trp Leu Gly Lys Arg Pro
      260                      265                      270
Asn Ser Gly Arg Trp His Arg Lys Gly Gly Trp Ala Gly Arg Lys
      275                      280                      285
Ile Arg Pro Leu Pro Pro Met Lys Ser Tyr Val Lys Leu Pro Ser
      290                      295                      300
Ala Ser Ala Gln Ser
      305

```

<210> 13
 <211> 230
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1944530CD1

```

<400> 13
Met Gly Gln Gln Ile Ser Asp Gln Thr Gln Leu Val Ile Asn Lys
  1      5      10      15
Leu Pro Glu Lys Val Ala Lys His Val Thr Leu Val Arg Glu Ser
      20      25      30
Gly Ser Leu Thr Tyr Glu Glu Phe Leu Gly Arg Val Ala Glu Leu
      35      40      45
Asn Asp Val Thr Ala Lys Val Ala Ser Gly Gln Glu Lys His Leu
      50      55      60
Leu Phe Glu Val Gln Pro Gly Ser Asp Ser Ser Ala Phe Trp Lys
      65      70      75
Val Val Val Arg Val Val Cys Thr Lys Ile Asn Lys Ser Ser Gly
      80      85      90
Ile Val Glu Ala Ser Arg Ile Met Asn Leu Tyr Gln Phe Ile Gln
      95     100     105
Leu Tyr Lys Asp Ile Thr Ser Gln Ala Ala Gly Val Leu Ala Gln
     110     115     120
Ser Ser Thr Ser Glu Pro Asp Glu Asn Ser Ser Ser Val Thr
     125     130     135
Ser Cys Gln Ala Ser Leu Trp Met Gly Arg Val Lys Gln Leu Thr
     140     145     150
Asp Glu Glu Glu Cys Cys Ile Cys Met Asp Gly Arg Ala Asp Leu
     155     160     165
Ile Leu Pro Cys Ala His Ser Phe Cys Gln Lys Cys Ile Asp Lys
     170     175     180
Trp Ser Asp Arg His Arg Asn Cys Pro Ile Cys Arg Leu Gln Met
     185     190     195
Thr Gly Ala Asn Glu Ser Trp Val Val Ser Asp Ala Pro Thr Glu
     200     205     210
Asp Asp Met Ala Asn Tyr Ile Leu Asn Met Ala Asp Glu Ala Gly
     215     220     225
Gln Pro His Arg Pro
     230

```

<210> 14
 <211> 292
 <212> PRT
 <213> Homo sapiens

<220>

WO 99/57144

PCT/US99/09935

<221> misc_feature

<223> Incyte clone 2019742CB1

<400> 14

```
Met Ser Gly Met Glu Ala Thr Val Thr Ile Pro Ile Trp Gln Asn
 1          5          10          15
Lys Pro His Gly Ala Ala Arg Ser Val Val Arg Arg Ile Gly Thr
          20          25          30
Asn Leu Pro Leu Lys Pro Cys Ala Arg Ala Ser Phe Glu Thr Leu
          35          40          45
Pro Asn Ile Ser Asp Leu Cys Leu Arg Asp Val Pro Pro Val Pro
          50          55          60
Thr Leu Ala Asp Ile Ala Trp Ile Ala Ala Asp Glu Glu Glu Thr
          65          70          75
Tyr Ala Arg Val Arg Ser Asp Thr Arg Pro Leu Arg His Thr Trp
          80          85          90
Lys Pro Ser Pro Leu Ile Val Met Gln Arg Asn Ala Ser Val Pro
          95          100          105
Asn Leu Arg Gly Ser Glu Glu Arg Leu Leu Ala Leu Lys Lys Pro
          110          115          120
Ala Leu Pro Ala Leu Ser Arg Thr Thr Glu Leu Gln Asp Glu Leu
          125          130          135
Ser His Leu Arg Ser Gln Ile Ala Lys Ile Val Ala Ala Asp Ala
          140          145          150
Ala Ser Ala Ser Leu Thr Pro Asp Phe Leu Ser Pro Gly Ser Ser
          155          160          165
Asn Val Ser Ser Pro Leu Pro Cys Phe Gly Ser Ser Phe His Ser
          170          175          180
Thr Thr Ser Phe Val Ile Ser Asp Ile Thr Glu Glu Thr Glu Val
          185          190          195
Glu Val Pro Glu Leu Pro Ser Val Pro Leu Leu Cys Ser Ala Ser
          200          205          210
Pro Glu Cys Cys Lys Pro Glu His Lys Ala Ala Cys Ser Ser Ser
          215          220          225
Glu Glu Asp Asp Cys Val Ser Leu Ser Lys Ala Ser Ser Phe Ala
          230          235          240
Asp Met Met Gly Ile Leu Lys Asp Phe His Arg Met Lys Gln Ser
          245          250          255
Gln Asp Leu Asn Arg Ser Leu Leu Lys Glu Glu Asp Pro Ala Val
          260          265          270
Leu Ile Ser Glu Val Leu Arg Arg Lys Phe Ala Leu Lys Glu Glu
          275          280          285
Asp Ile Ser Arg Lys Gly Asn
          290
```

<210> 15

<211> 232

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2056042CD1

<400> 15

```
Met Ala Ser Ser Ala Ala Ser Ser Glu His Phe Glu Lys Leu His
 1          5          10          15
Glu Ile Phe Arg Gly Leu His Glu Asp Leu Gln Gly Val Pro Glu
          20          25          30
Arg Leu Leu Gly Thr Ala Gly Thr Glu Glu Lys Lys Lys Leu Ile
          35          40          45
Arg Asp Phe Asp Glu Lys Gln Gln Glu Ala Asn Glu Thr Leu Ala
          50          55          60
```

```

Glu Met Glu Glu Glu Leu Arg Tyr Ala Pro Leu Ser Phe Arg Asn
      65              70              75
Pro Met Met Ser Lys Leu Arg Asn Tyr Arg Lys Asp Leu Ala Lys
      80              85              90
Leu His Arg Glu Val Arg Ser Thr Pro Leu Thr Ala Thr Pro Gly
      95              100             105
Gly Arg Gly Asp Met Lys Tyr Gly Ile Tyr Ala Val Glu Asn Glu
      110             115             120
His Met Asn Arg Leu Gln Ser Gln Arg Ala Met Leu Leu Gln Gly
      125             130             135
Thr Glu Ser Leu Asn Arg Ala Thr Gln Ser Ile Glu Arg Ser His
      140             145             150
Arg Ile Ala Thr Glu Thr Asp Gln Ile Gly Ser Glu Ile Ile Glu
      155             160             165
Glu Leu Gly Glu Gln Arg Asp Gln Leu Glu Arg Thr Lys Ser Arg
      170             175             180
Leu Val Asn Thr Ser Glu Asn Leu Ser Lys Ser Arg Lys Ile Leu
      185             190             195
Arg Ser Met Ser Arg Lys Val Thr Thr Asn Lys Leu Leu Leu Ser
      200             205             210
Ile Ile Ile Leu Leu Glu Leu Ala Ile Leu Gly Gly Leu Val Tyr
      215             220             225
Tyr Lys Phe Phe Arg Ser His
      230

```

```

<210> 16
<211> 376
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte clone 2398682CD1

```

```

<400> 16
Met Arg Gly Lys Thr Phe Arg Phe Glu Met Gln Arg Asp Leu Val
 1      5      10      15
Ser Phe Pro Leu Ser Pro Ala Val Arg Val Lys Leu Val Ser Ala
      20      25      30
Gly Phe Gln Thr Ala Glu Glu Leu Leu Glu Val Lys Pro Ser Glu
      35      40      45
Leu Ser Lys Glu Val Gly Ile Ser Lys Ala Glu Ala Leu Glu Thr
      50      55      60
Leu Gln Ile Ile Arg Arg Glu Cys Leu Thr Asn Lys Pro Arg Tyr
      65      70      75
Ala Gly Thr Ser Glu Ser His Lys Lys Cys Thr Ala Leu Glu Leu
      80      85      90
Leu Glu Gln Glu His Thr Gln Gly Phe Ile Ile Thr Phe Cys Ser
      95      100     105
Ala Leu Asp Asp Ile Leu Gly Gly Gly Val Pro Leu Met Lys Thr
      110     115     120
Thr Glu Ile Cys Gly Ala Pro Gly Val Gly Lys Thr Gln Leu Cys
      125     130     135
Met Gln Leu Ala Val Asp Val Gln Ile Pro Glu Cys Phe Gly Gly
      140     145     150
Val Ala Gly Glu Ala Val Phe Ile Asp Thr Glu Gly Ser Phe Met
      155     160     165
Val Asp Arg Val Val Asp Leu Ala Thr Ala Cys Ile Gln His Leu
      170     175     180
Gln Leu Ile Ala Glu Lys His Lys Gly Glu Glu His Arg Lys Ala
      185     190     195

```

```

Leu Glu Asp Phe Thr Leu Asp Asn Ile Leu Ser His Ile Tyr Tyr
200 205
Phe Arg Cys Arg Asp Tyr Thr Glu Leu Leu Ala Gln Val Tyr Leu
215 220
Leu Pro Asp Phe Leu Ser Glu His Ser Lys Val Arg Leu Val Ile
230 235
Val Asp Gly Ile Ala Phe Pro Phe Arg His Asp Leu Asp Asp Leu
245 250
Ser Leu Arg Thr Arg Leu Leu Asn Gly Leu Ala Gln Gln Met Ile
260 265
Ser Leu Ala Asn Asn His Arg Leu Ala Val Ile Leu Thr Asn Gln
275 280
Met Thr Thr Lys Ile Asp Arg Asn Gln Ala Leu Leu Val Pro Ala
290 295
Leu Gly Glu Ser Trp Gly His Ala Ala Thr Ile Arg Leu Ile Phe
305 310
His Trp Asp Arg Lys Gln Arg Leu Ala Thr Leu Tyr Lys Ser Pro
320 325
Ser Gln Lys Glu Cys Thr Val Leu Phe Gln Ile Lys Pro Gln Gly
335 340
Phe Arg Asp Thr Val Val Thr Ser Ala Cys Ser Leu Gln Thr Glu
350 355
Gly Ser Leu Ser Thr Arg Lys Arg Ser Arg Asp Pro Glu Glu Glu
365 370
Leu

```

```

<210> 17
<211> 204
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte clone 2518753CD1

```

```

<400> 17
Met Ala Lys Val Gln Val Asn Asn Val Val Val Leu Asp Asn Pro
1 5 10 15
Ser Pro Phe Tyr Asn Pro Phe Gln Phe Glu Ile Thr Phe Glu Cys
20 25 30
Ile Glu Asp Leu Ser Glu Asp Leu Glu Trp Lys Ile Ile Tyr Val
35 40 45
Gly Ser Ala Glu Ser Glu Glu Tyr Asp Gln Val Leu Asp Ser Val
50 55 60
Leu Val Gly Pro Val Pro Ala Gly Arg His Met Phe Val Phe Gln
65 70 75
Ala Asp Ala Pro Asn Pro Gly Leu Ile Pro Asp Ala Asp Ala Val
80 85 90
Gly Val Thr Val Val Leu Ile Thr Cys Thr Tyr Arg Gly Gln Glu
95 100 105
Phe Ile Arg Val Gly Tyr Tyr Val Asn Asn Glu Tyr Thr Glu Thr
110 115 120
Glu Leu Arg Glu Asn Pro Pro Val Lys Pro Asp Phe Ser Lys Leu
125 130 135
Gln Arg Asn Ile Leu Ala Ser Asn Pro Arg Val Thr Arg Phe His
140 145 150
Ile Asn Trp Glu Asp Asn Thr Glu Lys Leu Glu Asp Ala Glu Ser
155 160 165
Ser Asn Pro Asn Leu Gln Ser Leu Leu Ser Thr Asp Ala Leu Pro
170 175 180
Ser Ala Ser Lys Gly Trp Ser Thr Ser Glu Asn Ser Leu Asn Val
185 190 195
Met Leu Glu Ser His Met Asp Cys Met

```

200

<210> 18
 <211> 713
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2709055CD1

<400> 18
 Met Tyr Leu Leu Ile Gln Met Cys Tyr His Leu Ala Leu Pro Trp
 1 5 10 15
 Tyr Ser Lys Tyr Phe Pro Tyr Leu Ala Leu Ile His Thr Ile Ile
 20 25 30
 Leu Met Ala Ser Ser Asn Phe Trp Phe Lys Tyr Pro Lys Thr Cys
 35 40 45
 Ser Lys Val Glu His Ser Val Ser Ile Leu Gly Lys Cys Phe Glu
 50 55 60
 Ser Pro Trp Thr Thr Lys Ala Leu Ser Glu Thr Ala Cys Glu Asp
 65 70 75
 Ser Glu Glu Asn Lys Gln Arg Ile Thr Gly Ala Gln Thr Leu Pro
 80 85 90
 Lys His Val Ser Thr Ser Ser Asp Glu Gly Ser Pro Ser Ala Ser
 95 100 105
 Thr Pro Met Ile Asn Lys Thr Gly Phe Lys Phe Ser Ala Glu Lys
 110 115 120
 Pro Val Ile Glu Val Pro Ser Met Thr Ile Leu Asp Lys Lys Asp
 125 130 135
 Gly Glu Gln Ala Lys Ala Leu Phe Glu Lys Val Arg Lys Phe Arg
 140 145 150
 Ala His Val Glu Asp Ser Asp Leu Ile Tyr Lys Leu Tyr Val Val
 155 160 165
 Gln Thr Val Ile Lys Thr Ala Lys Phe Ile Phe Ile Leu Cys Tyr
 170 175 180
 Thr Ala Asn Phe Val Asn Ala Ile Ser Phe Glu His Val Cys Lys
 185 190 195
 Pro Lys Val Glu His Leu Ile Gly Tyr Glu Val Phe Glu Cys Thr
 200 205 210
 His Asn Met Ala Tyr Met Leu Lys Lys Leu Leu Ile Ser Tyr Ile
 215 220 225
 Ser Ile Ile Cys Val Tyr Gly Phe Ile Cys Leu Tyr Thr Leu Phe
 230 235 240
 Trp Leu Phe Arg Ile Pro Leu Lys Glu Tyr Ser Phe Glu Lys Val
 245 250 255
 Arg Glu Glu Ser Ser Phe Ser Asp Ile Pro Asp Val Lys Asn Asp
 260 265 270
 Phe Ala Phe Leu Leu His Met Val Asp Gln Tyr Asp Gln Leu Tyr
 275 280 285
 Ser Lys Arg Phe Gly Val Phe Leu Ser Glu Val Ser Glu Asn Lys
 290 295 300
 Leu Arg Glu Ile Ser Leu Asn His Glu Trp Thr Phe Glu Lys Leu
 305 310 315
 Arg Gln His Ile Ser Arg Asn Ala Gln Asp Lys Gln Glu Leu His
 320 325 330
 Leu Phe Met Leu Ser Gly Val Pro Asp Ala Val Phe Asp Leu Thr
 335 340 345
 Asp Leu Asp Val Leu Lys Leu Glu Leu Ile Pro Glu Ala Lys Ile
 350 355 360
 Pro Ala Lys Ile Ser Gln Met Thr Asn Leu Gln Glu Leu His Leu
 365 370 375
 Cys His Cys Pro Ala Lys Val Glu Gln Thr Ala Phe Ser Phe Leu

Arg Asp His Leu	380	Cys Leu His Val	385	Lys Phe Thr Asp Val	390
	395		400		405
Glu Ile Pro Ala	410	Trp Val Tyr Leu Leu	415	Lys Asn Leu Arg Glu Leu	420
Tyr Leu Ile Gly	425	Asn Leu Asn Ser Glu	430	Asn Asn Lys Met Ile Gly	435
Leu Glu Ser Leu	440	Arg Glu Leu Arg His	445	Leu Lys Ile Leu His Val	450
Lys Ser Asn Leu	455	Thr Lys Val Pro Ser	460	Asn Ile Thr Asp Val Ala	465
Pro His Leu Thr	470	Lys Leu Val Ile His	475	Asn Asp Gly Thr Lys Leu	480
Leu Val Leu Asn	485	Ser Leu Lys Lys Met	490	Met Asn Val Ala Glu Leu	495
Glu Leu Gln Asn	500	Cys Glu Leu Glu Arg	505	Ile Pro His Ala Ile Phe	510
Ser Leu Ser Asn	515	Leu Gln Glu Leu Asp	520	Leu Lys Ser Asn Asn Ile	525
Arg Thr Ile Glu	530	Glu Ile Ile Ser Phe	535	Gln His Leu Lys Arg Leu	540
Thr Cys Leu Lys	545	Leu Trp His Asn Lys	550	Ile Val Thr Ile Pro Pro	555
Ser Ile Thr His	560	Val Lys Asn Leu Glu	565	Ser Leu Tyr Phe Ser Asn	570
Asn Lys Leu Glu	575	Ser Leu Pro Val Ala	580	Val Phe Ser Leu Gln Lys	585
Leu Arg Cys Leu	590	Asp Val Ser Tyr Asn	595	Asn Ile Ser Met Ile Pro	600
Ile Glu Ile Gly	605	Leu Leu Gln Asn Leu	610	Gln His Leu His Ile Thr	615
Gly Asn Lys Val	620	Asp Ile Leu Pro Lys	625	Gln Leu Phe Lys Cys Ile	630
Lys Leu Arg Thr	635	Leu Asn Leu Gly Gln	640	Asn Cys Ile Thr Ser Leu	645
Pro Glu Lys Val	650	Gly Gln Leu Ser Gln	655	Leu Thr Gln Leu Glu Leu	660
Lys Gly Asn Cys	665	Leu Asp Arg Leu Pro	670	Ala Gln Leu Gly Gln Cys	675
Arg Met Leu Lys	680	Lys Ser Gly Leu Val	685	Val Glu Asp His Leu Phe	690
Asp Thr Leu Pro	695	Leu Glu Val Lys Glu	700	Ala Leu Asn Gln Asp Ile	705
Asn Ile Pro Phe	710	Ala Asn Gly Ile			

<210> 19
 <211> 360
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2724537CD1

<400> 19
 Met Ala Ser Leu Leu Ala Lys Asp Ala Tyr Leu Gln Ser Leu Ala
 1 5 10 15
 Lys Lys Ile Cys Ser His Ser Ala Pro Glu Gln Gln Ala Arg Thr
 20 25 30
 Arg Ala Gly Lys Thr Gln Gly Ser Glu Thr Ala Gly Pro Pro Lys
 35 40 45
 Lys Lys Arg Lys Lys Thr Gln Lys Lys Phe Arg Lys Arg Glu Glu

	50		55		60									
Lys	Ala	Ala	Glu	His	Lys	Ala	Lys	Ser	Leu	Gly	Glu	Lys	Ser	Pro
	65		70		75									
Ala	Ala	Ser	Gly	Ala	Arg	Arg	Pro	Glu	Ala	Ala	Lys	Glu	Glu	Ala
	80		85		90									
Ala	Trp	Ala	Ser	Ser	Ser	Ala	Gly	Asn	Pro	Ala	Asp	Gly	Leu	Ala
	95		100		105									
Thr	Glu	Pro	Glu	Ser	Val	Phe	Ala	Leu	Asp	Val	Leu	Arg	Gln	Arg
	110		115		120									
Leu	His	Glu	Lys	Ile	Gln	Glu	Ala	Arg	Gly	Gln	Gly	Ser	Ala	Lys
	125		130		135									
Glu	Leu	Ser	Pro	Ala	Ala	Leu	Glu	Lys	Arg	Arg	Arg	Arg	Lys	Gln
	140		145		150									
Glu	Arg	Asp	Arg	Lys	Lys	Arg	Lys	Arg	Lys	Glu	Leu	Arg	Ala	Lys
	155		160		165									
Glu	Lys	Ala	Arg	Lys	Ala	Glu	Glu	Ala	Thr	Glu	Ala	Gln	Glu	Val
	170		175		180									
Val	Glu	Ala	Thr	Pro	Glu	Gly	Ala	Cys	Thr	Glu	Pro	Arg	Glu	Pro
	185		190		195									
Pro	Gly	Leu	Ile	Phe	Asn	Lys	Val	Glu	Val	Ser	Glu	Asp	Glu	Pro
	200		205		210									
Ala	Ser	Lys	Ala	Gln	Arg	Arg	Lys	Glu	Lys	Arg	Gln	Arg	Val	Lys
	215		220		225									
Gly	Asn	Leu	Thr	Pro	Leu	Thr	Gly	Arg	Asn	Tyr	Arg	Gln	Leu	Leu
	230		235		240									
Glu	Arg	Leu	Gln	Ala	Arg	Gln	Ser	Arg	Leu	Asp	Glu	Leu	Arg	Gly
	245		250		255									
Gln	Asp	Glu	Gly	Lys	Ala	Gln	Glu	Leu	Glu	Ala	Lys	Met	Lys	Trp
	260		265		270									
Thr	Asn	Leu	Leu	Tyr	Lys	Ala	Glu	Gly	Val	Lys	Ile	Arg	Asp	Asp
	275		280		285									
Glu	Arg	Leu	Leu	Gln	Glu	Ala	Leu	Lys	Arg	Lys	Glu	Lys	Arg	Arg
	290		295		300									
Ala	Gln	Arg	Gln	Arg	Arg	Trp	Glu	Lys	Arg	Thr	Ala	Gly	Val	Val
	305		310		315									
Glu	Lys	Met	Gln	Gln	Arg	Gln	Asp	Arg	Arg	Arg	Gln	Asn	Leu	Arg
	320		325		330									
Arg	Lys	Lys	Ala	Ala	Arg	Ala	Glu	Arg	Arg	Leu	Leu	Arg	Ala	Arg
	335		340		345									
Lys	Lys	Gly	Arg	Ile	Leu	Pro	Gln	Asp	Leu	Glu	Arg	Ala	Gly	Leu
	350		355		360									

<210> 20

<211> 196

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 025818CD1

<400> 20

Met	Pro	Ala	Asp	Ile	Met	Glu	Lys	Asn	Ser	Ser	Ser	Pro	Val	Ala
1				5					10					15
Ala	Thr	Pro	Ala	Ser	Val	Asn	Thr	Thr	Pro	Asp	Lys	Pro	Lys	Thr
				20					25					30
Ala	Ser	Glu	His	Arg	Lys	Ser	Ser	Lys	Pro	Ile	Met	Glu	Lys	Arg
				35					40					45
Arg	Arg	Ala	Arg	Ile	Asn	Glu	Ser	Leu	Ser	Gln	Leu	Lys	Thr	Leu
				50					55					60
Ile	Leu	Asp	Ala	Leu	Lys	Lys	Asp	Ser	Ser	Arg	His	Ser	Lys	Leu

	65		70		75
Glu Lys Ala Asp	Ile	Leu Glu Met Thr	Val Lys His Leu Arg	Asn	
	80		85		90
Leu Gln Arg Ala	Gln Met Thr Ala Ala	Leu Ser Thr Asp	Pro Ser		
	95		100		105
Val Leu Gly Lys	Tyr Arg Ala Gly Phe	Ser Glu Cys Met	Asn Glu		
	110		115		120
Val Thr Arg Phe	Leu Ser Ser Pro Ser	Thr Pro Ala Thr	Ala Ala		
	125		130		135
Pro Pro Trp Ala	Pro Thr Gln Cys His	Leu Pro Ala Ala	Pro Arg		
	140		145		150
Leu Arg Arg Thr	Pro Cys Gly Gly Arg	Gly Gly Thr Glu	Gly Ala		
	155		160		165
Gln Ala Thr Pro	Pro Pro Lys Leu Pro	Asn Pro Pro Leu	Phe Pro		
	170		175		180
Pro Asp Ser Lys	Gln Glu Leu Glu Tyr	Trp Glu Arg Arg	Gly Leu		
	185		190		195
Phe					

<210> 21

<211> 540

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 438283CD1

<400> 21

Met Leu Arg Glu	Glu Ala Thr Lys Lys	Ser Lys Glu Lys Glu	Pro
1	5	10	15
Gly Met Ala Leu	Pro Gln Gly Arg Leu	Ala Phe Arg Asp	Val Ala
	20	25	30
Ile Glu Phe Ser	Leu Glu Glu Trp Lys	Cys Leu Asn Pro	Ala Gln
	35	40	45
Arg Ala Leu Tyr	Arg Ala Val Met Leu	Glu Asn Tyr Arg	Asn Leu
	50	55	60
Glu Phe Val Asp	Ser Ser Leu Lys Ser	Met Met Glu Phe	Ser Ser
	65	70	75
Thr Arg His Ser	Asn Thr Gly Glu Val	Ile His Thr Gly	Thr Leu
	80	85	90
Gln Arg His Lys	Ser His His Ile Gly	Asp Phe Cys Phe	Pro Glu
	95	100	105
Met Lys Lys Asp	Ile His His Phe Glu	Phe Gln Trp Gln	Glu Val
	110	115	120
Glu Arg Asn Gly	His Glu Ala Pro Met	Thr Lys Ile Lys	Lys Leu
	125	130	135
Thr Gly Ser Thr	Asp Arg Ser Asp His	Arg His Ala Gly	Asn Lys
	140	145	150
Pro Ile Lys Asp	Gln Leu Gly Leu Ser	Phe His Ser His	Leu Pro
	155	160	165
Glu Leu His Met	Phe Gln Thr Lys Gly	Lys Ile Ser Asn	Gln Leu
	170	175	180
Asp Lys Ser Ile	Ser Gly Ala Ser Ser	Ala Ser Glu Ser	Gln Arg
	185	190	195
Ile Ser Cys Arg	Leu Lys Thr His Ile	Ser Asn Lys Tyr	Gly Lys
	200	205	210
Asn Phe Leu His	Ser Ser Phe Thr Gln	Ile Gln Glu Ile	Cys Met
	215	220	225
Arg Glu Lys Pro	Cys Gln Ser Asn Glu	Cys Gly Lys Ala	Phe Asn
	230	235	240

Tyr	Ser	Ser	Leu	Leu	Arg	Arg	His	His	Ile	Thr	His	Ser	Arg	Glu
				245					250					255
Arg	Glu	Tyr	Lys	Cys	Asp	Val	Cys	Gly	Lys	Ile	Phe	Asn	Gln	Lys
				260					265					270
Gln	Tyr	Ile	Val	Tyr	His	His	Arg	Cys	His	Thr	Gly	Glu	Lys	Thr
				275					280					285
Tyr	Lys	Cys	Asn	Glu	Cys	Gly	Lys	Thr	Phe	Thr	Gln	Met	Ser	Ser
				290					295					300
Leu	Val	Cys	His	Arg	Arg	Leu	His	Thr	Gly	Glu	Lys	Pro	Tyr	Lys
				305					310					315
Cys	Asn	Glu	Cys	Gly	Lys	Thr	Phe	Ser	Glu	Lys	Ser	Ser	Leu	Arg
				320					325					330
Cys	His	Arg	Arg	Leu	His	Thr	Gly	Glu	Lys	Pro	Tyr	Lys	Cys	Asn
				335					340					345
Glu	Cys	Gly	Lys	Thr	Phe	Gly	Arg	Asn	Ser	Ala	Leu	Val	Ile	His
				350					355					360
Lys	Ala	Ile	His	Thr	Gly	Glu	Lys	Pro	Tyr	Lys	Cys	Asn	Glu	Cys
				365					370					375
Gly	Lys	Thr	Phe	Ser	Gln	Lys	Ser	Ser	Leu	Gln	Cys	His	His	Ile
				380					385					390
Leu	His	Thr	Gly	Glu	Lys	Pro	Tyr	Lys	Cys	Glu	Glu	Cys	Asp	Asn
				395					400					405
Val	Tyr	Ile	Arg	Arg	Ser	His	Leu	Glu	Arg	His	Arg	Lys	Ile	His
				410					415					420
Thr	Gly	Glu	Gly	Ser	Tyr	Lys	Cys	Lys	Val	Cys	Asp	Lys	Ala	Phe
				425					430					435
Arg	Ser	Asp	Ser	Cys	Leu	Ala	Asn	His	Thr	Arg	Val	His	Thr	Gly
				440					445					450
Glu	Lys	Pro	Tyr	Lys	Cys	Asn	Lys	Cys	Ala	Lys	Val	Phe	Asn	Gln
				455					460					465
Lys	Gly	Ile	Leu	Ala	Gln	His	Gln	Arg	Val	His	Thr	Gly	Glu	Lys
				470					475					480
Pro	Tyr	Lys	Cys	Asn	Glu	Cys	Gly	Lys	Val	Phe	Asn	Gln	Lys	Ala
				485					490					495
Ser	Leu	Ala	Lys	His	Gln	Arg	Val	His	Thr	Ala	Glu	Lys	Pro	Tyr
				500					505					510
Lys	Cys	Asn	Glu	Cys	Gly	Lys	Ala	Phe	Thr	Gly	Gln	Ser	Thr	Leu
				515					520					525
Ile	His	His	Gln	Ala	Ile	His	Gly	Cys	Arg	Glu	Thr	Leu	Gln	Met
				530					535					540

<210> 22

<211> 549

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 619699CD1

<400> 22

Met	Leu	Glu	Asn	Tyr	Lys	Asn	Leu	Ala	Thr	Val	Gly	Tyr	Gln	Leu
1				5					10					15
Phe	Lys	Pro	Ser	Leu	Ile	Ser	Trp	Leu	Glu	Gln	Glu	Glu	Ser	Arg
				20					25					30
Thr	Val	Gln	Arg	Gly	Asp	Phe	Gln	Ala	Ser	Glu	Trp	Lys	Val	Gln
				35					40					45
Leu	Lys	Thr	Lys	Glu	Leu	Ala	Leu	Gln	Gln	Asp	Val	Leu	Gly	Glu
				50					55					60
Pro	Thr	Ser	Ser	Gly	Ile	Gln	Met	Ile	Gly	Ser	His	Asn	Gly	Gly
				65					70					75
Glu	Val	Ser	Asp	Val	Lys	Gln	Cys	Gly	Asp	Val	Ser	Ser	Glu	His
				80					85					90

Ser	Cys	Leu	Lys	Thr	His	Val	Arg	Thr	Gln	Asn	Ser	Glu	Asn	Thr	
				95					100					105	
Phe	Glu	Cys	Tyr	Leu	Tyr	Gly	Val	Asp	Phe	Leu	Thr	Leu	His	Lys	
				110					115					120	
Lys	Thr	Ser	Thr	Gly	Glu	Gln	Arg	Ser	Val	Phe	Ser	Gln	Cys	Gly	
				125					130					135	
Lys	Ala	Phe	Ser	Leu	Asn	Pro	Asp	Val	Val	Cys	Gln	Arg	Thr	Cys	
				140					145					150	
Thr	Gly	Glu	Lys	Ala	Phe	Asp	Cys	Ser	Asp	Ser	Gly	Lys	Ser	Phe	
				155					160					165	
Ile	Asn	His	Ser	His	Leu	Gln	Gly	His	Leu	Arg	Thr	His	Asn	Gly	
				170					175					180	
Glu	Ser	Leu	His	Glu	Trp	Lys	Glu	Cys	Gly	Arg	Gly	Phe	Ile	His	
				185					190					195	
Ser	Thr	Asp	Leu	Ala	Val	Arg	Ile	Gln	Thr	His	Arg	Ser	Glu	Lys	
				200					205					210	
Pro	Tyr	Lys	Cys	Lys	Glu	Cys	Gly	Lys	Gly	Phe	Arg	Tyr	Ser	Ala	
				215					220					225	
Tyr	Leu	Asn	Ile	His	Met	Gly	Thr	His	Thr	Gly	Asp	Asn	Pro	Tyr	
				230					235					240	
Glu	Cys	Lys	Glu	Cys	Gly	Lys	Ala	Phe	Thr	Arg	Ser	Cys	Gln	Leu	
				245					250					255	
Thr	Gln	His	Arg	Lys	Thr	His	Thr	Gly	Glu	Lys	Pro	Tyr	Lys	Cys	
				260					265					270	
Lys	Asp	Cys	Gly	Arg	Ala	Phe	Thr	Val	Ser	Ser	Cys	Leu	Ser	Gln	
				275					280					285	
His	Met	Lys	Ile	His	Val	Gly	Glu	Lys	Pro	Tyr	Glu	Cys	Lys	Glu	
				290					295					300	
Cys	Gly	Ile	Ala	Phe	Thr	Arg	Ser	Ser	Gln	Leu	Thr	Glu	His	Leu	
				305					310					315	
Lys	Thr	His	Thr	Ala	Lys	Asp	Pro	Phe	Glu	Cys	Lys	Val	Cys	Gly	
				320					325					330	
Lys	Ser	Phe	Arg	Asn	Ser	Ser	Cys	Leu	Ser	Asp	His	Phe	Arg	Ile	
				335					340					345	
His	Thr	Gly	Ile	Lys	Pro	Tyr	Lys	Cys	Lys	Asp	Cys	Gly	Lys	Ala	
				350					355					360	
Phe	Thr	Gln	Asn	Ser	Asp	Leu	Thr	Lys	His	Ala	Arg	Thr	His	Ser	
				365					370					375	
Gly	Glu	Arg	Pro	Tyr	Glu	Cys	Lys	Glu	Cys	Gly	Lys	Ala	Phe	Ala	
				380					385					390	
Arg	Ser	Ser	Arg	Leu	Ser	Glu	His	Thr	Arg	Thr	His	Thr	Gly	Glu	
				395					400					405	
Lys	Pro	Phe	Glu	Cys	Val	Lys	Cys	Gly	Lys	Ala	Phe	Ala	Ile	Ser	
				410					415					420	
Ser	Asn	Leu	Ser	Gly	His	Leu	Arg	Ile	His	Thr	Gly	Glu	Lys	Pro	
				425					430					435	
Phe	Glu	Cys	Leu	Glu	Cys	Gly	Lys	Ala	Phe	Thr	His	Ser	Ser	Ser	
				440					445					450	
Leu	Asn	Asn	His	Met	Arg	Thr	His	Ser	Ala	Lys	Lys	Pro	Phe	Thr	
				455					460					465	
Cys	Met	Glu	Cys	Gly	Lys	Ala	Phe	Lys	Phe	Pro	Thr	Cys	Val	Asn	
				470					475					480	
Leu	His	Met	Arg	Ile	His	Thr	Gly	Glu	Lys	Pro	Tyr	Lys	Cys	Lys	
				485					490					495	
Gln	Cys	Gly	Lys	Ser	Phe	Ser	Tyr	Ser	Asn	Ser	Phe	Gln	Leu	His	
				500					505					510	
Glu	Arg	Thr	His	Thr	Gly	Glu	Lys	Pro	Tyr	Glu	Cys	Lys	Glu	Cys	
				515					520					525	
Gly	Lys	Ala	Phe	Ser	Ser	Ser	Ser	Ser	Phe	Arg	Asn	His	Glu	Arg	
				530					535					540	
Arg	His	Ala	Asp	Glu	Arg	Leu	Ser	Ala							
				545											

WO 99/57144

PCT/US99/09935

<210> 23
<211> 361
<212> PRT
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 693452CD1

<400> 23

Met	Ala	Asp	Phe	Lys	Val	Leu	Ser	Ser	Gln	Asp	Ile	Lys	Trp	Ala	
1				5					10					15	
Leu	His	Glu	Leu	Lys	Gly	His	Tyr	Ala	Ile	Thr	Arg	Lys	Ala	Leu	
				20					25					30	
Ser	Asp	Ala	Ile	Lys	Lys	Trp	Gln	Glu	Leu	Ser	Pro	Glu	Thr	Ser	
				35					40					45	
Gly	Lys	Arg	Lys	Lys	Arg	Lys	Gln	Met	Asn	Gln	Tyr	Ser	Tyr	Ile	
				50					55					60	
Asp	Phe	Lys	Phe	Glu	Gln	Gly	Asp	Ile	Lys	Ile	Glu	Lys	Arg	Met	
				65					70					75	
Phe	Phe	Leu	Glu	Asn	Lys	Arg	Arg	His	Cys	Arg	Ser	Tyr	Asp	Arg	
				80					85					90	
Arg	Ala	Leu	Leu	Pro	Ala	Val	Gln	Gln	Glu	Gln	Glu	Phe	Tyr	Glu	
				95					100					105	
Gln	Lys	Ile	Lys	Glu	Met	Ala	Glu	His	Glu	Asp	Phe	Leu	Leu	Ala	
				110					115					120	
Leu	Gln	Met	Asn	Glu	Glu	Gln	Tyr	Gln	Lys	Asp	Gly	Gln	Leu	Ile	
				125					130					135	
Glu	Cys	Arg	Cys	Cys	Tyr	Gly	Glu	Phe	Pro	Phe	Glu	Glu	Leu	Thr	
				140					145					150	
Gln	Cys	Ala	Asp	Ala	His	Leu	Phe	Cys	Lys	Glu	Cys	Leu	Ile	Arg	
				155					160					165	
Tyr	Ala	Gln	Glu	Ala	Val	Phe	Gly	Ser	Gly	Lys	Leu	Glu	Leu	Ser	
				170					175					180	
Cys	Met	Glu	Gly	Ser	Cys	Thr	Cys	Ser	Phe	Pro	Thr	Ser	Glu	Leu	
				185					190					195	
Glu	Lys	Val	Leu	Pro	Gln	Thr	Ile	Leu	Tyr	Lys	Tyr	Tyr	Glu	Arg	
				200					205					210	
Lys	Ala	Glu	Glu	Glu	Val	Ala	Ala	Ala	Tyr	Ala	Asp	Glu	Leu	Val	
				215					220					225	
Arg	Cys	Pro	Ser	Cys	Ser	Phe	Pro	Ala	Leu	Leu	Asp	Ser	Asp	Val	
				230					235					240	
Lys	Arg	Phe	Ser	Cys	Pro	Asn	Pro	His	Cys	Arg	Lys	Glu	Thr	Cys	
				245					250					255	
Arg	Lys	Cys	Gln	Gly	Leu	Trp	Lys	Glu	His	Asn	Gly	Leu	Thr	Cys	
				260					265					270	
Glu	Glu	Leu	Ala	Glu	Lys	Asp	Asp	Ile	Lys	Tyr	Arg	Thr	Ser	Ile	
				275					280					285	
Glu	Glu	Lys	Met	Thr	Ala	Ala	Arg	Ile	Arg	Lys	Cys	His	Lys	Cys	
				290					295					300	
Gly	Thr	Gly	Leu	Ile	Lys	Ser	Glu	Gly	Cys	Asn	Arg	Met	Ser	Cys	
				305					310					315	
Arg	Cys	Gly	Ala	Gln	Met	Cys	Tyr	Leu	Cys	Arg	Val	Ser	Ile	Asn	
				320					325					330	
Gly	Tyr	Asp	His	Xaa	Cys	Gln	Gln	Ser	Arg	Leu	Thr	Gly	Ala	Pro	
				335					340					345	
Phe	Gln	Gly	Val	Phe	Lys	Met	Leu	Ser	Met	Asp	Arg	Leu	Gln	Cys	
				350					355					360	
Lys															

<210> 24
 <211> 241
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 839651CD1

<400> 24
 Met Trp Pro Ser Leu Glu Ala Leu Cys Ser Leu Phe Ala Ala Arg
 1 5 10 15
 Ser Thr Gly Ser Gln Ala Gln Ser Ala Pro Thr Pro Ala Trp Asp
 20 25 30
 Glu Asp Thr Ala Gln Ile Gly Pro Lys Arg Ile Arg Lys Ala Ala
 35 40 45
 Lys Arg Glu Leu Met Pro Cys Asp Phe Pro Gly Cys Gly Arg Ile
 50 55 60
 Phe Ser Asn Arg Gln Tyr Leu Asn His His Lys Lys Tyr Gln His
 65 70 75
 Ile His Gln Lys Ser Phe Ser Cys Pro Glu Pro Ala Cys Gly Lys
 80 85 90
 Ser Phe Asn Phe Lys Lys His Leu Lys Glu His Met Lys Leu His
 95 100 105
 Ser Asp Thr Arg Asp Tyr Ile Cys Glu Phe Cys Ala Arg Ser Phe
 110 115 120
 Arg Thr Ser Ser Asn Leu Val Ile His Arg Arg Ile His Thr Gly
 125 130 135
 Glu Lys Pro Leu Gln Cys Glu Ile Cys Gly Phe Thr Cys Arg Gln
 140 145 150
 Lys Ala Ser Leu Asn Trp His Gln Arg Lys His Ala Glu Thr Val
 155 160 165
 Ala Ala Leu Arg Phe Pro Cys Glu Phe Cys Gly Lys Arg Phe Glu
 170 175 180
 Lys Pro Asp Ser Val Ala Ala His Arg Ser Lys Ser His Pro Ala
 185 190 195
 Leu Leu Leu Ala Pro Gln Glu Ser Pro Ser Gly Pro Leu Glu Pro
 200 205 210
 Cys Pro Ser Ile Ser Ala Pro Gly Pro Leu Gly Ser Ser Glu Gly
 215 220 225
 Ser Arg Pro Ser Ala Ser Pro Gln Ala Pro Thr Leu Leu Pro Gln
 230 235 240
 Gln

<210> 25
 <211> 576
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1253545CD1

<400> 25
 Met Ala Lys Ala Gln Glu Thr Gly His Leu Val Met Asp Val Arg
 1 5 10 15
 Arg Tyr Gly Lys Ala Gly Ser Pro Glu Thr Lys Trp Ile Asp Ala
 20 25 30
 Thr Ser Gly Ile Tyr Asn Ser Glu Lys Ser Ser Asn Leu Ser Val
 35 40 45
 Thr Thr Asp Phe Ser Glu Ser Leu Gln Ser Ser Asn Ile Glu Ser

	50		55		60
Lys	Glu	Ile	Asn	Gly	Ile
	65		70		75
Lys	Ala	Ser	Glu	Ser	Ile
	80		85		90
Gln	Phe	Phe	Glu	Gln	Gly
	95		100		105
Pro	Val	Pro	Thr	Ile	Ser
	110		115		120
Glu	Glu	Glu	Arg	Lys	Arg
	125		130		135
Arg	Leu	Leu	Gln	Glu	Lys
	140		145		150
Glu	Glu	Trp	Gln	Arg	Ala
	155		160		165
Lys	Tyr	Leu	Asp	Glu	Glu
	170		175		180
Ser	Leu	Thr	Thr	Arg	Glu
	185		190		195
Trp	Ser	Glu	Gly	Ser	Lys
	200		205		210
Gly	Glu	Glu	Glu	Arg	Gln
	215		220		225
Asp	Gln	Gly	Lys	Lys	Pro
	230		235		240
Arg	Lys	Trp	Glu	Gln	Leu
	245		250		255
Leu	Gln	Ala	Glu	Ala	Glu
	260		265		270
Lys	Arg	Gln	Ala	Glu	Ile
	275		280		285
Gln	Tyr	Arg	Arg	Pro	Val
	290		295		300
Glu	Ala	Ser	Ser	Gly	Phe
	305		310		315
Ser	Thr	Thr	Glu	Leu	Asp
	320		325		330
Asn	Lys	Tyr	Leu	Asp	Gln
	335		340		345
Arg	Ser	Lys	Lys	Glu	Gln
	350		355		360
Gln	Gln	Ile	Leu	Gln	Glu
	365		370		375
Asp	Asn	Ser	Trp	Ile	Arg
	380		385		390
Pro	Val	Ser	Leu	Pro	Gly
	395		400		405
Asn	Leu	Asp	Ser	Pro	Arg
	410		415		420
Leu	Asn	Gln	Pro	Thr	Gly
	425		430		435
Phe	Ser	Arg	Pro	Gln	Pro
	440		445		450
Tyr	Met	Arg	Asn	Pro	Ser
	455		460		465
Ser	Val	Lys	Thr	Ser	Thr
	470		475		480
Thr	Pro	Arg	Ser	His	Ser
	485		490		495
Leu	Arg	Asn	Arg	Ser	Val
	500		505		510
Asn	Asn	Ile	Leu	Gly	Lys
	515		520		525
Gly	Leu	Cys	Tyr	His	Leu

	530		535		540
Cys Asp Leu Gly	Gly Ser Ser Ser Gly	Ala Glu Val Arg Ile	Arg		
	545		550		555
Asn His Gln Leu Tyr	Cys Asn Asp Cys Tyr	Leu Arg Phe Lys	Ser		
	560		565		570
Gly Arg Pro Thr	Ala Met				
	575				

<210> 26

<211> 408

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1425691CD1

<400> 26

Met Pro Gly His Leu Gln Glu Gly Phe Gly Cys Val Val Thr Asn	
1 5 10 15	
Arg Phe Asp Gln Leu Phe Asp Asp Glu Ser Asp Pro Phe Glu Val	
20 25 30	
Leu Lys Ala Ala Glu Asn Lys Lys Lys Glu Ala Gly Gly Gly Gly	
35 40 45	
Val Gly Gly Pro Gly Ala Lys Ser Ala Ala Gln Ala Ala Ala Gln	
50 55 60	
Thr Asn Ser Asn Ala Ala Gly Lys Gln Leu Arg Lys Glu Ser Gln	
65 70 75	
Lys Asp Arg Lys Asn Pro Leu Pro Pro Ser Val Gly Val Val Asp	
80 85 90	
Lys Lys Glu Glu Thr Gln Pro Pro Val Ala Leu Lys Lys Glu Gly	
95 100 105	
Ile Arg Arg Val Gly Arg Arg Pro Asp Gln Gln Leu Gln Gly Glu	
110 115 120	
Gly Lys Ile Ile Asp Arg Arg Pro Glu Arg Arg Pro Pro Arg Glu	
125 130 135	
Arg Arg Phe Glu Lys Pro Leu Glu Glu Lys Gly Glu Gly Gly Glu	
140 145 150	
Phe Ser Val Asp Arg Pro Ile Ile Asp Arg Pro Ile Arg Gly Arg	
155 160 165	
Gly Gly Leu Gly Arg Gly Arg Gly Gly Arg Gly Arg Gly Met Gly	
170 175 180	
Arg Gly Asp Gly Phe Asp Ser Arg Gly Lys Arg Glu Phe Asp Arg	
185 190 195	
His Ser Gly Ser Asp Arg Ser Ser Phe Ser His Tyr Ser Gly Leu	
200 205 210	
Lys His Glu Asp Lys Arg Gly Gly Ser Gly Ser His Asn Trp Gly	
215 220 225	
Thr Val Lys Asp Glu Leu Thr Glu Ser Pro Lys Tyr Ile Gln Lys	
230 235 240	
Gln Ile Ser Tyr Asn Tyr Ser Asp Leu Asp Gln Ser Asn Val Thr	
245 250 255	
Glu Glu Thr Pro Glu Gly Glu Glu His His Pro Val Ala Asp Thr	
260 265 270	
Glu Asn Lys Glu Asn Glu Val Glu Glu Val Lys Glu Glu Gly Pro	
275 280 285	
Lys Glu Met Thr Leu Asp Glu Trp Lys Ala Ile Gln Asn Lys Asp	
290 295 300	
Arg Ala Lys Val Glu Phe Asn Ile Arg Lys Pro Asn Glu Gly Ala	
305 310 315	
Asp Gly Gln Trp Lys Lys Gly Phe Val Leu His Lys Ser Lys Ser	
320 325 330	
Glu Glu Ala His Ala Glu Asp Ser Val Met Asp His His Phe Arg	

WO 99/57144

PCT/US99/09935

	335		340		345
Lys	Pro	Ala	Asn	Asp	Ile
	350		355		360
Asp	Leu	Gly	Arg	Pro	Gly
	365		370		375
Arg	Gly	Arg	Gly	Gly	Arg
	380		385		390
Ser	Ser	Ala	Ser	Ala	Pro
	395		400		405
Ala	Leu	Ala			

<210> 27
 <211> 810
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1484257CD1

<400> 27	
Met	Asp
1	5
Gln	Gln
20	25
Asp	Gly
35	40
Ser	Glu
50	55
His	Leu
65	70
Phe	Met
80	85
Asp	Val
95	100
Thr	Ala
110	115
Pro	Gly
125	130
Pro	Ser
140	145
Thr	Ser
155	160
Ile	Gly
170	175
Gln	Ser
185	190
Pro	Arg
200	205
Gly	Met
215	220
Glu	Gln
230	235
Gln	Lys
245	250
Glu	Val
260	265
Glu	Glu
275	280
Glu	Leu
290	295
Asp	Arg
305	310

Glu	Asp	Cys	Gly	Lys	Glu	Phe	Thr	His	Thr	Gly	Asn	Phe	Lys	Arg
				320						325				330
His	Ile	Arg	Ile	His	Thr	Gly	Glu	Lys	Pro	Phe	Ser	Cys	Arg	Glu
				335						340				345
Cys	Ser	Lys	Ala	Phe	Ser	Asp	Pro	Ala	Ala	Cys	Glu	Ala	His	Glu
				350						355				360
Lys	Thr	His	Ser	Pro	Leu	Lys	Pro	Tyr	Gly	Cys	Glu	Glu	Cys	Gly
				365						370				375
Lys	Ser	Tyr	Arg	Leu	Ile	Ser	Leu	Leu	Asn	Leu	His	Lys	Lys	Arg
				380						385				390
His	Ser	Gly	Glu	Ala	Arg	Tyr	Arg	Cys	Glu	Asp	Cys	Gly	Lys	Leu
				395						400				405
Phe	Thr	Thr	Ser	Gly	Asn	Leu	Lys	Arg	His	Gln	Leu	Val	His	Ser
				410						415				420
Gly	Glu	Lys	Pro	Tyr	Gln	Cys	Asp	Tyr	Cys	Gly	Arg	Ser	Phe	Ser
				425						430				435
Asp	Pro	Thr	Ser	Lys	Met	Arg	His	Leu	Glu	Thr	His	Asp	Thr	Asp
				440						445				450
Lys	Glu	His	Lys	Cys	Pro	His	Cys	Asp	Lys	Lys	Phe	Asn	Gln	Val
				455						460				465
Gly	Asn	Leu	Lys	Ala	His	Leu	Lys	Ile	His	Ile	Ala	Asp	Gly	Pro
				470						475				480
Leu	Lys	Cys	Arg	Glu	Cys	Gly	Lys	Gln	Phe	Thr	Thr	Ser	Gly	Asn
				485						490				495
Leu	Lys	Arg	His	Leu	Arg	Ile	His	Ser	Gly	Glu	Lys	Pro	Tyr	Val
				500						505				510
Cys	Ile	His	Cys	Gln	Arg	Gln	Phe	Ala	Asp	Pro	Gly	Ala	Leu	Gln
				515						520				525
Arg	His	Val	Arg	Ile	His	Thr	Gly	Glu	Lys	Pro	Cys	Gln	Cys	Val
				530						535				540
Met	Cys	Gly	Lys	Ala	Phe	Thr	Gln	Ala	Ser	Ser	Leu	Ile	Ala	His
				545						550				555
Val	Arg	Gln	His	Thr	Gly	Glu	Lys	Pro	Tyr	Val	Cys	Glu	Arg	Cys
				560						565				570
Gly	Lys	Arg	Phe	Val	Gln	Ser	Ser	Gln	Leu	Ala	Asn	His	Ile	Arg
				575						580				585
His	His	Asp	Asn	Ile	Arg	Pro	His	Lys	Cys	Ser	Val	Cys	Ser	Lys
				590						595				600
Ala	Phe	Val	Asn	Val	Gly	Asp	Leu	Ser	Lys	His	Ile	Ile	Ile	His
				605						610				615
Thr	Gly	Glu	Lys	Pro	Tyr	Leu	Cys	Asp	Lys	Cys	Gly	Arg	Gly	Phe
				620						625				630
Asn	Arg	Val	Asp	Asn	Leu	Arg	Ser	His	Val	Lys	Thr	Val	His	Gln
				635						640				645
Gly	Lys	Ala	Gly	Ile	Lys	Ile	Leu	Glu	Pro	Glu	Glu	Gly	Ser	Glu
				650						655				660
Val	Ser	Val	Val	Thr	Val	Asp	Asp	Met	Val	Thr	Leu	Ala	Thr	Glu
				665						670				675
Ala	Leu	Ala	Ala	Thr	Ala	Val	Thr	Gln	Leu	Thr	Val	Val	Pro	Val
				680						685				690
Gly	Ala	Ala	Val	Thr	Ala	Asp	Glu	Thr	Glu	Val	Leu	Lys	Ala	Glu
				695						700				705
Ile	Ser	Lys	Ala	Val	Lys	Gln	Val	Gln	Glu	Glu	Asp	Pro	Asn	Thr
				710						715				720
His	Ile	Leu	Tyr	Ala	Cys	Asp	Ser	Cys	Gly	Asp	Lys	Phe	Leu	Asp
				725						730				735
Ala	Asn	Ser	Leu	Ala	Gln	His	Val	Arg	Ile	His	Thr	Ala	Gln	Ala
				740						745				750
Leu	Val	Met	Phe	Gln	Thr	Asp	Ala	Asp	Phe	Tyr	Gln	Gln	Tyr	Gly
				755						760				765
Pro	Gly	Gly	Thr	Trp	Pro	Ala	Gly	Gln	Val	Leu	Gln	Ala	Gly	Glu
				770						775				780
Leu	Val	Phe	Arg	Pro	Arg	Asp	Gly	Ala	Glu	Gly	Gln	Pro	Ala	Leu
				785						790				795

Ala Glu Thr Ser Pro Thr Ala Pro Glu Cys Pro Pro Pro Ala Glu
 800 805 810

<210> 28
 <211> 324
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1732368CD1

<400> 28
 Met Asp Trp Ser Glu Val Lys Glu Glu Lys Asp Asn Leu Glu Ile
 1 5 10 15
 Lys Gln Glu Glu Lys Phe Val Gly Gln Cys Ile Lys Glu Glu Leu
 20 25 30
 Met His Gly Glu Cys Val Lys Glu Glu Lys Asp Phe Leu Lys Lys
 35 40 45
 Glu Ile Val Asp Asp Thr Lys Val Lys Glu Glu Pro Pro Ile Asn
 50 55 60
 His Pro Val Gly Cys Lys Arg Lys Leu Ala Met Ser Arg Cys Glu
 65 70 75
 Thr Cys Gly Thr Glu Glu Ala Lys Tyr Arg Cys Pro Arg Cys Met
 80 85 90
 Arg Tyr Ser Cys Ser Leu Pro Cys Val Lys Lys His Lys Ala Glu
 95 100 105
 Leu Thr Cys Asn Gly Val Arg Asp Lys Thr Ala Tyr Ile Ser Ile
 110 115 120
 Gln Gln Phe Thr Glu Met Asn Leu Leu Ser Asp Tyr Arg Phe Leu
 125 130 135
 Glu Asp Val Ala Arg Thr Ala Asp His Ile Ser Arg Asp Ala Phe
 140 145 150
 Leu Lys Arg Pro Ile Ser Asn Lys Tyr Met Tyr Phe Met Lys Asn
 155 160 165
 Arg Ala Arg Arg Gln Gly Ile Asn Leu Lys Leu Leu Pro Asn Gly
 170 175 180
 Phe Thr Lys Arg Lys Glu Asn Ser Thr Phe Phe Asp Lys Lys Lys
 185 190 195
 Gln Gln Phe Cys Trp His Val Lys Leu Gln Phe Pro Gln Ser Gln
 200 205 210
 Ala Glu Tyr Ile Glu Lys Arg Val Pro Asp Asp Lys Thr Ile Asn
 215 220 225
 Glu Ile Leu Lys Pro Tyr Ile Asp Pro Glu Lys Ser Asp Pro Val
 230 235 240
 Ile Arg Gln Arg Leu Lys Ala Tyr Ile Arg Ser Gln Thr Gly Val
 245 250 255
 Gln Ile Leu Met Lys Ile Glu Tyr Met Gln Gln Asn Leu Val Arg
 260 265 270
 Tyr Tyr Glu Leu Asp Pro Tyr Lys Ser Leu Leu Asp Asn Leu Arg
 275 280 285
 Asn Lys Val Ile Ile Glu Tyr Pro Thr Leu His Val Val Leu Lys
 290 295 300
 Gly Ser Asn Asn Asp Met Lys Val Leu His Gln Val Lys Ser Glu
 305 310 315
 Ser Thr Lys Asn Val Gly Asn Glu Asn
 320

<210> 29
 <211> 292

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1870914CD1

<400> 29

```

Met Glu Glu Val Pro His Asp Cys Pro Gly Ala Asp Ser Ala Gln
 1          5          10          15
Ala Gly Arg Gly Ala Ser Cys Gln Gly Cys Pro Asn Gln Arg Leu
 20          25          30
Cys Ala Ser Gly Ala Gly Ala Thr Pro Asp Thr Ala Ile Glu Glu
 35          40          45
Ile Lys Glu Lys Met Lys Thr Val Lys His Lys Ile Leu Val Leu
 50          55          60
Ser Gly Lys Gly Gly Val Gly Lys Ser Thr Phe Ser Ala His Leu
 65          70          75
Ala His Gly Leu Ala Glu Asp Glu Asn Thr Gln Ile Ala Leu Leu
 80          85          90
Asp Ile Asp Ile Cys Gly Pro Ser Ile Pro Lys Ile Met Gly Leu
 95          100         105
Glu Gly Glu Gln Val His Gln Ser Gly Ser Gly Trp Ser Pro Val
 110         115         120
Tyr Val Glu Asp Asn Leu Gly Val Met Ser Val Gly Phe Leu Leu
 125         130         135
Ser Ser Pro Asp Asp Ala Val Ile Trp Arg Gly Pro Lys Lys Asn
 140         145         150
Gly Met Ile Lys Gln Phe Leu Arg Asp Val Asp Trp Gly Glu Val
 155         160         165
Asp Tyr Leu Ile Val Asp Thr Pro Pro Gly Thr Ser Asp Glu His
 170         175         180
Leu Ser Val Val Arg His Leu Ala Thr Ala His Ile Asp Gly Ala
 185         190         195
Val Ile Ile Thr Thr Pro Gln Glu Val Ser Leu Gln Asp Val Arg
 200         205         210
Lys Glu Ile Asn Phe Cys Arg Lys Val Lys Leu Pro Ile Ile Gly
 215         220         225
Val Val Glu Asn Met Ser Gly Phe Ile Cys Pro Lys Cys Lys Lys
 230         235         240
Glu Ser Gln Ile Phe Pro Pro Thr Thr Gly Gly Ala Glu Leu Met
 245         250         255
Cys Gln Asp Leu Glu Val Pro Leu Leu Gly Arg Val Pro Leu Asp
 260         265         270
Pro Leu Ile Gly Ile Gln Glu Phe Cys Asn Leu His Gln Ser Lys
 275         280         285
Glu Glu Asn Leu Ile Ser Ser
 290

```

<210> 30

<211> 259

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1910984CD1

<400> 30

```

Met Glu Cys His Leu Lys Thr His Tyr Lys Met Glu Tyr Lys Cys
 1          5          10          15
Arg Ile Cys Gln Thr Val Lys Ala Asn Gln Leu Glu Leu Glu Thr
 20          25          30

```

```

His Thr Arg Glu His Arg Leu Gly Asn His Tyr Lys Cys Asp Gln
  35                      40                      45
Cys Gly Tyr Leu Ser Lys Thr Ala Asn Lys Leu Ile Glu His Val
  50                      55                      60
Arg Val His Thr Gly Glu Arg Pro Phe His Cys Asp Gln Cys Ser
  65                      70                      75
Tyr Ser Cys Thr Gly Lys Asp Asn Leu Asn Leu His Lys Lys Leu
  80                      85                      90
Lys His Ala Pro Arg Gln Thr Phe Ser Cys Glu Glu Cys Leu Phe
  95                      100                     105
Lys Thr Thr His Pro Phe Val Phe Ser Arg His Val Lys Lys His
  110                     115                     120
Gln Ser Gly Asp Cys Pro Glu Glu Asp Lys Lys Gly Leu Cys Pro
  125                     130                     135
Ala Pro Lys Glu Pro Ala Gly Pro Gly Ala Pro Leu Leu Val Val
  140                     145                     150
Gly Ser Ser Arg Asn Leu Leu Ser Pro Leu Ser Val Met Ser Ala
  155                     160                     165
Ser Gln Ala Leu Gln Thr Val Ala Leu Ser Ala Ala His Gly Ser
  170                     175                     180
Ser Ser Glu Pro Asn Leu Ala Leu Lys Ala Leu Ala Phe Asn Gly
  185                     190                     195
Ser Pro Leu Arg Phe Asp Lys Tyr Arg Asn Ser Asp Phe Ala His
  200                     205                     210
Leu Ile Pro Leu Thr Met Leu Tyr Pro Lys Asn His Leu Asp Leu
  215                     220                     225
Thr Phe His Pro Pro Arg Pro Gln Thr Ala Pro Pro Ser Ile Pro
  230                     235                     240
Ser Pro Lys His Ser Phe Leu Ala Tyr Leu Gly Leu Arg Glu Arg
  245                     250                     255
Ala Glu Thr Val

```

<210> 31

<211> 97

<212> PRT

<213> Homo sapiens

<220>

<221> misc feature

<223> incyte clone 1943040CD1

<400> 31

```

Met Glu His His Ser Ser His Gly Gly Arg Lys Arg Tyr Ala Cys
  1                      5                      10                      15
Gln Gly Cys Trp Lys Thr Phe His Phe Ser Leu Ala Leu Ala Glu
  20                      25                      30
His Gln Lys Thr His Glu Lys Glu Lys Ser Tyr Ala Leu Gly Gly
  35                      40                      45
Ala Arg Gly Pro Gln Pro Ser Thr Arg Glu Pro Arg Arg Gly Leu
  50                      55                      60
Gly Arg Ala Val Pro Gln Arg Ala Trp Arg Ala Arg Leu Pro Pro
  65                      70                      75
His Pro Gln Arg Arg Arg Gly Glu Pro Leu Cys Cys Pro Val Pro
  80                      85                      90
Glu Gly Pro Leu Cys Arg Pro
  95

```

<210> 32

<211> 812

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2076520CD1

<400> 32

```

Met Ile Glu Pro Asp Gln Cys Phe Cys Arg Phe Asp Leu Thr Gly
 1           5           10           15
Thr Cys Asn Asp Asp Asp Cys Gln Trp Gln His Ile Gln Asp Tyr
           20           25           30
Thr Leu Ser Arg Lys Gln Leu Phe Gln Asp Ile Leu Ser Tyr Asn
           35           40           45
Leu Ser Leu Ile Gly Cys Ala Glu Thr Ser Thr Asn Glu Glu Ile
           50           55           60
Thr Ala Ser Ala Glu Lys Tyr Val Glu Lys Leu Phe Gly Val Asn
           65           70           75
Lys Asp Arg Met Ser Met Asp Gln Met Ala Val Leu Leu Val Ser
           80           85           90
Asn Ile Asn Glu Ser Lys Gly His Thr Pro Pro Phe Thr Thr Tyr
           95          100          105
Lys Asp Lys Arg Lys Trp Lys Pro Lys Phe Trp Arg Lys Pro Ile
          110          115          120
Ser Asp Asn Ser Phe Ser Ser Asp Glu Glu Gln Ser Thr Gly Pro
          125          130          135
Ile Lys Tyr Ala Phe Gln Pro Glu Asn Gln Ile Asn Val Pro Ala
          140          145          150
Leu Asp Thr Val Val Thr Pro Asp Asp Val Arg Tyr Phe Thr Asn
          155          160          165
Glu Thr Asp Asp Ile Ala Asn Leu Glu Ala Ser Val Leu Glu Asn
          170          175          180
Pro Ser His Val Gln Leu Trp Leu Lys Leu Ala Tyr Lys Tyr Leu
          185          190          195
Asn Gln Asn Glu Gly Glu Cys Ser Glu Ser Leu Asp Ser Ala Leu
          200          205          210
Asn Val Leu Ala Arg Ala Leu Glu Asn Asn Lys Asp Asn Pro Glu
          215          220          225
Ile Trp Cys His Tyr Leu Arg Leu Phe Ser Lys Arg Gly Thr Lys
          230          235          240
Asp Glu Val Gln Glu Met Cys Glu Thr Ala Val Glu Tyr Ala Pro
          245          250          255
Asp Tyr Gln Ser Phe Trp Thr Phe Leu His Leu Glu Ser Thr Phe
          260          265          270
Glu Glu Lys Asp Tyr Val Cys Glu Arg Met Leu Glu Phe Leu Met
          275          280          285
Gly Ala Ala Lys Gln Glu Thr Ser Asn Ile Leu Ser Phe Gln Leu
          290          295          300
Leu Glu Ala Leu Leu Phe Arg Val Gln Leu His Ile Phe Thr Gly
          305          310          315
Arg Cys Gln Ser Ala Leu Ala Ile Leu Gln Asn Ala Leu Lys Ser
          320          325          330
Ala Asn Asp Gly Ile Val Ala Glu Tyr Leu Lys Thr Ser Asp Arg
          335          340          345
Cys Leu Ala Trp Leu Ala Tyr Ile His Leu Ile Glu Phe Asn Ile
          350          355          360
Leu Pro Ser Lys Phe Tyr Asp Pro Ser Asn Asp Asn Pro Ser Arg
          365          370          375
Ile Val Asn Thr Glu Ser Phe Val Met Pro Trp Gln Ala Val Gln
          380          385          390
Asp Val Lys Thr Asn Pro Asp Met Leu Leu Ala Val Phe Glu Asp
          395          400          405
Ala Val Lys Ala Cys Thr Asp Glu Ser Leu Ala Val Glu Glu Arg
          410          415          420
Ile Glu Ala Cys Leu Pro Leu Tyr Thr Asn Met Ile Ala Leu His
          425          430          435
Gln Leu Leu Glu Arg Tyr Glu Ala Ala Met Glu Leu Cys Lys Ser

```

Leu Leu Glu Ser Cys	Pro Ile Asn Cys	Gln Leu Leu Glu Ala Leu
440	445	450
455	460	465
Val Ala Leu Tyr Leu	Gln Thr Asn Gln His	Asp Lys Ala Arg Ala
470	475	480
Val Trp Leu Thr Ala	Phe Glu Lys Asn Pro	Gln Asn Ala Glu Val
485	490	495
Phe Tyr His Met Cys	Lys Phe Phe Ile Leu	Gln Asn Arg Gly Asp
500	505	510
Asn Leu Leu Pro Phe	Leu Arg Lys Phe Ile	Ala Ser Phe Phe Lys
515	520	525
Pro Gly Phe Glu Lys	Tyr Asn Asn Leu Asp	Leu Phe Arg Tyr Leu
530	535	540
Leu Asn Ile Pro Gly	Pro Ile Asp Ile Pro	Ser Arg Leu Cys Lys
545	550	555
Gly Asn Phe Asp Asp	Met Phe Asn His	Gln Val Pro Tyr Leu
560	565	570
Trp Leu Ile Tyr Cys	Leu Cys His Pro Leu	Gln Ser Ser Ile Lys
575	580	585
Glu Thr Val Glu Ala	Tyr Glu Ala Ala Leu	Gly Val Ala Met Arg
590	595	600
Cys Asp Ile Val Gln	Lys Ile Trp Met Asp	Tyr Leu Val Phe Ala
605	610	615
Asn Asn Arg Ala Ala	Gly Ser Arg Asn Lys	Val Gln Glu Phe Arg
620	625	630
Phe Phe Thr Asp Leu	Val Asn Arg Cys Leu	Val Thr Val Pro Ala
635	640	645
Arg Tyr Pro Ile Pro	Phe Ser Ser Ala Asp	Tyr Trp Ser Asn Tyr
650	655	660
Glu Phe His Asn Arg	Val Ile Phe Phe Tyr	Leu Ser Cys Val Pro
665	670	675
Lys Thr Gln His Ser	Lys Thr Leu Glu Arg	Phe Cys Ser Val Met
680	685	690
Pro Ala Asn Ser Gly	Leu Ala Leu Arg Leu	Leu Gln His Glu Trp
695	700	705
Glu Glu Ser Asn Val	Gln Ile Leu Lys Leu	Gln Ala Lys Met Phe
710	715	720
Thr Tyr Asn Ile Pro	Thr Cys Leu Ala Thr	Trp Lys Ile Ala Ile
725	730	735
Ala Ala Glu Ile Val	Leu Lys Gly Gln Arg	Glu Val His Arg Leu
740	745	750
Tyr Gln Arg Ala Leu	Gln Lys Leu Pro Leu	Cys Ala Ser Leu Trp
755	760	765
Lys Asp Gln Leu Leu	Phe Glu Ala Ser Glu	Gly Gly Lys Thr Asp
770	775	780
Asn Leu Arg Lys Leu	Val Ser Lys Cys Gln	Glu Ile Gly Val Ser
785	790	795
Leu Asn Glu Leu Leu	Asn Leu Asn Ser Asn	Lys Thr Glu Ser Lys
800	805	810
Asn His		

<210> 33

<211> 392

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2291241CD1

<400> 33

Met Asp Ala Leu Val Glu Asp Asp Ile Cys Ile Leu Asn His Glu

1	5	10	15
Lys Ala His Lys Arg	Asp Thr Val Thr	Pro Val Ser Ile Tyr Ser	
20	25	30	
Gly Asp Glu Ser Val	Ala Ser His Phe Ala	Leu Val Thr Ala Tyr	
35	40	45	
Glu Asp Ile Lys Lys	Arg Leu Lys Asp Ser	Glu Lys Glu Asn Ser	
50	55	60	
Leu Leu Lys Lys Arg	Ile Arg Phe Leu Glu	Glu Lys Leu Ile Ala	
65	70	75	
Arg Phe Glu Glu Glu	Thr Ser Ser Val Gly	Arg Glu Gln Val Asn	
80	85	90	
Lys Ala Tyr His Ala	Tyr Arg Glu Val Cys	Ile Asp Arg Asp Asn	
95	100	105	
Leu Lys Ser Lys Leu	Asp Lys Met Asn Lys	Asp Asn Ser Glu Ser	
110	115	120	
Leu Lys Val Leu Asn	Glu Gln Leu Gln Ser	Lys Glu Val Glu Leu	
125	130	135	
Leu Gln Leu Arg Thr	Glu Val Glu Thr Gln	Gln Val Met Arg Asn	
140	145	150	
Leu Asn Pro Pro Ser	Asn Trp Glu Val Glu	Lys Leu Ser Cys	
155	160	165	
Asp Leu Lys Ile His	Gly Leu Glu Gln Glu	Leu Glu Leu Met Arg	
170	175	180	
Lys Glu Cys Ser Asp	Leu Lys Ile Glu Leu	Gln Lys Ala Lys Gln	
185	190	195	
Thr Asp Pro Tyr Gln	Glu Asp Asn Leu Lys	Ser Arg Asp Leu Gln	
200	205	210	
Lys Leu Ser Ile Ser	Ser Asp Asn Met Gln	His Ala Tyr Trp Glu	
215	220	225	
Leu Lys Arg Glu Met	Ser Asn Leu His Leu	Val Thr Gln Val Gln	
230	235	240	
Ala Glu Leu Leu Arg	Lys Leu Lys Thr Ser	Thr Ala Ile Lys Lys	
245	250	255	
Ala Cys Ala Pro Val	Gly Cys Ser Glu Asp	Leu Gly Arg Asp Ser	
260	265	270	
Thr Lys Leu His Leu	Met Asn Phe Thr Ala	Thr Tyr Thr Arg His	
275	280	285	
Pro Pro Leu Leu Pro	Asn Gly Lys Ala Leu	Cys His Thr Thr Ser	
290	295	300	
Ser Pro Leu Pro Gly	Asp Val Lys Val Leu	Ser Glu Lys Ala Ile	
305	310	315	
Leu Gln Ser Trp Thr	Asp Asn Glu Arg Ser	Ile Pro Asn Asp Gly	
320	325	330	
Thr Cys Phe Gln His	Ser Ser Tyr Gly Arg	Asn Ser Leu Glu	
335	340	345	
Asp Asn Ser Trp Val	Phe Pro Ser Pro Pro	Lys Ser Ser Glu Thr	
350	355	360	
Ala Phe Gly Glu Thr	Lys Thr Lys Thr Leu	Pro Leu Pro Asn Leu	
365	370	375	
Pro Pro Leu His Tyr	Leu Asp Gln His Asn	Gln Asn Cys Leu Tyr	
380	385	390	
Lys Asn			

<210> 34

<211> 60

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> incyte clone 2329692CD1

<400> 34

```

Met Ile Tyr Phe Phe Ile Ile Ile Val Glu Tyr Phe Tyr Gly Lys
 1           5           10           15
Ile Phe Val Val Leu Ile Ile Pro Ile Lys Ile Met Pro Asn Thr
           20           25           30
Lys Tyr Glu Phe Tyr Asp Val His Phe Val Leu Gly Ile Lys Arg
           35           40           45
Lys Lys His Thr Ser Trp Lys Ser Val Ser Cys Phe Leu Leu Leu
           50           55           60

```

<210> 35

<211> 209

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2474110CD1

<400> 35

```

Met Asp Pro Ser Asp Ile Tyr Ala Val Ile Gln Ile Pro Gly Ser
 1           5           10           15
Arg Glu Phe Asp Val Ser Phe Arg Ser Ala Glu Lys Leu Ala Leu
           20           25           30
Phe Leu Arg Val Tyr Glu Glu Lys Arg Glu Gln Glu Asp Cys Trp
           35           40           45
Glu Asn Phe Val Val Leu Gly Arg Ser Lys Ser Ser Leu Lys Thr
           50           55           60
Leu Phe Ile Leu Phe Arg Asn Glu Thr Val Asp Val Glu Asp Ile
           65           70           75
Val Thr Trp Leu Lys Arg His Cys Asp Val Leu Ala Val Pro Val
           80           85           90
Lys Val Thr Asp Arg Phe Gly Ile Trp Thr Gly Glu Tyr Lys Cys
           95          100          105
Glu Ile Glu Leu Arg Gln Gly Glu Gly Gly Val Arg His Leu Pro
          110          115          120
Gly Ala Phe Phe Leu Gly Ala Glu Arg Gly Tyr Ser Trp Tyr Lys
          125          130          135
Gly Gln Pro Lys Thr Cys Phe Lys Cys Gly Ser Arg Thr His Met
          140          145          150
Ser Gly Ser Cys Thr Gln Asp Arg Cys Phe Arg Cys Arg Glu Glu
          155          160          165
Gly His Leu Ser Pro Tyr Cys Arg Lys Gly Ile Val Cys Asn Leu
          170          175          180
Cys Gly Lys Arg Gly His Ala Phe Ala Gln Cys Pro Lys Ala Val
          185          190          195
His Asn Ser Val Ala Ala Gln Leu Thr Gly Val Ala Gly His
          200          205

```

<210> 36

<211> 257

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2495790CD1

<400> 36

```

Met Val Gly Ala Gly Ile Ser Thr Pro Ser Gly Ile Pro Asp Phe
 1           5           10           15

```

```

Arg Ser Pro Gly Ser Gly Leu Tyr Ser Asn Leu Gln Gln Tyr Asp
      20                      25                      30
Leu Pro Tyr Pro Glu Ala Ile Phe Glu Leu Pro Phe Phe Phe His
      35                      40                      45
Asn Pro Lys Pro Phe Phe Thr Leu Ala Lys Glu Leu Tyr Pro Gly
      50                      55                      60
Asn Tyr Lys Pro Asn Val Thr His Tyr Phe Leu Arg Leu Leu His
      65                      70                      75
Asp Lys Gly Leu Leu Leu Arg Leu Tyr Thr Gln Asn Ile Asp Gly
      80                      85                      90
Leu Glu Arg Val Ser Gly Ile Pro Ala Ser Lys Leu Val Glu Ala
      95                      100                     105
His Gly Thr Phe Ala Ser Ala Thr Cys Thr Val Cys Gln Arg Pro
      110                     115                     120
Phe Pro Gly Glu Asp Ile Arg Ala Asp Val Met Ala Asp Arg Val
      125                     130                     135
Pro Arg Cys Pro Val Cys Thr Gly Val Val Lys Pro Asp Ile Val
      140                     145                     150
Phe Phe Gly Glu Pro Leu Pro Gln Arg Phe Leu Leu His Val Val
      155                     160                     165
Asp Phe Pro Met Ala Asp Leu Leu Leu Ile Leu Gly Thr Ser Leu
      170                     175                     180
Glu Val Glu Pro Phe Ala Ser Leu Thr Glu Ala Val Arg Ser Ser
      185                     190                     195
Val Pro Arg Leu Leu Ile Asn Arg Asp Leu Val Gly Pro Leu Ala
      200                     205                     210
Trp His Pro Arg Ser Arg Asp Val Ala Gln Leu Gly Asp Val Val
      215                     220                     225
His Gly Val Glu Ser Leu Val Glu Leu Leu Gly Trp Thr Glu Glu
      230                     235                     240
Met Arg Asp Leu Val Gln Arg Glu Thr Gly Lys Leu Asp Gly Pro
      245                     250                     255
Asp Lys

```

<210> 37

<211> 138

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2661254CD1

<400> 37

```

Met Ala Thr Lys Arg Leu Phe Gly Ala Thr Arg Thr Trp Ala Gly
      1      5      10      15
Trp Gly Ala Trp Glu Leu Leu Asn Pro Ala Thr Ser Gly Arg Leu
      20      25      30
Leu Ala Arg Asp Tyr Ala Lys Lys Pro Val Met Lys Gly Ala Lys
      35      40      45
Ser Gly Lys Gly Ala Val Thr Ser Glu Ala Leu Lys Asp Pro Asp
      50      55      60
Val Cys Thr Asp Pro Val Gln Leu Thr Thr Tyr Ala Met Gly Val
      65      70      75
Asn Ile Tyr Lys Glu Gly Gln Asp Val Pro Leu Lys Pro Asp Ala
      80      85      90
Glu Tyr Pro Glu Trp Leu Phe Glu Met Asn Leu Gly Pro Pro Lys
      95      100     105
Thr Leu Glu Glu Leu Asp Pro Glu Ser Arg Glu Tyr Trp Arg Arg
      110     115     120
Leu Arg Lys Gln Asn Ile Trp Arg His Asn Arg Leu Ser Lys Asn
      125     130     135

```

Lys Arg Leu

<210> 38

<211> 999

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2674047CD1

<400> 38

```

Met Gly Pro Ser Arg Leu Arg Leu Gly Phe Phe Xaa Lys Arg Gly
 1          5          10          15
Cys Ser Arg Ala Met Val Glu Ile Glu Leu Phe Arg Ala Ser Gly
 20          25          30
Asn Leu Val Ile Thr Arg Glu Ile Asp Val Ala Lys Asn Gln Ser
 35          40          45
Phe Trp Phe Ile Asn Lys Lys Ser Thr Thr Gln Xaa Ile Val Glu
 50          55          60
Glu Lys Val Ala Ala Leu Asn Ile Gln Val Gly Asn Leu Cys Gln
 65          70          75
Phe Leu Pro Gln Asp Lys Val Gly Glu Phe Ala Lys Leu Ser Lys
 80          85          90
Ile Glu Leu Leu Glu Ala Thr Glu Lys Ser Ile Gly Pro Pro Glu
 95          100         105
Met His Lys Tyr His Cys Glu Leu Lys Asn Leu Arg Glu Lys Glu
 110         115         120
Lys Gln Leu Glu Thr Ser Cys Lys Glu Lys Thr Glu Tyr Leu Gln
 125         130         135
Lys Met Val Gln Arg Asn Glu Arg Tyr Lys Gln Asp Val Glu Arg
 140         145         150
Phe Tyr Glu Arg Lys Arg His Leu Asp Leu Ile Glu Met Leu Glu
 155         160         165
Ala Lys Arg Pro Trp Val Glu Tyr Glu Asn Val Arg Gln Glu Tyr
 170         175         180
Glu Glu Val Lys Leu Val Arg Asp Arg Val Lys Glu Glu Val Arg
 185         190         195
Lys Leu Lys Glu Gly Gln Ile Pro Ile Thr Cys Arg Ile Glu Glu
 200         205         210
Met Glu Asn Glu Arg His Asn Leu Glu Ala Arg Ile Lys Glu Lys
 215         220         225
Ala Thr Asp Ile Lys Glu Ala Ser Gln Lys Cys Lys Gln Lys Gln
 230         235         240
Asp Val Ile Glu Arg Lys Asp Lys His Ile Glu Glu Leu Gln Gln
 245         250         255
Ala Leu Ile Val Lys Gln Asn Glu Glu Leu Asp Arg Gln Arg Arg
 260         265         270
Ile Gly Asn Thr Arg Lys Met Ile Glu Asp Leu Gln Asn Glu Leu
 275         280         285
Lys Thr Thr Glu Asn Cys Glu Asn Leu Gln Pro Gln Ile Asp Ala
 290         295         300
Ile Thr Asn Asp Leu Arg Arg Ile Gln Asp Glu Lys Ala Leu Cys
 305         310         315
Glu Gly Glu Ile Ile Asp Lys Arg Arg Glu Arg Glu Thr Leu Glu
 320         325         330
Lys Glu Lys Lys Ser Val Asp Asp His Ile Val Arg Phe Asp Asn
 335         340         345
Leu Met Asn Gln Lys Glu Asp Lys Leu Arg Gln Arg Phe Arg Asp
 350         355         360
Thr Tyr Asp Ala Val Leu Trp Leu Arg Asn Asn Arg Asp Lys Phe
 365         370         375

```


Lys	Gln	Arg	Val	Cys	Glu	Pro	Ile	Met	Leu	Thr	Ile	Asn	Met	Lys
				380						385				390
Asp	Asn	Lys	Asn	Ala	Lys	Tyr	Ile	Glu	Asn	His	Ile	Pro	Ser	Asn
				395						400				405
Asp	Leu	Arg	Ala	Phe	Val	Phe	Glu	Ser	Gln	Glu	Asp	Met	Glu	Val
				410						415				420
Phe	Leu	Lys	Glu	Val	Arg	Asp	Asn	Lys	Lys	Leu	Arg	Val	Asn	Ala
				425						430				435
Val	Ile	Ala	Pro	Lys	Ser	Ser	Tyr	Ala	Asp	Lys	Ala	Pro	Ser	Arg
				440						445				450
Ser	Leu	Asn	Glu	Leu	Lys	Gln	Tyr	Gly	Phe	Phe	Ser	Tyr	Leu	Arg
				455						460				465
Glu	Leu	Phe	Asp	Ala	Pro	Asp	Pro	Val	Met	Ser	Tyr	Leu	Cys	Cys
				470						475				480
Gln	Tyr	His	Ile	His	Glu	Val	Pro	Val	Gly	Thr	Glu	Lys	Thr	Arg
				485						490				495
Glu	Arg	Ile	Glu	Arg	Val	Ile	Gln	Glu	Thr	Arg	Leu	Lys	Gln	Ile
				500						505				510
Tyr	Thr	Ala	Glu	Glu	Lys	Tyr	Val	Val	Lys	Thr	Ser	Phe	Tyr	Ser
				515						520				525
Asn	Lys	Val	Ile	Ser	Ser	Asn	Thr	Ser	Leu	Lys	Val	Ala	Gln	Phe
				530						535				540
Leu	Thr	Val	Thr	Val	Asp	Leu	Glu	Gln	Arg	Arg	His	Leu	Glu	Glu
				545						550				555
Gln	Leu	Lys	Glu	Ile	His	Arg	Lys	Leu	Gln	Ala	Val	Asp	Ser	Gly
				560						565				570
Leu	Ile	Ala	Leu	Arg	Glu	Thr	Ser	Lys	His	Leu	Glu	His	Lys	Asp
				575						580				585
Asn	Glu	Leu	Arg	Gln	Lys	Lys	Lys	Glu	Leu	Leu	Glu	Arg	Lys	Thr
				590						595				600
Lys	Lys	Arg	Gln	Leu	Glu	Gln	Lys	Ile	Ser	Ser	Lys	Leu	Gly	Ser
				605						610				615
Leu	Lys	Leu	Met	Glu	Gln	Asp	Thr	Cys	Asn	Leu	Glu	Glu	Glu	Glu
				620						625				630
Arg	Lys	Ala	Ser	Thr	Lys	Ile	Lys	Glu	Ile	Asn	Val	Gln	Lys	Ala
				635						640				645
Lys	Leu	Val	Thr	Glu	Leu	Thr	Asn	Leu	Ile	Lys	Ile	Cys	Thr	Ser
				650						655				660
Leu	His	Ile	Gln	Lys	Val	Asp	Leu	Ile	Leu	Gln	Asn	Thr	Thr	Val
				665						670				675
Ile	Ser	Glu	Lys	Asn	Lys	Leu	Glu	Ser	Asp	Tyr	Met	Ala	Ala	Ser
				680						685				690
Ser	Gln	Leu	Arg	Leu	Thr	Glu	Gln	His	Phe	Ile	Glu	Leu	Asp	Glu
				695						700				705
Asn	Arg	Gln	Arg	Leu	Leu	Gln	Lys	Cys	Lys	Glu	Leu	Met	Lys	Arg
				710						715				720
Ala	Arg	Gln	Val	Cys	Asn	Leu	Gly	Ala	Glu	Gln	Thr	Leu	Pro	Gln
				725						730				735
Glu	Tyr	Gln	Thr	Gln	Val	Pro	Thr	Ile	Pro	Asn	Gly	His	Asn	Ser
				740						745				750
Ser	Leu	Pro	Met	Val	Phe	Gln	Asp	Leu	Pro	Asn	Thr	Leu	Asp	Glu
				755						760				765
Ile	Asp	Ala	Leu	Leu	Thr	Glu	Glu	Arg	Ser	Arg	Ala	Ser	Cys	Phe
				770						775				780
Thr	Gly	Leu	Asn	Pro	Thr	Ile	Val	Gln	Glu	Tyr	Thr	Lys	Arg	Glu
				785						790				795
Glu	Glu	Ile	Glu	Gln	Leu	Thr	Glu	Glu	Leu	Lys	Gly	Lys	Lys	Val
				800						805				810
Glu	Leu	Asp	Gln	Tyr	Arg	Glu	Asn	Ile	Ser	Gln	Val	Lys	Glu	Arg
				815						820				825
Trp	Leu	Asn	Pro	Leu	Lys	Glu	Leu	Val	Glu	Lys	Ile	Asn	Glu	Lys
				830						835				840
Phe	Ser	Asn	Phe	Phe	Ser	Ser	Met	Gln	Cys	Ala	Gly	Glu	Val	Asp
				845						850				855

```

Leu His Thr Glu Asn Glu Glu Asp Tyr Asp Lys Tyr Gly Ile Arg
      860      865      870
Ile Arg Val Lys Phe Arg Ser Ser Thr Gln Leu His Glu Leu Thr
      875      880      885
Pro His His Gln Ser Gly Gly Glu Arg Ser Val Ser Thr Met Leu
      890      895      900
Tyr Leu Met Ala Leu Gln Glu Leu Asn Arg Cys Pro Phe Arg Val
      905      910      915
Val Asp Glu Ile Asn Gln Gly Met Asp Pro Ile Asn Glu Arg Arg
      920      925      930
Val Phe Glu Met Val Val Asn Thr Ala Cys Lys Glu Asn Thr Ser
      935      940      945
Gln Tyr Phe Phe Ile Thr Pro Lys Leu Leu Gln Asn Leu Pro Tyr
      950      955      960
Ser Glu Lys Met Thr Val Leu Phe Val Tyr Asn Gly Pro His Met
      965      970      975
Leu Glu Pro Asn Thr Trp Asn Leu Lys Ala Phe Gln Arg Arg Arg
      980      985      990
Arg Arg Ile Thr Phe Thr Gln Pro Ser
      995

```

<210> 39

<211> 377

<212> PRT

<213> Homo sapiens

<220>

<221> misc feature

<223> Incyte clone 2762174CD1

<400> 39

```

Met Ala Glu Leu Glu Ser His Pro Cys Asp Ile Cys Gly Pro Ile
  1      5      10      15
Leu Lys Asp Thr Leu His Leu Ala Lys Tyr His Gly Gly Lys Ala
      20      25      30
Arg Gln Lys Pro Tyr Leu Cys Gly Ala Cys Gly Lys Gln Phe Trp
      35      40      45
Phe Ser Thr Asp Phe Asp Gln His Gln Asn Gln Pro Asn Gly Gly
      50      55      60
Lys Leu Phe Pro Arg Lys Glu Gly Arg Asp Ser Val Lys Ser Cys
      65      70      75
Arg Val His Val Pro Glu Lys Thr Leu Thr Cys Gly Lys Gly Arg
      80      85      90
Arg Asp Phe Ser Ala Thr Ser Gly Leu Leu Gln His Gln Ala Ser
      95      100      105
Leu Ser Ser Met Lys Pro His Lys Ser Thr Lys Leu Val Ser Gly
      110      115      120
Phe Leu Met Gly Gln Arg Tyr His Arg Cys Gly Glu Cys Gly Lys
      125      130      135
Ala Phe Thr Arg Lys Asp Thr Leu Ala Arg His Gln Arg Ile His
      140      145      150
Thr Gly Glu Arg Pro Tyr Glu Cys Asn Glu Cys Gly Lys Phe Phe
      155      160      165
Ser Gln Ser Tyr Asp Leu Phe Lys His Gln Thr Val His Thr Gly
      170      175      180
Glu Arg Pro Tyr Glu Cys Ser Glu Cys Gly Lys Phe Phe Arg Gln
      185      190      195
Ile Ser Gly Leu Ile Glu His Arg Arg Val His Thr Gly Glu Arg
      200      205      210
Leu Tyr Gln Cys Gly Lys Cys Gly Lys Phe Phe Ser Ser Lys Ser
      215      220      225
Asn Leu Ile Arg His Gln Glu Val His Thr Gly Ala Arg Pro Tyr
      230      235      240

```

```

Val Cys Ser Glu Cys Gly Lys Glu Phe Ser Arg Lys His Thr Leu
      245      250      255
Val Leu His Gln Arg Thr His Thr Gly Glu Arg Pro Tyr Glu Cys
      260      265      270
Ser Glu Cys Gly Lys Ala Phe Ser Gln Ser Ser His Leu Asn Val
      275      280      285
His Trp Arg Ile His Ser Ser Asp Tyr Glu Cys Ser Arg Cys Gly
      290      295      300
Lys Ala Phe Ser Cys Ile Ser Lys Leu Ile Gln His Gln Lys Val
      305      310      315
His Ser Gly Glu Lys Pro Tyr Glu Cys Ser Lys Cys Gly Lys Ala
      320      325      330
Phe Thr Gln Arg Pro Asn Leu Ile Arg His Trp Lys Val His Thr
      335      340      345
Gly Glu Arg Pro Tyr Val Cys Ser Glu Cys Gly Arg Glu Phe Ile
      350      355      360
Arg Lys Gln Thr Leu Val Leu His Gln Arg Val His Ala Gly Glu
      365      370      375
Lys Leu

```

```

<210> 40
<211> 324
<212> PRT
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 2765991CD1

```

```

<400> 40
Met Asp Phe Pro Lys His Asn Gln Ile Ile Thr Glu Glu Thr Gly
  1      5      10      15
Ser Ala Val Glu Pro Ser Asp Glu Ile Lys Arg Ala Ser Gly Asp
      20      25      30
Val Gln Thr Met Lys Ile Ser Ser Val Pro Asn Ser Leu Ser Lys
      35      40      45
Arg Asn Val Ser Leu Thr Arg Ser His Ser Val Gly Gly Pro Leu
      50      55      60
Gln Asn Ile Asp Phe Thr Gln Arg Pro Phe His Gly Ile Ser Thr
      65      70      75
Val Ser Leu Pro Gly Ser Leu Gln Glu Val Val Asp Pro Leu Gly
      80      85      90
Lys Arg Pro Asn Pro Pro Pro Val Ser Val Pro Tyr Leu Ser Pro
      95      100      105
Leu Val Leu Arg Lys Glu Leu Glu Ser Leu Leu Glu Asn Glu Gly
      110      115      120
Asp Gln Val Ile His Thr Ser Ser Phe Ile Asn Gln His Pro Ile
      125      130      135
Ile Phe Trp Asn Leu Val Trp Tyr Phe Arg Arg Leu Asp Leu Pro
      140      145      150
Ser Asn Leu Pro Gly Leu Ile Leu Thr Ser Glu His Cys Asn Glu
      155      160      165
Gly Val Gln Leu Pro Leu Ser Ser Leu Ser Gln Asp Ser Lys Leu
      170      175      180
Val Tyr Ile Arg Leu Leu Trp Asp Asn Ile Asn Leu His Gln Glu
      185      190      195
Pro Arg Glu Pro Leu Tyr Val Ser Trp Arg Asn Phe Asn Ser Glu
      200      205      210
Lys Lys Ser Ser Leu Leu Ser Glu Glu Gln Gln Glu Thr Ser Thr
      215      220      225
Leu Val Glu Thr Ile Arg Gln Ser Ile Gln His Asn Asn Val Leu
      230      235      240

```

```

Lys Pro Ile Asn Leu Leu Ser Gln Gln Met Lys Pro Gly Met Lys
245 250 255
Arg Gln Arg Ser Leu Tyr Arg Glu Ile Leu Phe Leu Ser Leu Val
260 265 270
Ser Leu Gly Arg Glu Asn Ile Asp Ile Glu Ala Phe Asp Asn Glu
275 280 285
Tyr Gly Ile Ala Tyr Asn Ser Leu Ser Ser Glu Ile Leu Glu Arg
290 295 300
Leu Gln Lys Ile Asp Ala Pro Pro Ser Ala Ser Val Glu Trp Cys
305 310 315
Arg Lys Cys Phe Gly Ala Pro Leu Ile
320

```

```

<210> 41
<211> 270
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> incyte clone 2775157CD1

```

```

<400> 41
Met Pro Cys Pro Met Leu Leu Pro Ser Gly Lys Val Ile Asp Gln
1 5 10 15
Ser Thr Leu Glu Lys Cys Asn Arg Ser Glu Ala Thr Trp Gly Arg
20 25 30
Val Pro Ser Asp Pro Phe Thr Gly Val Ala Phe Thr Pro His Ser
35 40 45
Gln Pro Leu Pro His Pro Ser Leu Lys Ala Arg Ile Asp His Phe
50 55 60
Leu Leu Gln His Ser Ile Pro Gly Cys His Leu Leu Gly Arg Ala
65 70 75
Gln Thr Ala Leu Ala Val Ile Pro Ser Ser Ile Val Leu Pro Ser
80 85 90
Gln Lys Arg Lys Ile Glu Gln Ala Glu His Val Pro Asp Ser Asn
95 100 105
Phe Gly Val Asn Ala Ser Cys Phe Ser Ala Thr Ser Pro Leu Val
110 115 120
Leu Pro Thr Thr Ser Glu His Thr Ala Lys Lys Met Lys Ala Thr
125 130 135
Asn Glu Pro Ser Leu Thr His Met Asp Cys Ser Thr Gly Pro Leu
140 145 150
Ser His Glu Gln Lys Leu Ser Gln Ser Leu Glu Ile Ala Leu Ala
155 160 165
Ser Thr Leu Gly Ser Met Pro Ser Phe Thr Ala Arg Leu Thr Arg
170 175 180
Gly Gln Leu Gln His Leu Gly Thr Arg Gly Ser Asn Thr Ser Trp
185 190 195
Arg Pro Gly Thr Gly Ser Glu Gln Pro Gly Ser Ile Leu Gly Pro
200 205 210
Glu Cys Ala Ser Cys Lys Arg Val Phe Ser Pro Tyr Phe Lys Lys
215 220 225
Glu Pro Val Tyr Gln Leu Pro Cys Gly His Leu Leu Cys Arg Pro
230 235 240
Cys Leu Gly Glu Lys Gln Arg Ser Leu Pro Met Thr Cys Thr Ala
245 250 255
Cys Gln Arg Pro Val Ala Ser Gln Asp Val Leu Arg Val His Phe
260 265 270

```

```

<210> 42
<211> 252

```

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2918375CD1

<400> 42

```

Met Leu Arg Lys Gly Ile Cys Glu Tyr His Glu Lys Asn Tyr Ala
 1          5          10          15
Ala Ala Leu Glu Thr Phe Thr Glu Gly Gln Lys Leu Asp Ser Ala
 20          25          30
Asp Ala Asn Phe Ser Val Trp Ile Lys Arg Cys Gln Glu Ala Gln
 35          40          45
Asn Gly Ser Glu Ser Glu Val Trp Thr His Gln Ser Lys Ile Lys
 50          55          60
Tyr Asp Trp Tyr Gln Thr Glu Ser Gln Val Val Ile Thr Leu Met
 65          70          75
Ile Lys Asn Val Gln Lys Asn Asp Val Asn Val Glu Phe Ser Glu
 80          85          90
Lys Glu Leu Ser Ala Leu Val Lys Leu Pro Ser Gly Glu Asp Tyr
 95          100         105
Asn Leu Lys Leu Glu Leu Leu His Pro Ile Ile Pro Glu Gln Ser
 110         115         120
Thr Phe Lys Val Leu Ser Thr Lys Ile Glu Ile Lys Leu Lys Lys
 125         130         135
Pro Glu Ala Val Arg Trp Glu Lys Leu Glu Gly Gln Gly Asp Val
 140         145         150
Pro Thr Pro Lys Gln Phe Val Ala Asp Val Lys Asn Leu Tyr Pro
 155         160         165
Ser Ser Ser Pro Tyr Thr Arg Asn Trp Asp Lys Leu Val Gly Glu
 170         175         180
Ile Lys Glu Glu Glu Lys Asn Glu Lys Leu Glu Gly Asp Ala Ala
 185         190         195
Leu Asn Arg Leu Phe Gln Gln Ile Tyr Ser Asp Gly Ser Asp Glu
 200         205         210
Val Lys Arg Ala Met Asn Lys Ser Phe Met Glu Ser Gly Gly Thr
 215         220         225
Val Leu Ser Thr Asn Trp Ser Asp Val Gly Lys Arg Lys Val Glu
 230         235         240
Ile Asn Pro Pro Asp Asp Met Glu Trp Lys Lys Tyr
 245         250

```

<210> 43

<211> 228

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 3149729CD1

<400> 43

```

Met Thr Met Gly Asp Lys Lys Ser Pro Thr Arg Pro Lys Arg Gln
 1          5          10          15
Ala Lys Pro Ala Ala Asp Glu Gly Phe Trp Asp Cys Ser Val Cys
 20          25          30
Thr Phe Arg Asn Ser Ala Glu Ala Phe Lys Cys Ser Ile Cys Asp
 35          40          45
Val Arg Lys Gly Thr Ser Thr Arg Lys Pro Arg Ile Asn Ser Gln
 50          55          60

```

WO 99/57144

PCT/US99/09935

```

Leu Val Ala Gln Gln Val Ala Gln Gln Tyr Ala Thr Pro Pro Pro
65 70 75
Pro Lys Lys Glu Lys Lys Glu Lys Val Glu Lys Gln Asp Lys Glu
80 85 90
Lys Pro Glu Lys Asp Lys Glu Ile Ser Pro Ser Val Thr Lys Lys
95 100 105
Asn Thr Asn Lys Lys Thr Lys Pro Lys Ser Asp Ile Leu Lys Asp
110 115 120
Pro Pro Ser Glu Ala Asn Ser Ile Gln Ser Ala Asn Ala Thr Thr
125 130 135
Lys Thr Ser Glu Thr Asn His Thr Ser Arg Pro Arg Leu Lys Asn
140 145 150
Val Asp Arg Ser Thr Ala Gln Gln Leu Ala Val Thr Val Gly Asn
155 160 165
Val Thr Val Ile Ile Thr Asp Phe Lys Glu Lys Thr Arg Ser Ser
170 175 180
Ser Thr Ser Ser Ser Thr Val Thr Ser Ser Ala Gly Ser Glu Gln
185 190 195
Gln Asn Gln Ser Ser Ser Gly Ser Glu Ser Thr Asp Lys Gly Ser
200 205 210
Ser Arg Ser Ser Thr Pro Lys Gly Asp Met Ser Ala Val Asn Asp
215 220 225
Glu Ser Phe

```

<210> 44
 <211> 117
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 3705895CD1

```

<400> 44
Met Ala Ala Ala Ala Ala Ala Gly Ser Gly Thr Pro Arg Glu Glu
1 5 10 15
Glu Gly Pro Ala Gly Glu Ala Ala Ala Ser Gln Pro Gln Ala Pro
20 25 30
Thr Ser Val Pro Gly Ala Arg Leu Ser Arg Leu Pro Leu Ala Arg
35 40 45
Val Lys Ala Leu Val Lys Ala Asp Pro Asp Val Thr Leu Ala Gly
50 55 60
Gln Glu Ala Ile Phe Ile Leu Ala Arg Ala Ala Glu Leu Phe Val
65 70 75
Glu Thr Ile Ala Lys Asp Ala Tyr Cys Cys Ala Gln Gln Gly Lys
80 85 90
Arg Lys Thr Leu Gln Arg Arg Asp Leu Asp Asn Ala Ile Glu Ala
95 100 105
Val Asp Glu Phe Ala Phe Leu Glu Gly Thr Leu Asp
110 115

```

<210> 45
 <211> 252
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 003256CD1

<400> 45

```

Met Thr Pro Lys Leu Gly Arg Gly Val Leu Glu Gly Asp Asp Val
 1          5          10          15
Leu Phe Tyr Asp Glu Ser Pro Pro Pro Arg Pro Lys Leu Ser Ala
 20          25          30
Leu Ala Glu Ala Lys Lys Leu Ala Ala Ile Thr Lys Leu Arg Ala
 35          40          45
Lys Gly Gln Val Leu Thr Lys Thr Asn Pro Asn Ser Ile Lys Lys
 50          55          60
Lys Gln Lys Asp Pro Gln Asp Ile Leu Glu Val Lys Glu Arg Val
 65          70          75
Glu Lys Asn Thr Met Phe Ser Ser Gln Ala Glu Asp Glu Leu Glu
 80          85          90
Pro Ala Arg Lys Lys Arg Arg Glu Gln Leu Ala Tyr Leu Glu Ser
 95          100          105
Glu Glu Phe Gln Lys Ile Leu Lys Ala Lys Ser Lys His Thr Gly
 110          115          120
Ile Leu Lys Glu Ala Glu Ala Glu Met Gln Glu Arg Tyr Phe Glu
 125          130          135
Pro Leu Val Lys Lys Glu Gln Met Glu Glu Lys Met Arg Asn Ile
 140          145          150
Arg Glu Val Lys Cys Arg Val Val Thr Cys Lys Thr Cys Ala Tyr
 155          160          165
Thr His Phe Lys Leu Leu Glu Thr Cys Val Ser Glu Gln His Glu
 170          175          180
Tyr His Trp His Asp Gly Val Lys Arg Phe Lys Cys Pro Cys
 185          190          195
Gly Asn Arg Ser Ile Ser Leu Asp Arg Leu Pro Asn Lys His Cys
 200          205          210
Ser Asn Cys Gly Leu Tyr Lys Trp Glu Arg Asp Gly Met Leu Lys
 215          220          225
Glu Lys Thr Gly Pro Lys Ile Gly Gly Glu Thr Leu Leu Pro Arg
 230          235          240
Gly Glu Glu His Ala Lys Phe Leu Asn Ser Leu Lys
 245          250

```

<210> 46

<211> 530

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 156986CD1

<400> 46

```

Met Ala Lys Gly Glu Gly Ala Glu Ser Gly Ser Ala Ala Gly Leu
 1          5          10          15
Leu Pro Thr Ser Ile Leu Gln Ser Thr Glu Arg Pro Ala Gln Val
 20          25          30
Lys Lys Glu Pro Lys Lys Lys Lys Gln Gln Leu Ser Val Cys Asn
 35          40          45
Lys Leu Cys Tyr Ala Leu Gly Gly Ala Pro Tyr Gln Val Thr Gly
 50          55          60
Cys Ala Leu Gly Phe Phe Leu Gln Ile Tyr Leu Leu Asp Val Ala
 65          70          75
Gln Val Gly Pro Phe Ser Ala Ser Ile Ile Leu Phe Val Gly Arg
 80          85          90
Ala Trp Asp Ala Ile Thr Asp Pro Leu Val Gly Leu Cys Ile Ser
 95          100          105
Lys Ser Pro Trp Thr Cys Leu Gly Arg Leu Met Pro Trp Ile Ile
 110          115          120

```

Phe Ser Thr Pro	Leu Ala Val Ile Ala Tyr	Phe Leu Ile Trp Phe
125	130	135
Val Pro Asp Phe	Pro His Gly Gln Thr Tyr	Trp Tyr Leu Leu Phe
140	145	150
Tyr Cys Leu Phe	Glu Thr Met Val Thr Cys	Phe His Val Pro Tyr
155	160	165
Ser Ala Leu Thr	Met Phe Ile Ser Thr Glu	Gln Thr Glu Arg Asp
170	175	180
Ser Ala Thr Ala	Tyr Arg Met Thr Val Glu	Val Leu Gly Thr Val
185	190	195
Leu Gly Thr Ala	Ile Gln Gly Gln Ile Val	Gly Gln Ala Asp Thr
200	205	210
Pro Cys Phe Gln	Asp Leu Asn Ser Ser Thr	Val Ala Ser Gln Ser
215	220	225
Ala Asn His Thr	His Gly Thr Thr Ser His	Arg Glu Thr Gln Lys
230	235	240
Ala Tyr Leu Leu	Ala Ala Gly Val Ile Val	Cys Ile Tyr Ile Ile
245	250	255
Cys Ala Val Ile	Leu Ile Leu Gly Val Arg	Glu Gln Arg Glu Pro
260	265	270
Tyr Glu Ala Gln	Gln Ser Glu Pro Ile Ala	Tyr Phe Arg Gly Leu
275	280	285
Arg Leu Val Met	Ser His Gly Pro Tyr Ile	Lys Leu Ile Thr Gly
290	295	300
Phe Leu Phe Thr	Ser Leu Ala Phe Met Leu	Val Glu Gly Asn Phe
305	310	315
Val Leu Phe Cys	Thr Tyr Thr Leu Gly Phe	Arg Asn Glu Phe Gln
320	325	330
Asn Leu Leu Leu	Ala Ile Met Leu Ser Ala	Thr Leu Thr Ile Pro
335	340	345
Ile Trp Gln Trp	Phe Leu Thr Arg Phe Gly	Lys Lys Thr Ala Val
350	355	360
Tyr Val Gly Ile	Ser Ser Ala Val Pro Phe	Leu Ile Leu Val Ala
365	370	375
Leu Met Glu Ser	Asn Leu Ile Ile Thr Tyr	Ala Val Ala Val Ala
380	385	390
Ala Gly Ile Ser	Val Ala Ala Ala Phe Leu	Leu Pro Trp Ser Met
395	400	405
Leu Pro Asp Val	Ile Asp Asp Phe His Leu	Lys Gln Pro His Phe
410	415	420
His Gly Thr Glu	Pro Ile Phe Phe Ser Phe	Tyr Val Phe Phe Thr
425	430	435
Lys Phe Ala Ser	Gly Val Ser Leu Gly Ile	Ser Thr Leu Ser Leu
440	445	450
Asp Phe Ala Gly	Tyr Gln Thr Arg Gly Cys	Ser Gln Pro Glu Arg
455	460	465
Val Lys Phe Thr	Leu Asn Met Leu Val Thr	Met Ala Pro Ile Val
470	475	480
Leu Ile Leu Leu	Gly Leu Leu Leu Phe Lys	Met Tyr Pro Ile Asp
485	490	495
Glu Glu Arg Arg	Arg Gln Asn Lys Lys Ala	Leu Gln Ala Leu Arg
500	505	510
		i
Asp Glu Ala Ser	Ser Ser Gly Cys Ser Glu	Thr Asp Ser Thr Glu
515	520	525
Leu Ala Ser Ile	Leu	
530		

<210> 47

<211> 355

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 319415CD1

<400> 47

```

Met Gly Cys Val Phe Gln Ser Thr Glu Asp Lys Cys Ile Phe Lys
 1          5          10          15
Ile Asp Trp Thr Leu Ser Pro Gly Glu His Ala Lys Asp Glu Tyr
 20          25          30
Val Leu Tyr Tyr Ser Asn Leu Ser Val Pro Ile Gly Arg Phe
 35          40          45
Gln Asn Arg Val His Leu Met Gly Asp Ile Leu Cys Asn Asp Gly
 50          55          60
Ser Leu Leu Leu Gln Asp Val Gln Glu Ala Asp Gln Gly Thr Tyr
 65          70          75
Ile Cys Glu Ile Arg Leu Lys Gly Glu Ser Gln Val Phe Lys Lys
 80          85          90
Ala Val Val Leu His Val Leu Pro Glu Glu Pro Lys Glu Leu Met
 95          100          105
Val His Val Gly Gly Leu Ile Gln Met Gly Cys Val Phe Gln Ser
 110          115          120
Thr Glu Val Lys His Val Thr Lys Val Glu Trp Ile Phe Ser Gly
 125          130          135
Arg Arg Ala Lys Glu Glu Ile Val Phe Arg Tyr Tyr His Lys Leu
 140          145          150
Arg Met Ser Val Glu Tyr Ser Gln Ser Trp Gly His Phe Gln Asn
 155          160          165
Arg Val Asn Leu Val Gly Asp Ile Phe Arg Asn Asp Gly Ser Ile
 170          175          180
Met Leu Gln Gly Val Arg Glu Ser Asp Gly Gly Asn Tyr Thr Cys
 185          190          195
Ser Ile His Leu Gly Asn Leu Val Phe Lys Lys Thr Ile Val Leu
 200          205          210
His Val Ser Pro Glu Glu Pro Arg Thr Leu Val Thr Pro Ala Ala
 215          220          225
Leu Arg Pro Leu Val Leu Gly Gly Asn Gln Leu Val Ile Ile Val
 230          235          240
Gly Ile Val Cys Ala Thr Ile Leu Leu Leu Pro Val Leu Ile Leu
 245          250          255
Ile Val Lys Lys Thr Cys Gly Asn Lys Ser Ser Val Asn Ser Thr
 260          265          270
Val Leu Val Lys Asn Thr Lys Lys Thr Asn Pro Glu Ile Lys Glu
 275          280          285
Lys Pro Cys His Phe Glu Arg Cys Glu Gly Glu Lys His Ile Tyr
 290          295          300
Ser Pro Ile Ile Val Arg Glu Val Ile Glu Glu Glu Glu Pro Ser
 305          310          315
Glu Lys Ser Glu Ala Thr Tyr Met Thr Met His Pro Val Trp Pro
 320          325          330
Ser Leu Arg Ser Asp Arg Asn Asn Ser Leu Glu Lys Lys Ser Gly
 335          340          345
Gly Gly Met Pro Lys Thr Gln Gln Ala Phe
 350          355

```

<210> 48

<211> 136

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 635581CD1

<400> 48

```

Met Val Gly Gln Thr Glu Asp Asp Thr Ala Gln Gln Leu Val Pro
 1          5          10          15
Thr Cys Gly Met Lys Gly Val Gly Glu Arg Ile Val Glu Tyr Val
 20          25          30
Ser Asn Ile Pro Ala Leu Gln Arg Ala Thr Pro Lys Gly Leu Ala
 35          40          45
Ser Val Ser Pro Asp Leu Glu His Arg Gln Glu Trp Thr Tyr Ser
 50          55          60
Lys Ser Pro Leu Met Gly Lys Gly Thr Arg Leu Glu Ala Ser Glu
 65          70          75
Asn Lys Arg Ala Gly Trp Leu Ala Ala Ala Pro Glu Asn Leu Lys
 80          85          90
Tyr His Arg Gln Ile Ala Gln Gly Ala Lys Asp Tyr Glu Ile Leu
 95          100         105
Lys Lys Glu Thr Asn Lys Phe Ile Leu Arg Ile Tyr Thr His Trp
110          115         120
Ser Arg Arg Ser Ile Leu Arg Lys Gly Ser Lys Gly Met Gln Asn
125          130         135
Leu

```

<210> 49

<211> 230

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 921803CD1

<400> 49

```

Met Lys Leu Ile Val Gly Ile Gly Gly Met Thr Asn Gly Gly Lys
 1          5          10          15
Thr Thr Leu Thr Asn Ser Leu Leu Arg Ala Leu Pro Asn Cys Cys
 20          25          30
Val Ile His Gln Asp Asp Phe Phe Lys Pro Gln Asp Gln Ile Ala
 35          40          45
Val Gly Glu Asp Gly Phe Lys Gln Trp Asp Val Leu Glu Ser Leu
 50          55          60
Asp Met Glu Ala Met Leu Asp Thr Val Gln Ala Trp Leu Ser Ser
 65          70          75
Pro Gln Lys Phe Ala Arg Ala His Gly Val Ser Val Gln Pro Glu
 80          85          90
Ala Ser Asp Thr His Ile Leu Leu Leu Glu Gly Phe Leu Leu Tyr
 95          100         105
Ser Tyr Lys Pro Leu Val Asp Leu Tyr Ser Arg Arg Tyr Phe Leu
110          115         120
Thr Val Pro Tyr Glu Glu Cys Lys Trp Arg Arg Ser Thr Arg Asn
125          130         135
Tyr Thr Val Pro Asp Pro Pro Gly Leu Phe Asp Gly His Val Trp
140          145         150
Pro Met Tyr Gln Lys Tyr Arg Gln Glu Met Glu Ala Asn Gly Val
155          160         165
Glu Val Val Tyr Leu Asp Gly Met Lys Ser Arg Glu Glu Leu Phe
170          175         180
Arg Glu Val Leu Glu Asp Ile Gln Asn Ser Leu Leu Asn Arg Ser
185          190         195
Gln Glu Ser Ala Pro Ser Pro Ala Arg Pro Ala Arg Thr Gln Gly
200          205         210

```

Pro Gly Arg Gly Cys Gly His Arg Thr Ala Arg Pro Ala Ala Ser
 215 220 225
 Gln Gln Asp Ser Met
 230

<210> 50
 <211> 70
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1250492CD1

<400> 50
 Met Thr Ile Lys Leu Arg Pro Leu Pro Phe Phe Lys Pro Lys Ser
 1 5 10 15
 Gly Asn Gln Glu Gln Gln Leu His Gly Leu Leu Ala Pro Asp Gln
 20 25 30
 Pro Gly Ser Gly Asp Ile Val Ser Leu Phe Gly Asn Cys Arg Pro
 35 40 45
 Gln Gly Val Gly Leu Ser His Phe Leu Val Leu Pro Thr Phe Pro
 50 55 60
 Ile Arg Ala Ser Ser Arg Gly Gln Val Cys
 65 70

<210> 51
 <211> 169
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1427838CD1

<400> 51
 Met Leu Ala Phe Ser Glu Met Pro Lys Pro Pro Asp Tyr Ser Glu
 1 5 10 15
 Leu Ser Asp Ser Leu Thr Leu Ala Val Gly Thr Gly Arg Phe Ser
 20 25 30
 Gly Pro Leu His Arg Ala Trp Arg Met Met Asn Phe Arg Gln Arg
 35 40 45
 Met Gly Trp Ile Gly Val Gly Leu Tyr Leu Leu Ala Ser Ala Ala
 50 55 60
 Ala Phe Tyr Tyr Val Phe Glu Ile Ser Glu Thr Tyr Asn Arg Leu
 65 70 75
 Ala Leu Glu His Ile Gln Gln His Pro Glu Glu Pro Leu Glu Gly
 80 85 90
 Thr Thr Trp Thr His Ser Leu Lys Ala Gln Leu Leu Ser Leu Pro
 95 100 105
 Phe Trp Val Trp Thr Val Ile Phe Leu Val Pro Tyr Leu Gln Met
 110 115 120
 Phe Leu Phe Leu Tyr Ser Cys Thr Arg Ala Asp Pro Lys Thr Val
 125 130 135
 Gly Tyr Cys Ile Ile Pro Ile Cys Leu Ala Val Ile Cys Asn Arg
 140 145 150
 His Gln Ala Phe Val Lys Ala Ser Asn Gln Ile Ser Arg Leu Gln
 155 160 165
 Leu Ile Asp Thr

WO 99/57144

PCT/US99/09935

<210> 52
<211> 359
<212> PRT
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 1448258CD1

<400> 52
Met Gly Pro Thr Lys Phe Thr Gln Thr Asn Ile Gly Ile Ile Glu
1 5 10 15
Asn Lys Leu Leu Glu Ala Pro Asp Val Leu Cys Leu Arg Leu Ser
20 25 30
Thr Glu Gln Cys Gln Ala His Glu Glu Lys Gly Ile Glu Glu Leu
35 40 45
Ser Asp Pro Ser Gly Pro Lys Ser Tyr Ser Ile Thr Glu Lys His
50 55 60
Tyr Ala Gln Glu Asp Pro Arg Met Leu Phe Val Ala Ala Val Asp
65 70 75
His Ser Ser Ser Gly Asp Met Ser Leu Leu Pro Ser Ser Asp Pro
80 85 90
Lys Phe Gln Gly Leu Gly Val Val Glu Ser Ala Val Thr Ala Asn
95 100 105
Asn Thr Glu Glu Ser Leu Phe Arg Ile Cys Ser Pro Leu Ser Gly
110 115 120
Ala Asn Glu Tyr Ile Ala Ser Thr Asp Thr Leu Lys Thr Glu Glu
125 130 135
Val Leu Leu Phe Thr Asp Gln Thr Asp Asp Leu Ala Lys Glu Glu
140 145 150
Pro Thr Ser Leu Phe Gln Arg Asp Ser Glu Thr Lys Gly Glu Ser
155 160 165
Gly Leu Val Leu Glu Gly Asp Lys Glu Ile His Gln Ile Phe Glu
170 175 180
Asp Leu Asp Lys Lys Leu Ala Leu Ala Ser Arg Phe Tyr Ile Pro
185 190 195
Glu Gly Cys Ile Gln Arg Trp Ala Ala Glu Met Val Val Ala Leu
200 205 210
Asp Ala Leu His Arg Glu Gly Ile Val Cys Arg Asp Leu Asn Pro
215 220 225
Asn Asn Ile Leu Leu Asn Asp Arg Gly His Ile Gln Leu Thr Tyr
230 235 240
Phe Ser Arg Trp Ser Glu Val Glu Asp Ser Cys Asp Ser Asp Ala
245 250 255
Ile Glu Arg Met Tyr Cys Ala Pro Glu Val Gly Ala Ile Thr Glu
260 265 270
Glu Thr Glu Ala Cys Asp Trp Trp Ser Leu Gly Ala Val Leu Phe
275 280 285
Glu Leu Leu Thr Gly Lys Thr Leu Val Glu Cys His Pro Ala Gly
290 295 300
Ile Asn Thr His Thr Thr Leu Asn Met Pro Glu Cys Val Ser Glu
305 310 315
Glu Ala Arg Ser Leu Ile Gln Gln Leu Leu Gln Phe Asn Pro Leu
320 325 330
Glu Arg Leu Gly Ala Gly Val Ala Gly Val Glu Asp Ile Lys Ser
335 340 345
His Pro Phe Phe Thr Pro Val Asp Trp Ala Glu Leu Met Arg
350 355

<210> 53
<211> 545

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1645941CD1

<400> 53

```

Met Ser Arg Lys Gln Asn Gln Lys Asp Ser Ser Gly Phe Ile Phe
 1          5          10          15
Asp Leu Gln Ser Asn Thr Val Leu Ala Gln Gly Gly Ala Phe Glu
 20          25          30
Asn Met Lys Glu Lys Ile Asn Ala Val Arg Ala Ile Val Pro Asn
 35          40          45
Lys Ser Asn Asn Glu Ile Ile Leu Val Leu Gln His Phe Asp Asn
 50          55          60
Cys Val Asp Lys Thr Val Gln Ala Phe Met Glu Gly Ser Ala Ser
 65          70          75
Glu Val Leu Lys Glu Trp Thr Val Thr Gly Lys Lys Lys Asn Lys
 80          85          90
Lys Lys Lys Asn Lys Pro Lys Pro Ala Ala Glu Pro Ser Asn Gly
 95          100          105
Ile Pro Asp Ser Ser Lys Ser Val Ser Ile Gln Glu Glu Gln Ser
 110          115          120
Ala Pro Ser Ser Glu Lys Gly Gly Met Asn Gly Tyr His Val Asn
 125          130          135
Gly Ala Ile Asn Asp Thr Glu Ser Val Asp Ser Leu Ser Glu Gly
 140          145          150
Leu Glu Thr Leu Ser Ile Asp Ala Arg Glu Leu Glu Asp Pro Glu
 155          160          165
Ser Ala Met Leu Asp Thr Leu Asp Arg Thr Gly Ser Met Leu Gln
 170          175          180
Asn Gly Val Ser Asp Phe Glu Thr Lys Ser Leu Thr Met His Ser
 185          190          195
Ile His Asn Ser Gln Gln Pro Arg Asn Ala Lys Ser Leu Ser
 200          205          210
Arg Pro Thr Thr Glu Thr Gln Phe Ser Asn Met Gly Met Glu Asp
 215          220          225
Val Pro Leu Ala Thr Ser Lys Lys Leu Ser Ser Asn Ile Glu Lys
 230          235          240
Ser Val Lys Asp Leu Gln Arg Cys Thr Val Ser Leu Ala Arg Tyr
 245          250          255
Arg Val Val Val Lys Glu Glu Met Asp Ala Ser Ile Lys Lys Met
 260          265          270
Lys Gln Ala Phe Ala Glu Leu Glu Ser Cys Leu Met Asp Arg Glu
 275          280          285
Val Ala Leu Leu Ala Glu Met Asp Lys Val Lys Ala Glu Ala Met
 290          295          300
Glu Ile Leu Leu Ser Arg Gln Lys Lys Ala Glu Leu Leu Lys Lys
 305          310          315
Met Thr His Val Ala Val Gln Met Ser Glu Gln Gln Leu Val Glu
 320          325          330
Leu Arg Ala Asp Ile Lys His Phe Val Ser Glu Arg Lys Tyr Asp
 335          340          345
Glu Asp Leu Gly Arg Val Ala Arg Phe Thr Cys Asp Val Glu Thr
 350          355          360
Leu Lys Lys Ser Ile Asp Ser Phe Gly Gln Val Ser His Pro Lys
 365          370          375
Asn Ser Tyr Ser Thr Arg Ser Arg Cys Ser Ser Val Thr Ser Val
 380          385          390
Ser Leu Ser Ser Pro Ser Asp Ala Ser Ala Ala Ser Ser Ser Thr
 395          400          405
Cys Ala Ser Pro Ser Leu Thr Ser Ala Asn Lys Lys Asn Phe
 410          415          420

```

```

Ala Pro Gly Glu Thr Pro Ala Ala Ile Ala Asn Ser Ser Gly Gln
      425                      430                      435
Pro Tyr Gln Pro Leu Arg Glu Val Leu Pro Gly Asn Arg Arg Gly
      440                      445                      450
Gly Gln Gly Tyr Arg Pro Gln Gly Gln Lys Ser Asn Asp Pro Met
      455                      460                      465
Asn Gln Gly Arg His Asp Ser Met Gly Arg Tyr Arg Asn Ser Ser
      470                      475                      480
Trp Tyr Ser Ser Gly Ser Arg Tyr Gln Ser Ala Pro Ser Gln Ala
      485                      490                      495
Pro Gly Asn Thr Ile Glu Arg Gly Gln Thr His Ser Ala Gly Thr
      500                      505                      510
Asn Gly Thr Gly Val Ser Met Glu Pro Ser Pro Pro Thr Pro Ser
      515                      520                      525
Phe Lys Lys Gly Leu Pro Gln Arg Lys Pro Arg Thr Ser Gln Thr
      530                      535                      540
Glu Ala Val Asn Ser
      545

```

```

<210> 54
<211> 99
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte clone 1646005CD1

```

```

<400> 54
Met Asn Trp Val Ala Val Leu Cys Pro Leu Gly Ile Val Trp Met
  1          5          10          15
Val Gly Asp Gln Pro Pro Gln Val Leu Ser Gln Ala Ser Ser Leu
      20          25          30
Ala Val Tyr Leu Arg Ala Ala Pro Tyr Pro Asp Val Thr Ala Lys
      35          40          45
Lys Leu Arg His Asp Thr Asn Cys Gly Phe Pro Arg Gln Gln Arg
      50          55          60
Met Ala Arg Gly His Glu Gly Arg Ala Pro Leu Leu Asp Arg Pro
      65          70          75
Thr Leu Lys Ser Arg Tyr Leu Arg Ala Asn His Lys Ile Asn Thr
      80          85          90
Phe Glu Glu Ile Thr Ala Met Pro Ser
      95

```

```

<210> 55
<211> 565
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte clone 1686561CD1

```

```

<400> 55
Met Asn Arg Ser Ile Pro Val Glu Val Asp Glu Ser Glu Pro Tyr
  1          5          10          15
Pro Ser Gln Leu Leu Lys Pro Ile Pro Glu Tyr Ser Pro Glu Glu
      20          25          30
Glu Ser Glu Pro Pro Ala Pro Asn Ile Arg Asn Met Ala Pro Asn
      35          40          45
Ser Leu Ser Ala Pro Thr Met Leu His Asn Ser Ser Gly Asp Phe
      50          55          60

```

Ser	Gln	Ala	His	Ser	Thr	Leu	Lys	Leu	Ala	Asn	His	Gln	Arg	Pro
				65					70					75
Val	Ser	Arg	Gln	Val	Thr	Cys	Leu	Arg	Thr	Gln	Val	Leu	Glu	Asp
				80					85					90
Ser	Glu	Asp	Ser	Phe	Cys	Arg	Arg	His	Pro	Gly	Leu	Gly	Lys	Ala
				95					100					105
Phe	Pro	Ser	Gly	Cys	Ser	Ala	Val	Ser	Glu	Pro	Ala	Ser	Glu	Ser
				110					115					120
Val	Val	Gly	Ala	Leu	Pro	Ala	Glu	His	Gln	Phe	Ser	Phe	Met	Glu
				125					130					135
Lys	Arg	Asn	Gln	Trp	Leu	Val	Ser	Gln	Leu	Ser	Ala	Ala	Ser	Pro
				140					145					150
Asp	Thr	Gly	His	Asp	Ser	Asp	Lys	Ser	Asp	Gln	Ser	Leu	Pro	Asn
				155					160					165
Ala	Ser	Ala	Asp	Ser	Leu	Gly	Gly	Ser	Gln	Glu	Met	Val	Gln	Arg
				170					175					180
Pro	Gln	Pro	His	Arg	Asn	Arg	Ala	Gly	Leu	Asp	Leu	Pro	Thr	Ile
				185					190					195
Asp	Thr	Gly	Tyr	Asp	Ser	Gln	Pro	Gln	Asp	Val	Leu	Gly	Ile	Arg
				200					205					210
Gln	Leu	Glu	Arg	Pro	Leu	Pro	Leu	Thr	Ser	Val	Cys	Tyr	Pro	Gln
				215					220					225
Asp	Leu	Pro	Arg	Pro	Leu	Arg	Ser	Arg	Glu	Phe	Pro	Gln	Phe	Glu
				230					235					240
Pro	Gln	Arg	Tyr	Pro	Ala	Cys	Ala	Gln	Met	Leu	Pro	Pro	Asn	Leu
				245					250					255
Ser	Pro	His	Ala	Pro	Trp	Asn	Tyr	His	Tyr	His	Cys	Pro	Gly	Ser
				260					265					270
Pro	Asp	His	Gln	Val	Pro	Tyr	Gly	His	Asp	Tyr	Pro	Arg	Ala	Ala
				275					280					285
Tyr	Gln	Gln	Val	Ile	Gln	Pro	Ala	Leu	Pro	Gly	Gln	Pro	Leu	Pro
				290					295					300
Gly	Ala	Ser	Val	Arg	Gly	Leu	His	Pro	Val	Gln	Lys	Val	Ile	Leu
				305					310					315
Asn	Tyr	Pro	Ser	Pro	Trp	Asp	Gln	Glu	Glu	Arg	Pro	Ala	Gln	Arg
				320					325					330
Asp	Cys	Ser	Phe	Pro	Gly	Leu	Pro	Arg	His	Gln	Asp	Gln	Pro	His
				335					340					345
His	Gln	Pro	Pro	Asn	Arg	Ala	Gly	Ala	Pro	Gly	Glu	Ser	Leu	Glu
				350					355					360
Cys	Pro	Ala	Glu	Leu	Arg	Pro	Gln	Val	Pro	Gln	Pro	Pro	Ser	Pro
				365					370					375
Ala	Ala	Val	Pro	Arg	Pro	Pro	Ser	Asn	Pro	Pro	Ala	Arg	Gly	Thr
				380					385					390
Leu	Lys	Thr	Ser	Asn	Leu	Pro	Glu	Glu	Leu	Arg	Lys	Val	Phe	Ile
				395					400					405
Thr	Tyr	Ser	Met	Asp	Thr	Ala	Met	Glu	Val	Val	Lys	Phe	Val	Asn
				410					415					420
Phe	Leu	Leu	Val	Asn	Gly	Phe	Gln	Thr	Ala	Ile	Asp	Ile	Phe	Glu
				425					430					435
Asp	Arg	Ile	Arg	Gly	Ile	Asp	Ile	Ile	Lys	Trp	Met	Glu	Arg	Tyr
				440					445					450
Leu	Arg	Asp	Lys	Thr	Val	Met	Ile	Ile	Val	Ala	Ile	Ser	Pro	Lys
				455					460					465
Tyr	Lys	Gln	Asp	Val	Glu	Gly	Ala	Glu	Ser	Gln	Leu	Asp	Glu	Asp
				470					475					480
Glu	His	Gly	Leu	His	Thr	Lys	Tyr	Ile	His	Arg	Met	Met	Gln	Ile
				485					490					495
Glu	Phe	Ile	Lys	Gln	Gly	Ser	Met	Asn	Phe	Arg	Phe	Ile	Pro	Val
				500					505					510
Leu	Phe	Pro	Asn	Ala	Lys	Lys	Glu	His	Val	Pro	Thr	Trp	Leu	Gln
				515					520					525
Asn	Thr	His	Val	Tyr	Ser	Trp	Pro	Lys	Asn	Lys	Lys	Asn	Ile	Leu
				530					535					540

Leu Arg Leu Leu Arg Glu Glu Glu Tyr Val Ala Pro Pro Arg Gly
 545 550 555
 Pro Leu Pro Thr Leu Gln Val Val Pro Leu
 560 565

<210> 56

<211> 197

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1821233CD1

<400> 56

Met Thr Pro Thr Ser Ser Phe Val Ser Pro Pro Pro Pro Thr Ala
 1 5 10 15
 Ser Pro His Ser Asn Arg Thr Thr Pro Pro Glu Ala Ala Gln Asn
 20 25 30
 Gly Gln Ser Pro Met Ala Ala Leu Ile Leu Val Ala Asp Asn Ala
 35 40 45
 Gly Gly Ser His Ala Ser Lys Asp Ala Asn Gln Val His Ser Thr
 50 55 60
 Thr Arg Arg Asn Ser Asn Ser Pro Pro Ser Pro Ser Ser Met Asn
 65 70 75
 Gln Arg Arg Leu Gly Pro Arg Glu Val Gly Gly Gln Gly Ala Gly
 80 85 90
 Asn Thr Gly Gly Leu Glu Pro Val His Pro Ala Ser Leu Pro Asp
 95 100 105
 Ser Ser Leu Ala Thr Ser Ala Pro Leu Cys Cys Thr Leu Cys His
 110 115 120
 Glu Arg Leu Glu Asp Thr His Phe Val Gln Cys Pro Ser Val Pro
 125 130 135
 Ser His Lys Phe Cys Phe Pro Cys Ser Arg Gln Ser Ile Lys Gln
 140 145 150
 Gln Gly Ala Ser Gly Glu Val Tyr Cys Pro Ser Gly Glu Lys Cys
 155 160 165
 Pro Leu Val Gly Ser Asn Val Pro Trp Ala Phe Met Gln Gly Glu
 170 175 180
 Ile Ala Thr Ile Leu Ala Gly Asp Val Lys Val Lys Lys Glu Arg
 185 190 195
 Asp Ser

<210> 57

<211> 321

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1877278CD1

<400> 57

Met Lys Glu Asp Cys Leu Pro Ser Ser His Val Pro Ile Ser Asp
 1 5 10 15
 Ser Lys Ser Ile Gln Lys Ser Glu Leu Leu Gly Leu Leu Lys Thr
 20 25 30
 Tyr Asn Cys Tyr His Glu Gly Lys Ser Phe Gln Leu Arg His Arg
 35 40 45

Glu Glu Glu Gly Thr Leu Ile Ile Glu Gly Leu Leu Asn Ile Ala
 50 55 60
 Trp Gly Leu Arg Arg Pro Ile Arg Leu Gln Met Gln Asp Asp Arg
 65 70 75
 Glu Gln Val His Leu Pro Ser Thr Ser Trp Met Pro Arg Arg Pro
 80 85 90
 Ser Cys Pro Leu Lys Glu Pro Ser Pro Gln Asn Gly Asn Ile Thr
 95 100 105
 Ala Gln Gly Pro Ser Ile Gln Pro Val His Lys Ala Glu Ser Ser
 110 115 120
 Thr Asp Ser Ser Gly Pro Leu Glu Glu Ala Glu Glu Ala Pro Gln
 125 130 135
 Leu Met Arg Thr Lys Ser Asp Ala Ser Cys Met Ser Gln Arg Arg
 140 145 150
 Pro Lys Cys Arg Ala Pro Gly Glu Ala Gln Arg Ile Arg Arg His
 155 160 165
 Arg Phe Ser Ile Asn Gly His Phe Tyr Asn His Lys Thr Ser Val
 170 175 180
 Phe Thr Pro Ala Tyr Gly Ser Val Thr Asn Val Arg Val Asn Ser
 185 190 195
 Thr Met Thr Thr Leu Gln Val Leu Thr Leu Leu Asn Lys Phe
 200 205 210
 Arg Val Glu Asp Gly Pro Ser Glu Phe Ala Leu Tyr Ile Val His
 215 220 225
 Glu Ser Gly Glu Arg Thr Lys Leu Lys Asp Cys Glu Tyr Pro Leu
 230 235 240
 Ile Ser Arg Ile Leu His Gly Pro Cys Glu Lys Ile Ala Arg Ile
 245 250 255
 Phe Leu Met Glu Ala Asp Leu Gly Val Glu Val Pro His Glu Val
 260 265 270
 Ala Gln Tyr Ile Lys Phe Glu Met Pro Val Leu Asp Ser Phe Val
 275 280 285
 Glu Lys Leu Lys Glu Glu Glu Glu Arg Glu Ile Ile Lys Leu Thr
 290 295 300
 Met Lys Phe Gln Ala Leu Arg Leu Thr Met Leu Gln Arg Leu Glu
 305 310 315
 Gln Leu Val Glu Ala Lys
 320

<210> 58

<211> 356

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1880692CD1

<400> 58

Met Glu Trp Leu Lys Ser Thr Asp Tyr Gly Lys Tyr Glu Gly Leu
 1 5 10 15
 Thr Lys Asn Tyr Met Asp Tyr Leu Ser Arg Leu Tyr Glu Arg Glu
 20 25 30
 Ile Lys Asp Phe Phe Glu Val Ala Lys Ile Lys Met Thr Gly Thr
 35 40 45
 Thr Lys Glu Ser Lys Lys Phe Gly Leu His Gly Ser Ser Gly Lys
 50 55 60
 Leu Thr Gly Ser Thr Ser Ser Leu Asn Lys Leu Ser Val Gln Ser
 65 70 75
 Ser Gly Asn Arg Arg Ser Gln Ser Ser Ser Leu Leu Asp Met Gly
 80 85 90
 Asn Met Ser Ala Ser Asp Leu Asp Val Ala Asp Arg Thr Lys Phe
 95 100 105

```

Asp Lys Ile Phe Glu Gln Val Leu Ser Glu Leu Glu Pro Leu Cys
110 115 120
Leu Ala Glu Gln Asp Phe Ile Ser Lys Phe Phe Lys Leu Gln Gln
125 130 135
His Gln Ser Met Pro Gly Thr Met Ala Glu Ala Glu Asp Leu Asp
140 145 150
Gly Gly Thr Leu Ser Arg Gln His Asn Cys Gly Thr Pro Leu Pro
155 160 165
Val Ser Ser Glu Lys Asp Met Ile Arg Gln Met Met Ile Lys Ile
170 175 180
Phe Arg Cys Ile Glu Pro Glu Leu Asn Asn Leu Ile Ala Leu Gly
185 190 195
Asp Lys Ile Asp Ser Phe Asn Ser Leu Tyr Met Leu Val Lys Met
200 205 210
Ser His His Val Trp Thr Ala Gln Asn Val Asp Pro Ala Ser Phe
215 220 225
Leu Ser Thr Thr Leu Gly Asn Val Leu Val Thr Val Lys Arg Asn
230 235 240
Phe Asp Lys Cys Ile Ser Asn Gln Ile Arg Gln Met Glu Glu Val
245 250 255
Lys Ile Ser Lys Lys Ser Lys Val Gly Ile Leu Pro Phe Val Ala
260 265 270
Glu Phe Glu Glu Phe Ala Gly Leu Ala Glu Ser Ile Phe Lys Asn
275 280 285
Ala Glu Arg Arg Gly Asp Leu Asp Lys Ala Tyr Thr Lys Leu Ile
290 295 300
Arg Gly Val Phe Val Asn Val Glu Lys Val Ala Asn Glu Ser Gln
305 310 315
Lys Thr Pro Arg Asp Val Val Met Met Glu Asn Phe His His Ile
320 325 330
Phe Ala Thr Leu Ser Arg Leu Lys Ile Ser Cys Leu Glu Ala Glu
335 340 345
Lys Lys Glu Ala Ala Ile Asn His Lys Phe Phe
350 355

```

<210> 59

<211> 299

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2280456CD1

<400> 59

```

Met Glu Glu Leu Leu Pro Asp Gly Gln Ile Trp Ala Asn Met Asp
1 5 10 15
Pro Glu Glu Arg Met Leu Ala Ala Ala Thr Ala Phe Thr His Ile
20 25 30
Cys Ala Gly Gln Gly Glu Gly Asp Val Arg Arg Glu Ala Gln Ser
35 40 45
Ile Gln Tyr Asp Pro Tyr Ser Lys Ala Ser Val Ala Pro Gly Lys
50 55 60
Arg Pro Ala Leu Pro Val Gln Leu Gln Tyr Pro His Val Glu Ser
65 70 75
Asn Val Pro Ser Glu Thr Val Ser Glu Ala Ser Gln Arg Leu Arg
80 85 90
Lys Pro Val Met Lys Arg Lys Val Leu Arg Arg Lys Pro Asp Gly
95 100 105
Glu Val Leu Val Thr Asp Glu Ser Ile Ile Ser Glu Ser Glu Ser
110 115 120
Gly Thr Glu Asn Asp Gln Asp Leu Trp Asp Leu Arg Gln Arg Leu
125 130 135

```

```

Met Asn Val Gln Phe Gln Glu Asp Lys Glu Ser Ser Phe Asp Val
140 145 150
Ser Gln Lys Phe Asn Leu Pro His Glu Tyr Gln Gly Ile Ser Gln
155 160 165
Asp Gln Leu Ile Cys Ser Leu Gln Arg Glu Gly Met Gly Ser Pro
170 175 180
Ala Tyr Glu Gln Asp Leu Ile Val Ala Ser Arg Pro Lys Ser Phe
185 190 195
Ile Leu Pro Lys Leu Asp Gln Leu Ser Arg Asn Arg Gly Lys Thr
200 205 210
Asp Arg Val Ala Arg Tyr Phe Glu Tyr Lys Arg Asp Trp Asp Ser
215 220 225
Ile Arg Leu Pro Gly Glu Asp His Arg Lys Glu Leu Arg Trp Gly
230 235 240
Val Arg Glu Gln Met Leu Cys Arg Ala Glu Pro Gln Ser Lys Pro
245 250 255
Gln His Ile Tyr Val Pro Asn Asn Tyr Leu Val Pro Thr Glu Lys
260 265 270
Lys Arg Ser Ala Leu Arg Trp Gly Val Arg Cys Asp Leu Ala Asn
275 280 285
Gly Val Ile Pro Arg Lys Leu Pro Phe Pro Leu Ser Pro Ser
290 295

```

<210> 60

<211> 293

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2284580CD1

<400> 60

```

Met Ala Thr Phe Ser Gly Pro Ala Gly Pro Ile Leu Ser Leu Asn
1 5 10 15
Pro Gln Glu Asp Val Glu Phe Gln Lys Glu Val Ala Gln Val Arg
20 25 30
Lys Arg Ile Thr Gln Arg Lys Lys Gln Glu Gln Leu Thr Pro Gly
35 40 45
Val Val Tyr Val Arg His Leu Pro Asn Leu Leu Asp Glu Thr Gln
50 55 60
Ile Phe Ser Tyr Phe Ser Gln Phe Gly Thr Val Thr Arg Phe Arg
65 70 75
Leu Ser Arg Ser Lys Arg Thr Gly Asn Ser Lys Gly Tyr Ala Phe
80 85 90
Val Glu Phe Glu Ser Glu Asp Val Ala Lys Ile Val Ala Glu Thr
95 100 105
Met Asn Asn Tyr Leu Phe Gly Glu Arg Leu Leu Glu Cys His Phe
110 115 120
Met Pro Pro Glu Lys Val His Lys Glu Leu Phe Lys Asp Trp Asn
125 130 135
Ile Pro Phe Lys Gln Pro Ser Tyr Pro Ser Val Lys Arg Tyr Asn
140 145 150
Arg Asn Arg Thr Leu Thr Gln Lys Leu Arg Met Glu Glu Arg Phe
155 160 165
Lys Lys Lys Glu Arg Leu Leu Arg Lys Lys Leu Ala Lys Lys Gly
170 175 180
Ile Asp Tyr Asp Phe Pro Ser Leu Ile Leu Gln Lys Thr Glu Ser
185 190 195
Ile Ser Lys Thr Asn Arg Gln Thr Ser Thr Lys Gly Gln Val Leu
200 205 210

```

```

Arg Lys Lys Lys Lys Lys Val Ser Gly Thr Leu Asp Thr Pro Glu
215 220 225
Lys Thr Val Asp Ser Gln Gly Pro Thr Pro Val Cys Thr Pro Thr
230 235 240
Phe Leu Glu Arg Arg Lys Ser Gln Val Ala Glu Leu Asn Asp Asp
245 250 255
Asp Lys Asp Asp Glu Ile Val Phe Lys Gln Pro Ile Ser Cys Val
260 265 270
Lys Glu Glu Ile Gln Glu Thr Gln Thr Pro Thr His Ser Arg Lys
275 280 285
Lys Arg Arg Arg Ser Ser Asn Gln
290

```

```

<210> 61
<211> 777
<212> PRT
<213> Homo sapiens

```

```

<220>
<221> misc_feature
<223> Incyte clone 2779172CD1

```

```

<400> 61
Met Val Leu Cys His Ser Phe Leu Tyr Arg Ile Leu Thr Val Gln
1 5 10 15
Gln His Gly Phe Phe Phe Gly His Asp Arg Arg Pro Ala Asp Gly
20 25 30
Glu Lys Gln Ala Ala Thr His Val Ser Leu Asp Gln Glu Tyr Asp
35 40 45
Ser Glu Ser Ser Gln Gln Trp Arg Glu Leu Glu Glu Gln Val Val
50 55 60
Ser Val Val Asn Lys Gly Val Ile Pro Ser Asn Phe His Pro Thr
65 70 75
Gln Tyr Cys Leu Asn Ser Tyr Ser Asp Asn Ser Arg Phe Pro Leu
80 85 90
Ala Val Val Glu Glu Pro Ile Thr Val Glu Val Ala Phe Arg Asn
95 100 105
Pro Leu Lys Val Leu Leu Leu Thr Asp Leu Ser Leu Leu Trp
110 115 120
Lys Phe His Pro Lys Asp Phe Ser Gly Lys Asp Asn Glu Glu Val
125 130 135
Lys Gln Leu Val Thr Ser Glu Pro Glu Met Ile Gly Ala Glu Val
140 145 150
Ile Ser Glu Phe Leu Ile Asn Gly Glu Glu Ser Lys Val Ala Arg
155 160 165
Leu Lys Leu Phe Pro His His Ile Gly Glu Leu His Ile Leu Gly
170 175 180
Val Val Tyr Asn Leu Gly Thr Ile Gln Gly Ser Met Thr Val Asp
185 190 195
Gly Ile Gly Ala Leu Pro Gly Cys His Thr Gly Lys Tyr Ser Leu
200 205 210
Ser Met Ser Val Arg Gly Lys Gln Asp Leu Glu Ile Gln Gly Pro
215 220 225
Arg Leu Asn Asn Thr Lys Glu Glu Lys Thr Ser Val Lys Tyr Gly
230 235 240
Pro Asp Arg Arg Leu Asp Pro Ile Ile Thr Glu Glu Met Pro Leu
245 250 255
Leu Glu Val Phe Phe Ile His Phe Pro Thr Gly Leu Leu Cys Gly
260 265 270
Glu Ile Arg Lys Ala Tyr Val Glu Phe Val Asn Val Ser Lys Cys
275 280 285

```

Pro	Leu	Thr	Gly	Leu	Lys	Val	Val	Ser	Lys	Arg	Pro	Glu	Phe	Phe
				290					295					300
Thr	Phe	Gly	Gly	Asn	Thr	Ala	Val	Leu	Thr	Pro	Leu	Ser	Pro	Ser
				305					310					315
Ala	Ser	Glu	Asn	Cys	Ser	Ala	Tyr	Lys	Thr	Val	Val	Thr	Asp	Ala
				320					325					330
Thr	Ser	Val	Cys	Thr	Ala	Leu	Ile	Ser	Ser	Ala	Ser	Ser	Val	Asp
				335					340					345
Phe	Gly	Ile	Gly	Thr	Gly	Ser	Gln	Pro	Glu	Val	Ile	Pro	Val	Pro
				350					355					360
Leu	Pro	Asp	Thr	Val	Leu	Leu	Pro	Gly	Ala	Ser	Val	Gln	Leu	Pro
				365					370					375
Met	Trp	Leu	Arg	Gly	Pro	Asp	Glu	Glu	Gly	Val	His	Glu	Ile	Asn
				380					385					390
Phe	Leu	Phe	Tyr	Tyr	Glu	Ser	Val	Lys	Lys	Gln	Pro	Lys	Ile	Arg
				395					400					405
His	Arg	Ile	Leu	Arg	His	Thr	Ala	Ile	Ile	Cys	Thr	Ser	Arg	Ser
				410					415					420
Leu	Asn	Val	Arg	Ala	Thr	Val	Cys	Arg	Ser	Asn	Ser	Leu	Glu	Asn
				425					430					435
Glu	Glu	Gly	Arg	Gly	Asn	Met	Leu	Val	Val	Phe	Val	Asp	Val	Glu
				440					445					450
Asn	Thr	Asn	Thr	Ser	Glu	Ala	Gly	Val	Lys	Glu	Phe	His	Ile	Val
				455					460					465
Gln	Val	Ser	Ser	Ser	Ser	Lys	His	Trp	Lys	Leu	Gln	Lys	Ser	Val
				470					475					480
Asn	Leu	Ser	Glu	Asn	Lys	Asp	Thr	Lys	Leu	Ala	Ser	Arg	Glu	Lys
				485					490					495
Gly	Lys	Phe	Cys	Phe	Lys	Ala	Ile	Arg	Cys	Glu	Lys	Glu	Glu	Ala
				500					505					510
Ala	Thr	Gln	Ser	Ser	Glu	Lys	Tyr	Thr	Phe	Ala	Asp	Ile	Ile	Phe
				515					520					525
Gly	Asn	Glu	Gln	Ile	Ile	Ser	Ser	Ala	Ser	Pro	Cys	Ala	Asp	Phe
				530					535					540
Phe	Tyr	Arg	Ser	Leu	Ser	Ser	Glu	Leu	Lys	Lys	Pro	Gln	Ala	His
				545					550					555
Leu	Pro	Val	His	Thr	Glu	Lys	Gln	Ser	Thr	Glu	Asp	Ala	Val	Arg
				560					565					570
Leu	Ile	Gln	Lys	Cys	Ser	Glu	Val	Asp	Leu	Asn	Ile	Val	Ile	Leu
				575					580					585
Trp	Lys	Ala	Tyr	Val	Val	Glu	Asp	Ser	Lys	Gln	Leu	Ile	Leu	Glu
				590					595					600
Gly	Gln	His	His	Val	Ile	Leu	Arg	Thr	Ile	Gly	Lys	Glu	Ala	Phe
				605					610					615
Ser	Tyr	Pro	Gln	Lys	Gln	Glu	Pro	Pro	Glu	Met	Glu	Leu	Leu	Lys
				620					625					630
Phe	Phe	Arg	Pro	Glu	Asn	Ile	Thr	Val	Ser	Ser	Arg	Pro	Ser	Val
				635					640					645
Glu	Gln	Leu	Ser	Ser	Leu	Ile	Lys	Thr	Ser	Leu	His	Tyr	Pro	Glu
				650					655					660
Ser	Phe	Asn	His	Pro	Phe	His	Gln	Lys	Ser	Leu	Cys	Leu	Val	Pro
				665					670					675
Val	Thr	Leu	Leu	Leu	Ser	Asn	Cys	Ser	Lys	Ala	Asp	Val	Asp	Val
				680					685					690
Ile	Val	Asp	Leu	Arg	His	Lys	Thr	Thr	Ser	Pro	Glu	Ala	Leu	Glu
				695					700					705
Ile	His	Gly	Ser	Phe	Thr	Trp	Leu	Gly	Gln	Thr	Gln	Tyr	Lys	Leu
				710					715					720
Gln	Leu	Lys	Ser	Gln	Glu	Ile	His	Ser	Leu	Gln	Leu	Lys	Ala	Cys
				725					730					735
Phe	Val	His	Thr	Gly	Val	Tyr	Asn	Leu	Gly	Thr	Pro	Arg	Val	Phe
				740					745					750
Ala	Lys	Leu	Ser	Asp	Gln	Val	Thr	Val	Phe	Glu	Thr	Ser	Gln	Gln
				755					760					765

Asn Ser Met Pro Ala Leu Ile Ile Ile Ser Asn Val
 770 775

<210> 62
 <211> 97
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 3279329CD1

<400> 62
 Met Pro Pro Gly Thr Val Leu Arg Tyr Val Gln Cys Leu Phe Leu
 1 5 10 15
 Asp Leu Cys Ile Cys His Glu Ala Pro Cys Gly Leu Cys Met Lys
 20 25 30
 Leu Leu Leu Cys Phe Trp Val Asn Arg Cys Ala Cys Gln Leu Ala
 35 40 45
 Cys Val Leu Ser Lys Phe His Lys Leu Lys Val Phe Lys Gly Cys
 50 55 60
 Val Val Ser Glu Leu Tyr Val Ser Phe Leu Ser Leu Tyr Leu Gln
 65 70 75
 Arg Val Arg Asn Glu Ile Tyr Thr Ser Lys Val Ser Leu Ile Asn
 80 85 90
 Met Ala Phe Cys Phe Ser Met
 95

<210> 63
 <211> 308
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 3340290CD1

<400> 63
 Met Ser Val Ser Gly Leu Lys Ala Glu Leu Lys Phe Leu Ala Ser
 1 5 10 15
 Ile Phe Asp Lys Asn His Glu Arg Phe Arg Ile Val Ser Trp Lys
 20 25 30
 Leu Asp Glu Leu His Cys Gln Phe Leu Val Pro Gln Gln Gly Ser
 35 40 45
 Pro His Ser Leu Pro Pro Pro Leu Thr Leu His Cys Asn Ile Thr
 50 55 60
 Glu Ser Tyr Pro Ser Ser Ser Pro Ile Trp Phe Val Asp Ser Glu
 65 70 75
 Asp Pro Asn Leu Thr Ser Val Leu Glu Arg Leu Glu Asp Thr Lys
 80 85 90
 Asn Asn Asn Leu Asn Gly Thr Thr Glu Glu Val Thr Ser Glu Glu
 95 100 105
 Glu Glu Glu Glu Glu Glu Met Ala Glu Asp Ile Glu Asp Leu Asp
 110 115 120
 His Tyr Glu Met Lys Glu Glu Glu Pro Ile Ser Gly Lys Lys Ser
 125 130 135
 Glu Asp Glu Gly Ile Glu Lys Glu Asn Leu Ala Ile Leu Glu Lys
 140 145 150
 Ile Arg Lys Thr Gln Arg Gln Asp His Leu Asn Gly Ala Val Ser
 155 160 165

```

Gly Ser Val Gln Ala Ser Asp Arg Leu Met Lys Glu Leu Arg Asp
170 175 180
Ile Tyr Arg Ser Gln Ser Tyr Lys Thr Gly Ile Tyr Ser Val Glu
185 190 195
Leu Ile Asn Asp Ser Leu Tyr Asp Trp His Val Lys Leu Gln Lys
200 205 210
Val Asp Pro Asp Ser Pro Leu His Ser Asp Leu Gln Ile Leu Lys
215 220 225
Glu Lys Glu Gly Ile Glu Tyr Ile Leu Leu Asn Phe Ser Phe Lys
230 235 240
Asp Asn Phe Pro Phe Asp Pro Pro Phe Val Arg Val Val Leu Pro
245 250 255
Val Leu Ser Gly Gly Tyr Val Leu Gly Gly Gly Ala Leu Cys Met
260 265 270
Glu Leu Leu Thr Lys Gln Asn Gln Tyr Asn Leu Ala Arg Ala Gln
275 280 285
Gln Ser Tyr Asn Ser Ile Val Gln Ile His Glu Lys Asn Gly Trp
290 295 300
Tyr Thr Pro Pro Lys Glu Asp Gly
305

```

<210> 64

<211> 290

<212> PRT

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 3376404CD1

<400> 64

```

Met Arg Arg Pro Ala Ala Val Pro Leu Leu Leu Leu Cys Phe
1 5 10 15
Gly Ser Gln Arg Ala Lys Ala Ala Thr Ala Cys Gly Arg Pro Arg
20 25 30
Met Leu Asn Arg Met Val Gly Gly Gln Asp Thr Gln Glu Gly Glu
35 40 45
Trp Pro Trp Gln Val Ser Ile Gln Arg Asn Gly Ser His Phe Cys
50 55 60
Gly Gly Ser Leu Ile Ala Glu Gln Trp Val Leu Thr Ala Ala His
65 70 75
Cys Phe Arg Asn Thr Ser Glu Thr Ser Leu Tyr Gln Val Leu Leu
80 85 90
Gly Ala Arg Gln Leu Val Gln Pro Gly Pro His Ala Met Tyr Ala
95 100 105
Arg Val Arg Gln Val Glu Ser Asn Pro Leu Tyr Gln Gly Thr Ala
110 115 120
Ser Ser Ala Asp Val Ala Leu Val Glu Leu Glu Ala Pro Val Pro
125 130 135
Phe Thr Asn Tyr Ile Leu Pro Val Cys Leu Pro Asp Pro Ser Val
140 145 150
Ile Phe Glu Thr Gly Met Asn Cys Trp Val Thr Gly Trp Gly Ser
155 160 165
Pro Ser Glu Glu Asp Leu Leu Pro Glu Pro Arg Ile Leu Gln Lys
170 175 180
Leu Ala Val Pro Ile Ile Asp Thr Pro Lys Cys Asn Leu Leu Tyr
185 190 195
Ser Lys Asp Thr Glu Phe Gly Tyr Gln Pro Lys Thr Ile Lys Asn
200 205 210
Asp Met Leu Cys Ala Gly Phe Glu Glu Gly Lys Lys Asp Ala Cys
215 220 225
Lys Gly Asp Ser Gly Gly Pro Leu Val Cys Leu Val Gly Gln Ser
230 235 240

```

Trp	Leu	Gln	Ala	Gly	Val	Ile	Ser	Trp	Gly	Glu	Gly	Cys	Ala	Arg	
				245					250					255	
Gln	Asn	Arg	Pro	Gly	Val	Tyr	Ile	Arg	Val	Thr	Ala	His	His	Asn	
				260					265					270	
Trp	Ile	His	Arg	Ile	Ile	Pro	Lys	Leu	Gln	Phe	Gln	Pro	Ala	Arg	
				275					280					285	
Leu	Gly	Gly	Gln	Lys											
				290											

<210> 65
 <211> 198
 <212> PRT
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 4173111CD1

Met	Glu	Met	Ser	Gly	Leu	Ser	Phe	Ser	Glu	Met	Glu	Gly	Cys	Arg	
1				5					10					15	
Asn	Leu	Leu	Gly	Leu	Leu	Asp	Asn	Asp	Glu	Ile	Met	Ala	Leu	Cys	
				20					25					30	
Asp	Thr	Val	Thr	Asn	Arg	Leu	Val	Gln	Pro	Gln	Asp	Arg	Gln	Asp	
				35					40					45	
Ala	Val	His	Ala	Ile	Leu	Ala	Tyr	Ser	Gln	Ser	Ala	Glu	Glu	Leu	
				50					55					60	
Leu	Arg	Arg	Arg	Lys	Val	His	Arg	Glu	Val	Ile	Phe	Lys	Tyr	Leu	
				65					70					75	
Ala	Thr	Gln	Gly	Ile	Val	Ile	Pro	Pro	Ala	Thr	Glu	Lys	His	Asn	
				80					85					90	
Leu	Ile	Gln	His	Ala	Lys	Asp	Tyr	Trp	Gln	Lys	Gln	Pro	Gln	Leu	
				95					100					105	
Lys	Leu	Lys	Glu	Thr	Pro	Glu	Pro	Val	Thr	Lys	Thr	Glu	Asp	Ile	
				110					115					120	
His	Leu	Phe	Gln	Gln	Gln	Val	Lys	Glu	Asp	Lys	Lys	Ala	Glu	Lys	
				125					130					135	
Val	Asp	Phe	Arg	Arg	Leu	Gly	Glu	Glu	Phe	Cys	His	Trp	Phe	Phe	
				140					145					150	
Gly	Leu	Leu	Asn	Ser	Gln	Asn	Pro	Phe	Leu	Gly	Pro	Pro	Gln	Asp	
				155					160					165	
Glu	Trp	Gly	Pro	Gln	His	Phe	Trp	His	Asp	Val	Lys	Leu	Arg	Phe	
				170					175					180	
Tyr	Tyr	Asn	Thr	Ser	Glu	Gln	Asn	Val	Met	Gly	Leu	Thr	Met	Glu	
				185					190					195	
Pro	Glu	Ser													

<210> 66
 <211> 789
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 001106CB1

<400> 66
 atatatacgt atatacccct cttgcccttg aaggccggaa gtcggtctta cagataaaaag 60
 cgaaacagga agtcccgcgc ctctatggaa agtaaatggt agctcgggaag ggtcaaaaaga 120
 gtccgcggtt tcgcccgcgtg agttgctttt tgcggctggg gaggtctacg cttctagagc 180


```

ttgagccagc ggggcgaccc tgcagtggca ggactcggca ccgcgccctc caccgccggt 240
tgggtggcctg cgtgacagtt tcttcccgtc gacatcgaaa ggaagccgga cgtgggagg 300
cagagagctt catcgagta ggaatggcag ccccatctat gaaggaaaga caggtctgct 360
ggggggcccg ggaatgagta tggaaagtgt tagatgagaa cttagaggat gcttctcaat 420
gcaagaagtt aagaagctct ttcgaatcaa gttgtcccca acagtggata aaatattttg 480
ataaaagaag agactactta aaattcaaaag aaaaatttga agcaggacaa tttgagcctt 540
cagaacaac tgcaaaatcc taggctgttc ataaagattg aaagtattct ttctggacat 600
tgaaaaagct ccactgacta tggaaacagta atagtttgaa tcatagttaa catcaatact 660
tgttccctat atacgacact tgataattaa gatgatcaag aaccagaaga tctgtgaaga 720
aatgaaataa aatggtattt agtaagaaat ctctatttta agaaaaaag taaaacctgt 780
tataaaca

```

<210> 67

<211> 1117

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 004586CB1

<400> 67

```

gccagagcgc ttcggccttc ccgacctctc cccggagccc cgggcctccc cggctgcttc 60
cctgagtcct tcttctctc gccagagccc gagcgccct cggagaccct cggctttccc 120
cgtccgctct cccggaggca gcgcggggct ataggacgaa gttatacgga agcgtctcct 180
cattgatgga gatggtgctg gagatgatcg gagaattaat ctgctagtga agagtctcat 240
taaatggtgc aactctgggt cccagggaaga gggatatagc cagtaccaac gtatgctgag 300
cacgctgtct caatgtgaat tttcaatggg caaaacttta ctagtatatg atatgaatct 360
cagagaaatg gaaaattatg aaaaaattta caaggaaata gaatgtagca tagctggagc 420
acatgaaaaa attgctgagt gcaaaaagca aattcttcaa gcaaaacgaa tacgaaaaaa 480
tcgccaagaa tatgatgctt tggcaaaagt gattcagcac catccagaca ggcagtagac 540
attaaaggaa ctagaggctc tgggaaaaaga attagagcat ctttcacaca ttaaagaaag 600
tgttgaagat aagctggaat tgagacggaa acagtttcat gttcttctta gtaccatcca 660
tgaaacttcag caaacattgg aaaatgatga aaaactctca gaggtagaag aagctcagga 720
agcaagcatg gaaacagatc ctaagccata gacaggctaa ttgcccacca ctcccaggaa 780
tattgaaata gctacatgac cataatgtgt ttaaagtgtg gtatgctctt gagatattta 840
aagttttggc agtaaaatac tctgttttta agtatgaatg tatttcattc atatttcctc 900
tcacaaagga aaatgacttc agtatagatt tgtttttatt aaaatgcatt ttttattctt 960
aagtggtagg aagcaacatc caaaaatgct taataaaatg cttttaagct gcaaaaaaga 1020

```

```

annnaaanga gcantnanng ntggggggcnc cnnngtaaa ananaaaggg gnggnccccc 1080
ggnntanntg aancccatcn nccccggga ttttaatt 1117

```

<210> 68

<211> 1628

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 052927CB1

<400> 68

```

ggcggcgggc acgactgcag ctccggagggt agcggcctgg cgaggggacgg gccggctgcc 60
ctctcggacg gccgcggcgg agggcaaaaa tggcggaggc ttcggcgggc ggggaggact 120
cgggcggcgc tgtagccgac caccggtttt tctgccactt ttgcaagggc gaggtcagcc 180
ccaaactacc ggaatatata tgtcccagat gtgaatcagg ctttattgaa gaagtgcagc 240
atgattccag ttttttaggt ggtggcggca gtcggataga caataccaca acaacacatt 300
ttgcagagct ttggggccat ttggatcaca cgatgttttt tcaagatttt agaccctttc 360
taagttagcag tccactggac caagataata gagccaatga aaggggtcac cagactcaca 420
ctgacttctg gggagcaaga cctccacggt tgccattggg tcggagatac agatctcgag 480
gaagtctctg tcttgacaga tctccagcta ttgaaggaat actacaacac atctttgcag 540

```

```

gattctttgc aaattctgcc attcctggat ctccacaccc ttttctctgg agcgggatgc 600
tgcaccccaa ccctggggac tatgcctggg gtcagacagg gcttgatgcc attgtaaccc 660
agcttttagg acaactggaa aacacaggcc ctccccagc tgacaaggaa aagatcacat 720
ctctccaac agtgacagta actcaggaac aagttgatag gggtttagag tgtccagtat 780
gcaaagaaga ttacacagtt gaagaggaag tccggcagtt accttgcaat cacttctttc 840
acagcagttg tattgtgccg tggctagaac tgcattgacac atgtcctgta ttaggaaga 900
gcttaaatgg tgaggactct actcggcaaa gccagagcac tgaggcctct gcaagcaaca 960
gatttagcaa tgacagtcag ctacatgacc gatggacttt ctgaagctaa agaccacacc 1020
tgaatcaggg ctgtggtaat catcttacca tagctgtaaa ttgtatcaaa acaaaaaatt 1080
agtagatgga tttaggaata tgtaagaaac tcaacacata atataaatgc aatgaatgtt 1140
tttctcttt aaatttaaag ttagtatcta cagatggaat tgtatctaca accaaatgcc 1200
tcttatccct gaattcagag tgataatttt ataagtgtga aacttaatta ttagggctc 1260
ccccgctcg aatagaatta attccttaaa gtctagttag ggtcctgctg tctgtcatgt 1320
tgccctgtaa cggtgtttc cacctccttc tccaacctct accccacat tagtgtat 1380
tactataaaa acagtggaaac cacagcccta aagtcctgct gatataaagt ccttttgtct 1440
taattgtatt taaaaaaaaa nnnnactact ctgntcaca ttagctatga ggcgaggtca 1500
anttcaggtn tctaagacta atgatttttt tttgnttga tcccagagn gcanatcaaa 1560
gnaaaattac agcaagnagg cgaaaagtgg tttncatng nntngcttt nggtattttt 1620
tnatttna 1628

```

<210> 69

<211> 1706

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 082843CB1

<400> 69

```

tgatactgaa ttaaatataa gtggattttt agagtttatt aagcagggga gtggagggga 60
gatgtggcac aaatagaagt atgtaacatt caaacaacag catctaggat ttttgaataa 120
actttcggtt acagttacac aaagggtcac ttcctcccca gcgacacatg ggcctctcaa 180
aggagaggag ggaagtaagtc ccacggtagg gccagtggtt gctccctggg ttttgaatc 240
atttctgcgg agctttcaag gccagaccct gggcttaggg tcgagacttc atagcagtga 300
cagccagacc cagcaagatg gctgcgaccg tgaaaccctg ggcggcgatc cgggtgcgca 360
tcattgagctg agagcgctgg ctgttgcccc ggtggaagga gtagaggccg taggtgaggg 420
cggccgctgt ggcagagca acctatgggt accaccgggt tctcgcggtt ctgcaaacg 480
aactttctct tgaactctc tggattcctg taaacagtgg ggctcagccc ctcaatgact 540
ggaggctctg atggttcaaa ggggacctcc ggaatcacag ggcgggagt cgcctgtcc 600
gggccacagc agcaggagaa aatcgggact ccgacctcag cctcccggtg aaggtcatga 660
aaggggcggg gaaacgaata aattgagcct tgtacgcagg cgcaatgctc gttgcatcct 720
gggagtcgta gtgtcagca cggtagtgct acaaaaaggac tacatttccc caaatgccc 780
caaagccttg tgacgcctt ccggaaggag tttgttacac gaggtctgag agacagaggc 840
agcctgtttg agctgctggg gcggtggtca gcgcgatgcc caaggccaag ggcaaaaccc 900
ggaggcagaa gtttggttac agtgtcaacc gaaagcgtct gaaccggaat gctcgacgga 960
aggcagcgcc gcggtcgaa tgctccaca tccgacatgc ctgggaccac gctaaatcgg 1020
tacggcagaa cctggccgag atgggggttg ctgtggaccc caacagggcg gtgcccctcc 1080
gtaagagaaa ggtgaaggcc atggaggtgg acatagagga gaggcctaaa gagcttgatc 1140
ggaagcccta tgtgctgaat gacctggagg cagaagccag ccttcagaa aagaaaggaa 1200
atactctgtc tcgggacctc attgactatg tacgctacat ggtagagaac cacggggagg 1260
actataaggc catggcccgt gatgagaaga attactatca agatacccca aaacagattc 1320
ggagtaagat caacgtctat aaacgctttt acccagcaga gtggcaagac ttcctcgatt 1380
ctttgcagaa gaggaagatg gaggtggagt gactggttta catcacagct gccccaggct 1440
gaggcgctcc ccggaccagt gaagctggag ccagggtgta aggcaaggag gtgctgtgtg 1500
gctccagagg agctggccag gtcccatgga atcagaagggt tacacacaca cgtgcacact 1560
ccccgctctg gggaaggaac tgttctcaga ggctccaatt tatattcatc tgggggttca 1620
cggaagagcc agaacctgct gttttcaggg tgggtgatgt aaatatagtg tgtacataat 1680
aaagcaataa tattttactt ctctga 1706

```

<210> 70

<211> 1864

<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 322349CB1

<400> 70
catgcgcacg tgggccgtgg gtgtacgcgg cgcacgcggc agtcctgatg gcccgccatg 60
ggttacccgt gctgcccctg ctgtcgctcc tggtcggcgc gtggctcaag ctaggaaatg 120
gacaggctac tagcatggtc caactgcagg gtgggagatt cctgatggga acaaattctc 180
cagacagcag agatggtgaa gggcctgtgc gggaggcgac agtgaaaccc ttgccatcg 240
acatatttcc tgtaccaaac aaagatttca gggattttgt cagggagaaa aagtatcgga 300
cagaagctga gatgttttga tggagctttg tctttgagga ctttgtctct gatgagctga 360
gaaacaaagc caccagacca atgaagtctg tactctggtg gcttccagtg gaaaaggcat 420
tttggaggca gcctgcaggt cctggctctg gcatccgaga gagactggag caccagtggt 480
tacacgtgag ctggaatgac gcccgctgct actgtgcttg gcggggaaaa cgactgcccc 540
cggaggaaag gtgggagttt gccgcccag ggggcttgaa ggggtcaagt taccatggg 600
ggaaactggt ccagccaaac cgcaccaacc tgtggcagg aaagtccccc aaggagagaca 660
aagctgagga tggcttccat ggagtctccc cagtgaatgc ttccccgcc cagaacaact 720
acgggctcta tgacctcctg gggaacgtgt gggagtggac agcatcaccg taccaggtgt 780
ctgagcagga catgcgcgtc ctccgggggg catcctggat cgacacagct gatggctctg 840
ccaatcaccg ggcccggtc accaccagga tgggcaaac tccagattca gcctcagaca 900
acctcggttt ccgtgtgct gcagacgcag gccggccgcc aggggagctg taagcagccg 960
ggtggtgaca aggagaaaag ccttctaggg tcactgtcat tccctggcca tgttgcaaac 1020
agcgcaattc caagctcgag agcttcagcc tcaggaaaga acttccccct ccctgtctcc 1080
catccctctg tggcaggcgc ctctcaccag ggcaggagag gactcagcct cctgtgtttt 1140
ggagaagggg ccaatgtgt gttgacgat gctgggggcc aggtgtttct gttagaggcc 1200
aagtattatt gacacaggat tgcaaacaca caaacaattg gaacagagca ctctgaaagg 1260
ccatttttta agcattttta aatctattct ctccccctt ctccctggat gattcaggaa 1320
gctgacattg ttctctcaag gcagaatttt cctggttctg tttctcagc cagttgctgt 1380
ggaaggagaa tgctttcttt gtggcctcat ctgtggttct gtgtccctct gaaggaaact 1440
agtttccact gtgtaacagg cagacatgta actagggtct ttctctgttg ccaggctag 1500
agtgcactgg tgatcacggc tcaactctagc ctggaattcc tgggcccagg caattctccc 1560
acctcagcct cctgagtagc tgggactaca agtgtgcacc accatgcctg gctaattttt 1620
tgaatttttg tagtgatggg atctcgctct gttgccagg gtggtctcga actcctggcc 1680
tcaagcgatc ctcccacctc gacctcccaa agtgctggga ttacaggtgt gagccacctc 1740
gcctgggccc ccttctccat atgcctccaa aaacatgtcc ctggagagta gcctgctccc 1800
acactgtcac tggatgtcat ggggccaata aaatctcctg caattgtgta tctcaaaaaa 1860
aaaa 1864

<210> 71
<211> 2738
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 397663CB1

<400> 71
aggtaactgc agtaagtcct gcttgccct ggagtcacg cggattttcg aagctggggc 60
tggaagagg ccgctggaca ccacgtccca gtcgtcagcc cacttccctag ctgaacagcg 120
cgaggcggcg gcagcgagcc gggctccacc atggccgcga attattccag taccagtacc 180
cggagagaa atgtcaaaagt taaaaccagc tcccagccag gcttctctga acggctgagc 240
gagacctcgg gtgggatgtt tgtggggctc atggccttcc tgcctcctt ctacctaat 300
ttcaccaatg agggccgcgc attgaagacg gcaacctcat tggctgagg gctctcgctt 360
gtggtgtctc ccgacagcat ccacagtgtg gctccggaga atgaaggaa gctggtgcac 420
atcattggcg ccttacggac atccaagctt ttgtctgac caaactatgg ggtccatctt 480
ccggctgtga aactgcggag gcacgtggag atgtaccaat gggtagaaac tgaggagtcc 540
aggaggtaca ccgaggatgg gcaggtgaag aaggagacga ggtattccta caactgaa 600
tgagggtcag aaatcatcaa cagcaaaaac ttcgaccgag agattggcca caaaaacccc 660
agtgccatgg cagtggagtc attcacggca acagccccct ttgtccaaat tggcaggttt 720

```

ttcctctcgt caggcctcat cgacaaagtc gacaacttca agtccttgag cctatccaag 780
ctggaggacc ctcatgtgga catcattcgc cgtggagact ttttctacca cagcgaaaat 840
cccaagatc cagaggtggg agacttgcgt gtctcctttc ctatgctgga ctgagcggcg 900
atgacctga cctgggccca gctcacgtgg tcactgtgat tgcccggcag cggggtgacc 960
agctagcccc attctccacc aagtctgggg ataccttact gctcctgcac cacggggact 1020
tctcagcaga ggaggtgttt catagagaac taaggagcaa ctccatgaag acctggggcc 1080
tgccggcagc tggctggatg gccatgttca tgggcctcaa ccttatgaca cggtacctct 1140
acaccttggg ggactgggtt cctgttttcc gagacctggg caacattggc ctgaaagcct 1200
ttgcttctg tgtggccacc tcgctgacct tgctgacctg ggccgctggc tggctcttct 1260
accgacccct gtgggccttc ctcatcgccg gcctggccct tgtgcccac cttgttgctc 1320
ggacacgggt gccagccaaa aagttggagt gaaaagacct tggcaccgc ccgacacctg 1380
cgtgagccct aggatccagg tctctctca cctctgacct agctccatgc cagagcaga 1440
gccccggtca attttgact ctgacctccc tctcctcttc aggggccaga cttggcagca 1500
tgtgcaccag gttggtgttc accagctcat gtcttcccc catctcttct tgccagtaag 1560
cagcttgggt gggcagcagc agctcatgaa tggcaagctg acagcttctc ctgctgttct 1620
cttctctct tggactgagt ggtacggcc agccactcag cccattggca gctgacaacg 1680
cagacacgct ctacggaggc ctgctgataa agggctcagc cttgccgtgt gctgcttctc 1740
atcactgcac acaagtgcc tgccttgcca ccaccaccaa gcacatctgt gatcctgaag 1800
ggcggccggt agtcgttact gctgagtcct gggtcaccag cagacacact gggcatggac 1860
ccctcgaagc aggcacaccc aaaacacaag tctgtggcta gaacctgatg tgggtgttaa 1920
aagagaagaa acactgaaga tgcctgagg agaaaagctg gacatatact gggcttcaca 1980
cttattctat ggcttgagc aatctttgta gtgtgtggga tctctgaagg ccctatttaa 2040
gttttcttcc gttactttgc tgcctcatgt gtactttcct accccaagag gaagtttctc 2100
gaaatagat ttaaaaaaaa aacaaaaaaa acacttaata tttcagactg ttacaggaaa 2160
cacccttag tctgtcagtt gaattcagag cactgaaagg tgttaaattg gggtagctgg 2220
tttgattgat aaaaagttac ctctcagtat tttgtgtcac tgagaagctt tacaatggat 2280
gcttttgaaa caagtatcag caaaaggatt tgttttact ctgggaggag agggtgagga 2340
aagcatttgc ttcatcttc tggcatcgga aactcccta tgcacttgaa gatggtttaa 2400
aagattaaag aaacgattaa gagaaaaggt tggaaagctt atactaaatg ggctccttca 2460
tggtgacgac ccgtcaacca caatcaagaa ctgaggcctg aggctggttg tacaatgccc 2520
acgcccgcct ggctgcttcc acctgggagt gctttcgatg tgggcacctg ggcttccctg 2580
ggctgcttct gagtgggtct ttcacgtgtt gtgtccatag ctttagtctt cctaaataag 2640
atccacccac acctaaagtc cagaatttct aagttcccca actactctca cacccttcta 2700
aagataaagt atgttgtaac caggatgtct taaaaaca 2738

```

```

<210> 72
<211> 3685
<212> DNA
<213> Homo sapiens

```

```

<220>
<221> misc feature
<223> Incyte clone 673766CB1

```

```

<400> 72
ctggcaggaa gcgaggggtg ggcgcaatcc ggagaggacg ccaggacgac gcccaggttc 60
cctttcaggg tagaactctt cctttttcta gcttggggta gaaggcggag cgtagccccc 120
gaacccccgc cctcgggggtg cgaggcggca gcagggccgt cccctacatt tgcatagccc 180
ctgggacgtg gcgctgcacc caagcctctt ctgagttgga gggaaactcca agtcccacag 240
tgccacgggg tggggtgcgt cactttcgct gcgttgagg ctgaggagaa ttgagcctg 300
gaggcgggtc cggagagggc tatggaaagc cgccggcggg gaatcccggc cgtagaggga 360
cagtggatag gtgcccagag cctacagctg gcctggggct cgtgtctggg ctccggacgt 420
tggggcccgg tggcccaccc ttccgtagt tgtcccaaat ggagctggaa ttggatgctg 480
gtgaccaaga cctgctggcc ttctgctag aggaaagtgg agatttggg acggcaccgc 540
atgaggccgt gagggcccca ctggaactgg cgctgccgt ttctgaggt cagagcgact 600
gggaagttaga tgatttctg tgcctcctgc tgagtcccc agcgtcgttg aacatttcta 660
gtctctccaa cccctgcctt gtccaccatg accacacct ctccctcca cgggaaactg 720
tctctatgga tctagagagt gagagctgta gaaaagagg gacccagatg actccacagc 780
atatggagga cctggcagag caggagattg ctaggctagt actgacagat gaggagaaga 840
gtctatgga gaaggagggt ctatttctgc ctgagacact tcctctcact aagacagagg 900
aacaatttct gaaacgtgtg cggaggaaga ttcgaaataa aagatctgct caagagagcc 960
gcaggaaaaa gaagggtgat gttgggggt tagagagcag ggtcttgaaa tacacagccc 1020
agaatatgga gcttcagaac aaagtacagc ttctggagga acagaatttg tcccttctag 1080

```

```

atcaactgag gaaactccag gccatggtga ttgagatata aaacaaaacc agcagcagca 1140
gcacctgcat cttgggtccta ctagtctcct tctgcctcct ccttgtaacct gctatgtact 1200
cctctgacac aaggggggagc ctgccagctg agcatggagt gttgtcccgc cagcttcgtg 1260
ccctccccag tgaggaccct taccagctgg agctgcctgc cctgcagtca gaagtgccga 1320
aagacagcac acaccagtgg ttggacggct cagactgtgt actccaggcc cctggcaaca 1380
cttccctgct gctgcattac atgcctcagg ctcccagctg agagcctccc ctggagtggc 1440
cattccctga cctcttctca gagcctctct gccgaggtcc catcctcccc ctgcaggcaa 1500
atctcacaag gaagggagga tggcttccta ctggtagccc ctctgtcatt ttgcaggaca 1560
gatactcagg ctagatatga ggatatgtgg ggggtctcag caggagcctg gggggctccc 1620
catctgtgtc caaataaaaa gcggtgggca agggctggcc gcagctcctg tgccctgtca 1680
ggacgactga gggctcaaac acaccacact taatggcttt ctgggtcttt tatttgtacc 1740
catgtgtctg tcacaccatg aatgtacctg gggaaatcaa ctgacctccc tgaacatttc 1800
acgcagtcag ggaacaggtg aggaagaaa taaataagt attctaagtc tgcctaggtc 1860
accctcaacc cccatttact ggcacaattg ggtggagaga agggaagggg tatgattgtc 1920
ctgatggctc agggttgcag gaggttcaga ggggaaggag gaaaggccag gctggaggct 1980
gggctgttag cacttcctc ccacagttca gacggctcac tctgggtca ggtttgccat 2040
ggcttctctt ggtccaaaac taggcctgt ccttagtctt gtgacctgt tgacttttgg 2100
ccaggaggcc tttttgtgct gctgctgttg cagggttagc tgcattggcc atatgctcag 2160
tggccgcatg taggccagtg agcgaacac tcgctgctgg cagtatgct ctggggtctg 2220
gaaggccaga cccaggcgt cccacacggt acggtagcag ccttcagctg tctggaagcc 2280
ctcccaagtc aggcctctt ggatcatggt agctgccagc ccgtagacca caccaccca 2340
gacttcacac gactgcacac tggatttatc agggacacca tggggctgca tccatttcac 2400
agcccccatg gcccctcctg caaaggcctg gacgttcagc tcaaagatag tttggagagc 2460
acggaccaca tgttgggtag gaaacacctc agtgtctcct tctcctaggc cacaggcctt 2520
cagggaaccac tgtccagcac actggtcaga cataacacta cgagactgag gccgagagct 2580
gctgtcatag ttgtaatagc ggcatttcca cagcagctct tcataggctt ctgggcccgg 2640
gtcagggata gaagaaaact tatcctggat gtcctgtgcc ccacacagag cagccatctg 2700
gaccatcaca gccacagctg ccagccacag ccctccacag taagcactgg ggctgtggt 2760
caccatccca tcataggtct ggtctgcata gcctccattt tcaatgagtc catcatggct 2820
cttgtcaaac ttcatattcag attccatcac agctagacac acaggccaca tgccttcag 2880
gaagttttga tcaccgtga ggtaatatgc ccgataaacc tgcagcacua acttcaggtt 2940
caggtccttc caatcagcag tatcatggat taaatatgca ttgacgcgga gccatgggtc 3000
atcatctggg tccccaatat catgggggat gacgttcctc cttttcacag gtgccatcac 3060
cccactcatc aggtaccgtc gccgtgtcag gtccctcctg agagtggcca gagccatgtc 3120
atactgtagg ctgagctcaa gtttggggca gagcatgatg agggcaagg aagcataaaa 3180
gtggacatca tatgtgtgt acatgcggtg ctcctggccc tcaaggtagc caaatcgacc 3240
gtagtccctg aggggtgggc ggaggtgaca catgtttctg ccagctcct ctggtaggga 3300
gtcctcaaga acttccagcc aactgtgcc tccatcagcc aggaagtata gttcattgaa 3360
cagcgagat ttgtaccagg caggcagtg tctgtcatcc aataccgggc tctgccaagc 3420
tgagatccct tcttccact ctgcgtatcg gcacagtga tagtggctga gggcaggtgc 3480
tgcattccca tcttgccaa agaaccctgt ataccgctg tagtggactt ggccttttag 3540
tccaaacatg atcctgggca tgtcccaagc cagtgaatac tccaggcggc actggcctcg 3600
aggtcgcaac ttgctggaaa cacacacagc tccagcaatg cctactcctt tctgcgtagg 3660
gggtgcttgg cctgagctcg agccg 3685

```

<210> 73
 <211> 1801
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1504753CB1

```

<400> 73
ccgaattcgg anagnncat acgccagtca gcaggagcag cagcataatc cagcatgttg 60
ggctgccctt agcgccaggc acacacagcg caccaacaag tctaccacag tctgacctaa 120
gccagtttca aactcagacc cagccttttag tcgggcaagt cgacgatact agaagaaaaa 180
cagaaccctt acctcaacca ccactttctc tcattgctga aaataagcct gttgtgaaac 240
cgctgtgtgc agattccctg gcaaaccccc ttcagttaac acctatgaac agtctggcca 300
cctctgtatt cagcatagct attcctgttg atggtgatga agacaggaaat ccttcaactg 360

```

```

ctttctacca agcgttccat ttgaacacgt taaaggaatc aaagagcctc tgggatagtg 420
catctggggg aggtgttgta gccattgaca acaaaataga acaagcaatg gatctgggtga 480
aaagccattt gatgtatgca gtaagagaag aagtggaaagt tttaaaggaa caaataaaag 540
aattagttga aagaaactct ttacttgaac gagaaaatgc actgttaaaa tctctttcaa 600
gcaatgatca attatcccaa ctcccaaccc aacaggccaa tcctggtagc acttctcaac 660
agcaagcagt gatagcacag cctccgcagc caacgcaacc tccacagcag ccgaatgtct 720
cctcagcata aagctttctt aagcctcatt aagaaaaaaa ctgaaagcaa tctatccttg 780
tgtgccactg gtgttctttc cactttatag gaaagcaagt agccatgctt tgggtgtgtg 840
tttggccttt tcagtattag acaatcattc tacaagagct tttcctctct ctgagatgtc 900
atgcagcgct gttgatgtcc agttctatgt catcagtaca caaggagaat aatagatggg 960
gtttattaaa gcgagcaaaag tctgcatttt acctggtgcg catgagtggg gtctttaaga 1020
gttttgggtg ctctcccatg tttctatta cccatggatt taccctgagc ctctctatca 1080
cattataaat aacagttcat cttaaagagcc acttttcttt ctgattcagt aacatttgcc 1140
tacataagtt ttcatttatt tgtgttttat ttattacagg gctgctatct tcataatgta 1200
catgaacaat gtcacagaac ttttttaatt tttttgaata attataagta tcagtaaagg 1260
aagtgaagaa caggattgca ttttaatatg aaaacgttta ggcaataatt gaacaaaaga 1320
atcctggcat atttctaaca ctaatggcaa tttacttatg gtattttatt tcagtataaa 1380
agaccagct tgaatgtaaa ttttgtatag tgtaagtatg aagaacatag tgcaactgta 1440
caggtagtca ccagttattg tgatatgata aataattggg ctattttgat gaagaaaact 1500
ttgttctatt gtttctactt tctaagagaa attgccacga ttctctgct tttcaacatt 1560
tcgtatgact ttttttctcg gtgggaataa aaagctgtga aattgttcaa cctactttgt 1620
aaccaaagaa gcaaaagctgt gtaatggagt ttggtttttt tttgttgttt tttnttttt 1680
gtcttngttt tgtttttata angcacaanc tntangnatt tntaattagg gnnttcncag 1740
tcacaanttt cnnnacngnc tagnaaganc cgcaagaccc aaaaacnttg aaccaccttc 1800
g 1801

```

<210> 74

<211> 1578

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1760185CB1

<400> 74

```

ctcgagccgc gttactctgc gcgtaagtcg cttgtccgtg gcttctctga gaagaaaagt 60
tgaaaaaggg taaaagtttt caggaatatc cgggctctct attgctaagc atagcgagtg 120
tcggttttct ctctccaaca gacatcgcta ttgcggttcc gaggcagtgg gaagagatgc 180
ggccctctga catctcgag ctggcggaac cggaggaagt ggaggtgctg gagcccgagg 240
aggatttcga gcagtttctg ctcccggtca tcaacgagat gcgcgaggac atcgctcgc 300
tgacgcgcga gcacgggcgg gcgtacctgc ggaaccggag caagctgtgg gagatggaca 360
atatgctcat ccagatcaaa acgcaggtgg aggcctcgga ggagagcgcc ctcaaccacc 420
tccagaaccc gggcgacgcg gccgagggcc gggcggccaa gaggtgcgag aaggccgagg 480
agaaggccaa ggagattgcg aagatggcag agatgctggt ggagctggtc cggcgatag 540
agaagagcga gtcgtcgtga gcgcggtcgg cggtttccag ccaatggatt ctggtcaact 600
ggtggagatt ggctgacacc ctggagaagc cgaaccaga gagccttttg tttctcttt 660
tttctgtct atgctctgtc tcaacttaaca ctacgttttc tgctatggtc tgtggttgat 720
gacctcaata tgagtttcga ttgttaacgt gttttgttt gggaagtaat tttgtttgaa 780
aatgctctca catacaggaa ttagggccta gattgtaagc tcttgacgca gtcacatttg 840
ttcccggtct ttggtggtta tttctaaatt tttgaggtgc tttgctatct cttgtgtgac 900
ctgtagctc cctggaactt tgggtctgtg tgtgacacat gagactcaca gttggagttc 960
tccagctctg gaggtgctga aggagctgca ttaattctgg aagacgactc catgcagcaa 1020
ctactgaaga aaggaccaga ctccaacggg gagtgtggat gggtcgacct ggctgggact 1080
cgtgaatctg gagaagagct ggagaatgga tagtattgtc tgtatttggg gactttaatc 1140
tctgtgtgag accaaaggag gagagatgtg tttgtctcaa aatctaaatt tgttgtggta 1200
cactatctta tgtaacctgt ctggtgagtt tgtttggaca acctaaactc gctttatttg 1260
acatggaacc taaaatagaa gataagatct tgatattctg tacaagttga tgtaataccc 1320
tgatgcgttt tagaggactt ggcataaaat gaaagattgg caaaggccct tgaggggctt 1380
ggggatgaga gtatggaact gtctgcattg gaccctaaac tggactagaa gaggcattct 1440
caaggttcat acgttgtcca gctgtgaagt catttgagta gcagacctaa caaatatttg 1500
aggtcaaaac cctaccatgt taaaacaaac aaaaacttac catgttaata aaagtattca 1560
tttgcctgaa aaaaaaaa 1578

```

<210> 75
 <211> 1624
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1805061CB1

<400> 75
 gccgtcgcgg acgccgctcc gggcagccga gcctctgtgg gagccggggc cgcggcggcg 60
 cgggtgctcc gggccgaggg cgcgtctggc tcttgctgat tgaattcctt tgggtcagtt 120
 tagcatgttc ctctgtgttc tgcattctct gtagtgaat gttcaagctc agaaatgcct 180
 tatgtggatc gtcagaatcg catttgtggt tttctagaca ttgaagaaaa tgaaaacagt 240
 gggaaatttc ttcaaggtta cttcatactg gataccagag aagatagttt cgtgtggtac 300
 atggataatc cacagaacct accttctgga tcatcacgtg ttggagccat taagcttacc 360
 tacatttcaa aggttagcga tgctactaag ctaaggccaa aggcggagtt ctgttttgtt 420
 atgaatgcag gaatgaggaa gtacttccta caagccaatg atcagcagga cctagtggaa 480
 tgggtaaatg tgtaaacaaa agctataaaa attacagtac caaagcagtc agactcacag 540
 cctaattctg ataacctaa gtcgcatggg gaatgtggga aaaagcaagt gtcttacaga 600
 actgatattg ttggcggcgt acccatcatt actccactc agaaagaaga agtaaatgaa 660
 tgtggtgaaa gtattgacag aaataatctg aaacggtcac aaagccatct tccttacttt 720
 actcctaacc cacttcaaga tagtgcggtt atcaaaagctg gatatttgtt aaaacaagga 780
 gcagtgatga aaaaactggaa gagaagatat tttcaattgg atgaaaacac aataggctac 840
 ttcasatctg aactggaaaa ggaacctctt cgcgtaatac cacttaaaaga ggttcataaa 900
 gtccaggaat gtaagcaaa gacataaatg atgagggaca acctctttga aattgtaaca 960
 acgtctcgaa ctttctatgt gcaggctgat agccctgaag agatgcacag ttggattaaa 1020
 gcagtccttg gcgccattgt agcacagcgg ggtcccggca gatctgcgtc ttctatgcgg 1080
 caggccagaa ggctgtcgaa cctttgtata cagaggagca tccccccggt ccttcagaat 1140
 ccaaacacgc tttccgtcct accaacgcag cgcgcgcac ctcacattcc acagcctctc 1200
 gcagcaactc tttggtctca acctttacca tggagaagcg aggattttac gagtctcttg 1260
 ccaaggtcaa gccagggaac ttcaagggtc agactgtctc tccaagagaa ccagcttcca 1320
 aagtgaactga acaagctctg ttaagacctc aaagtaaaaa tggccctcag gaaaaagatt 1380
 gtgacctagt agacttgag gatgcgagcc ttccggtcag tgacgtgtga ggcagaagcg 1440
 caccgagcct gcctgcctct gccgtcctca gtttccttcc atgaggcttc tagccaaaga 1500
 tgataaaggg ggaaatgggt tttagtgcgt atattatact gcctcttagg tgtactcttt 1560
 ataagctggg aaaccaagaa tctagggagt ggcacaaact aatataattt ctttaaaaaa 1620
 aaaa 1624

<210> 76
 <211> 1675
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1850120CB1

<400> 76
 cgggtcttag ctccaggtgc gtacggcatc tgacttgacg tggcccacaa ctgaaaggctc 60
 tggggagaag gcgcgctgtc cgggtgtgga gagggcgctc gtggaagcga gaagagtggc 120
 ccgtccctct cctccccctt tccctctttc ggaaagtggg ttctgcgggg cccgggagcc 180
 tcggagtacc gaacctcgat ctccggggcg ggtccttgg tggggactga gcgccccctc 240
 ccggggacgg gcggtctggc cgcggagtc cctgcgggag cgtgattggc tggaaacggg 300
 ccgaaacccc caggggagcc cgatccctgg gggaccctgg cttcggactc cagtatctgt 360
 cgtcgcaggg tccctgccct agtggcctat gtcccttgct cggggccatg gagacactgc 420
 ggccagtacg gcggcgccctc tgtctgaaga aggggaagtg acctccggcc tccaggctct 480
 ggcggtggag gataccggag gccctctctc ctccggcggt aaggccgagg acgaggggga 540
 aggagggcca gaggagaccg agcgtgaggg gtccgggggc gaggaggcgc agggagaagt 600
 cccagcgctc gggggagaag agcctgccga ggaggactcc gaggactggt gcgtgccctg 660
 cagcgacgag gaggtggagc tgctgcgga tgggcagccc tggatgccc cgccctccga 720
 aatccagcgg ctctatgaac tgctggctgc ccacggtact ctggagctgc aagccagat 780

```

cctgccccgc cggcctccca cggcgagcgc ccagagcgaa gaggagagat ccgatgagga 840
gccggaggcc aaagaagagg aagaggaaaa accacacatg cccacggaat ttgattttga 900
tgatgagcca gtgacaccaa aggactccct gattgaccgg agacgcaccc caggaagctc 960
agcccgagc cagaaaacggg agggccgcct ggacaagggt ctgtcggaca tgaagagaca 1020
caagaagctg gaggagcaga tccttcgtac cgggaggggac ctcttcagcc tggactcgga 1080
ggaccccagc cccgccagcc cccactccg atcctccggg agtagtctct tccctcgga 1140
gcggaaatac tgattccac tgctcctgcc tctagggtgc agtgctcgta cctgctggag 1200
cctgggcct ccttccccag ccagacatt gagaaacttg ggaagaagag agaaacctca 1260
agctcccaaa cagcacgttg cgggaaagag gaagagagag tgtgagtgtg tgtgtgtgtt 1320
ttttctattg aacacctgta gagtgtgtgt gtgtgttttc tattgaacac ctatagagag 1380
agtgtgtgtg ttttctattg aacatctata tagagagagt gtgtgagtgt gtgttttcta 1440
ttgaacacct attcagagac ctggactgaa ttttctgagt ctgaaataaa agatgcagag 1500
ctatcatctc ttaaaaggag gggctgtagc tgtagctcaa cagttaggcc ccacttgaag 1560
ggagaggcag aattgtactc acccagattg gaaaatgaaa gccagatggg tagagggtgc 1620
ctcagttagc acctgtccca tctcgggccc tccaactcct cccagtccca ctcca 1675

```

<210> 77

<211> 1319

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<223> Incyte clone 1852290CB1

<400> 77

```

gaaaaggaggt gtgtatccag cttggggctc cagttttctg cccgcctcct tttacgttat 60
tgcggaggac ggcgccggac agtcaacgtc atctaggagc accgagcagc ttggctaaaa 120
gtaagggtgt cgtgctgatg gccctgtgcg cactgaccgg cgctctgcgc tctctgaacc 180
tggcgccccc gaccgtcgcc gccctgccc cgagtctgtt ccccgccgcc cagatgatga 240
acaatggcct cctccaacag ccctctgcct tgatgttgct cccctgcgc ccagttctta 300
cttctg+ygc ccttaatgcc aacttttgtt cctggaagag tcgtaccaag tacaccatta 360
caccagtga gatgaggaag tctggggggc gagaccacac aggccgaatc cgggtgcatg 420
gtattggcgg gggccacaag caacgttatc gaatgattga ctttctgcgt ttccggcctg 480
aggagaccaa gtcaggaccc tttgaggaga aggttatcca agtcgcctat gatccctgta 540
ggtcagcaga catagctctg gttgctgggg gcagccggaa acgctggatc atcgccacag 600
aaaacatgca ggctggagat acaatcttga actctaacca cataggccga atggcagttg 660
ctgctcggga aggggatgcg catcctcttg gggctctgcc tgtggggacc ctcacaa 720
acgtggaaaag tgagccaggc cgggggtgcc aatatatccg agctgcaggg acgtgtgtgt 780
tgctactcgc gaaggtgaat ggcacagcca ttatccagct gccctctaag aggcagatgc 840
aggctctgga aacgtgcgta gcaacagtag gccgagtatc caacgttgat cataacaaac 900
gggtcattgg caaggcaggt cgcaaccgct ggctgggcaa gaggcctaac agtgggcggt 960
ggcaccgcaa ggggggctgg gctggccgaa agattcggcc actaccccc atgaagagtt 1020
acgtgaagct gcctctgct tctgccc aaa gctgatatcc ctgtactcta ataaaatgcc 1080
ccccccccc ttttaatctg attggncaaa angcccttt tattcccaaa aaatggnccc 1140
cccttaaaag gaggggaaaa tttnncahgg ntntttttaa ngggggnaan nggnaattgg 1200
nnaggggggt ccacnaaaaa gggggggaat tttttggga atggaannt tccccgnnc 1260
tggggaaaaa ccccccccg ggttttttta aggttnnca aggaaaatnn ncctttggg 1319

```

<210> 78

<211> 1113

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<223> Incyte clone 1944530CB1

<400> 78

```

gtcaccgcga ggtctgagct gtgggctgag gcagcgcacc gcctgccgca ggggtgcgca 60
tgccttgaac ctgggaaact atgtgaagca acactctgga ttttgaaaga catcttttca 120

```



```

tcatgggaca gcaaatttcg gatcagacac agttgggtat taacaagtta ccagaaaaag 180
tagcaaaaca tgtacgttg gttcgagaga gtggctcctt aacttatgaa gaatttctcg 240
ggagagtagc tgagcttaat gatgtaacgg ctaaagtggc ttctggccag gaaaaacatc 300
ttctcttga ggtacaacct gggctctgatt cctctgcttt ttggaaagtg gttgtacggg 360
tggctctgtac caagattaac aaaagcagtg gcattgtgga ggcatcacgg atcatgaatt 420
tataccagtt tattcaactt tataaagata tcacaagtca agcagcagga gtattggcac 480
agagctccac ctctgaagaa cctgatgaaa actcatcctc tgtaacatct tgtcaggcta 540
gtctttggat gggaagggtg aagcagctga ccgatgagga ggagtgttgt atctgtatgg 600
atgggcgggc tgacctcatc ctgccttgtg ctcacagctt ttgtcagaag tgtattgata 660
aatggagtga tcgacacagg aattgcccta tttgtcgctt acagatgact ggagcaaatt 720
aatcttgggt ggatcagat gcacccactg aagatgatat ggctaactat attcttaaca 780
tggctgatga ggcaggccag cccacagggc catgaccttg aagtgaaggt cttctgttgc 840
tattgtgggc tcaaatattt ggtcatgggg gaagaatgta gggttgtggc actggcacag 900
acacaggaaa atccattttc cccactcttt tatttttgc attctgatca tttgtcccc 960
ttttaaaaat aaacttccca tgtcttccat ttgtgtact aaaatttgc actgttttag 1020
accataattt ccattattta tcgttcaaat ttgtatnatt acaactaata gccttgaatt 1080
ctttgtcaaa ggtaacagca acacttccag agg 1113

```

<210> 79

<211> 1963

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2019742CB1

<400> 79

```

ggttgaggct gggcggccca aggtggaagg agggggccgtg aggtgagaga gtccgggagc 60
ccgagcttga gatggcctga tatgaaggag tcacgcctcc cgcttcccgg agctgcccag 120
tggctgcctt gtccttcaag tgcaggagct ggttcaaattg tcaggaattgg aagccactgt 180
gaccatccca atctggcaaa acaagccaca tggggctgct cgaagtgtag taagaagaat 240
tgggaccaac ctacccttga agccgtgtgc ccgggctgccc ttgagaccc tgcccaacat 300
ctctgacctg tgtttgagag atgtgcccc agtccctacc ctggctgaca tcgcttggat 360
tgctgcggat gaagaggaga catatgcccg ggtcaggagt gatacgcgcc ccctgaggga 420
cacctggaaa ccagccctc tgattgtcat gcagcgcaat gcctctgttc ccaaccrctg 480
tgggtccgag gagaggctc tggcctgaa gaagccagct ctgccagccc taagccgcac 540
tactgagctg caggacgagc tgagccactt gcgcagccag attgcaaaga tagtggcagc 600
tgatgcagct tcggcttcat taacgccaga tttcttatct ccaggaagt ccaatgtctc 660
ttctccctta ccttgtttt gatcctcatt ccactctaca acttctttg tcattatgga 720
catcacccag gagacagagg tggaggtccc tgagcttcca tcagtcccc tgctttgttc 780
tgccagccct gaatgttgca aaccagaaca caaagctgcc tgcagttcgt ctgaaggagg 840
tgactgcgtc tctttgtcca aggccagcag ctttgccagc atgatgggt tccctgaagg 900
ctttcaccca atgaaacaga gtcaagatct gaaccggagt ttattgaagg aggaagaccc 960
tgctgtgtct atctctgagg tcctaaggag gaagtttgct cttaaaggaa aagataccag 1020
tagaaaagga aattgacaac cctcagctct gcaaaactcag tctcatgtc ctggaatacc 1080
ttcaatagct gccttccctc ccgcagatgt ttctgcctct taaggataga tctctgcaa 1140
cagtcttgct gacaagctag agcttggact gaaagagaag agctggatta tatatttccc 1200
agacttcaaa ccctagcaga agctaaggct tgtgatttga cctgagacat ttgtttcagg 1260
taatcgtgta gaatgaagta tcttagttta aagggttaaga gagaagttgt ttctgggttc 1320
tccttgcctc tgtgtgaaaa taggtcctaa atgactgact tctactgcat agaccctata 1380
gctggtctca caagacactt tgtgcccagc tgtcactcac tctcagcagc ttccttgag 1440
cagagcaggg ctgaggggaa ggggctatga atgtttgtat acatgttcac agggcacgga 1500
aaactctatg ctgtccgtc ataaacctac accaatgcc agcaatcacc ctctcactt 1560
ccttgtctag atgtagaggt caggctgctg aaccagccaa cacatgggt actgctggga 1620
agcctgggct gtttttttc ttaaacacat tttatattac tgaacaacca aatctaccct 1680
ccacggccct gaggccttat cagttccact gattaaaaac tttctcttcc acggacttta 1740
agcccggtag gaaagagaga ggaggaggg gaaagagcaa accatctttc ttccaggccc 1800
tgactgctc ctttgggctg ggccaagggt tgtatgtacc acaccatgca tgactcagat 1860
gccctcaggt ccctttctct atggtatgta tactgcttgt gtttgggtt aagcactacc 1920
tgacattaaa ggaaggactt ggagagagaa tgcaaaaaaa aaa 1963

```

<210> 80
 <211> 1089
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2056042CB1

<400> 80
 agccgcggct ccggaagacc ctctgcctgg gcggcggtgg tgcggcggtc gccgttatgg 60
 ccactgggct gggcggtga ccgcccggct aggaaagggc ccagggccccc gaatctcggg 120
 ggccgctgct ccagcgcggc ctgcgccatg gcctcctccg ccgcctcctc ggagcatttc 180
 gagaagctgc acgagatctt ccgcggcctc catgaagacc tacaaggggt gcccgagcgg 240
 ctgctgggga cggcggggac cgaagaaaag aagaaattga tcagggattt tgatgaaaag 300
 caacaggaa ccaatgaaac gctggcagag atggaggagg agctacgtta tgcacccttg 360
 tctttccgaa accccatgat gtctaagctt cgaaactacc ggaaggacct tgctaaactc 420
 catcgggagg tgagaagcac acctttgaca gccacacctg gaggccgagg agacatgaaa 480
 tatggcatat atgctgtaga gaatgagcat atgaatcggc tacagtctca aagggcaatg 540
 ctctctgacg gactgaaag cctgaaccgg gccacccaaa gtattgaacg ttctcatcgg 600
 attgccacag agactgacca gattggctca gaaatcatag aagagctggg ggaacaacga 660
 gaccagttag aacgtaccaa gactagactg gtaaacacaa gtgaaaactt gagcaaaagt 720
 cggaagattc tccgttcaat gtccagaaaa gtgacaacca acaagctgct gctttccatt 780
 atcatcttac tgagactcgc catcctggga ggcctggttt actacaaatt ctctcgacgc 840
 cattgaactt ctatagggaa gggtttggg accagaactt tgaccttggg aatgcagatg 900
 gttagggatg tgatagaat aagcatattg ctgctgtggg ctgacagttc aaggatgcac 960
 tgtatagcca ggctgtggga ggaggaggga aagatgaaaa accacttaaa tgtgaaggaa 1020
 caacagcaac aagaccagta tgatatacca aggtaataaa tgctgtttat gacttcttta 1080
 aaaaaaaaaa 1089

<210> 81
 <211> 1325
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2398682CB1

<400> 81
 gcggagtttg gctgctccgg ggtagcagg tgagcctgca atgcgcggga agacgttccg 60
 ctttgaatg cagcgggatt tggtagattt cccgctgtct ccagcggtgc ggtggaagct 120
 ggtgtctgcg gggttccaga ctgctgagga actcctagag gtgaaacctt ccgagcttag 180
 caaagaagtt gggatatcta aagcagaagc cttagaaact ctgcaaatta tcagaagaga 240
 atgtctcaca aataaaccaa gatatgctgg tacatctgag tcacacaaga agtgtacagc 300
 actggaactt cttgagcagg agcataccca gggcttcata atcaccttct gttcagcact 360
 agatgatatt cttgggggtg gagtgcctct aatgaaaaca acagaaattt gtggtgcacc 420
 aggtgttgga aaaacacaat tatgtatgca gttggcagta gatgtgcaga taccagaatg 480
 ttttggagga gtggcagtg aagcagtttt tattgatata gagggaagtt ttatggttga 540
 tagagtggta gaccttgcta ctgcctgcat tcagcacctt cagcttatag cagaaaaaca 600
 caagggagag gaacaccgaa aagcttttga ggatttctc ctgataata ttctttctca 660
 tattttattt tttcgtgtc gtgactacac agagttactg gcacaagttt atcttcttcc 720
 agatttctct tcagaacact caaaggttcg actagtata gtggatggta ttgcttttcc 780
 atttcgtcat gacctagatg acctgtctct tcgtactcgg ttattaaatg gcctagccca 840
 gcaaatgac agccttgcaa ataatacag attagctgta attttaacca atcagatgac 900
 aacaaagatt gatagaaatc aggccttgct tgttcctgca ttaggggaaa gttggggaca 960
 tgctgtctaca atacggctaa tctttcattg ggaccgaaag caaagggttg caacattgta 1020
 caagtcaccc agccagaagg aatgcacagt actgtttcaa atcaaacctc agggatttag 1080
 agataactgt gtacttctg catgttcatt gcaaacagaa ggttccttga gcaccggaa 1140
 acggtcacga gaccagagg aagaattata acccagaaac aaatctcaaa gtgtacaaat 1200
 ttattgatgt tgtgaaatca atgtgtacaa gtggacttgt taccttaaa tataaataaa 1260
 cacactatgg catgaatgan aannnaannn naannaannn aaaaaanaaa annnagnann 1320
 cnagc 1325

<210> 82
 <211> 1579
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> misc_feature
 <223> Incyte clone 2518753CB1

<400> 82
 tgcttcatgg atactggtcc tatcatgctc tttgaggcta ttgaactcat caatacagca 60
 aaggcccgcga tctgcaagaa ctaatgcccc agcctccaaa ttccattctc ctgagtcctt 120
 tacagcagtt accgtcagac tttgttctcc gcctttgtcc taatccacac cagcaggttg 180
 agccgcagtt aaagtttccg agtccattcc gggagcggga gcccatcttg ctggctgccg 240
 aggccctcgc tggaggagga gggtcagaac tcgggtgcag ccaatcgagg gcaacgctgc 300
 tacttatcag agcagaatgg gctgtagttt agtgaaatag gaaagctgca aaacactgtg 360
 gagtgtctcc gtgtaaataa aaagaggaaa aaagtttctc aagtcgccgc tgcacgacgt 420
 ctggccggcg ctggagcggg ggtctgcgct ctcccagcgc gccgcgcgct ggactttatt 480
 gtgcccgaac cagccccagt tcccattggt tgtgtttttt tcaaaatatg gcaaagggtc 540
 aggtgaacaa tgtagtgggt ctggataacc cttctccttt ctacaaccgc ttccagttcg 600
 agatcacctt cgagtgcacg gaggacctgt ctgaagactt ggaatggaaa attatctatg 660
 tgggctctgc agaaagtga gaatacgatc aagttttaga ctctgtttta gtgggtcctg 720
 ttcccgcagg aaggcatatg tttgtatttc aggctgatgc acctaatcca ggactcattc 780
 cagatgcaga tgcagtaggc gtaactgttg tgctaattac ttgtacctat cgaggacaag 840
 aattttattag agttggctat tatgtaaata atgaatatac tgagacagaa ttaaggga 900
 atccaccagt aaaaccagac ttttctaagc ttcaaaggaa ttttttggca tctaattcca 960
 gggtcacaag attccacatt aattgggaag ataacacaga aaaactggaa gatgcagaga 1020
 gcagtaatcc aaatctacag tcacttcttt caacagatgc attacctca gcatcaaaag 1080
 gatggtccac atcagaaaaa tcactaaatg tcatgttaga atcccacatg gactgcatgt 1140
 gaccacctac catcccttta gtacaaatta agctattaaa aatacacaga actatttccc 1200
 tgaaattccg taagtacata gtcaaaacac aatgtgaaga atttgtttta aaacatcctg 1260
 tagaaaagttt ataagaaaac cagtatttga acaaattgtg gaataataat acaactattt 1320
 ttaagtaatt tttttctcta attcanntag ngaggngttt cnctagangt ggantaaatt 1380
 nnaaggggcg gggnnccnc cagagggggg tccaangtct tcnnnngaag gggnnnggan 1440
 tggcgnggnt ccangaggtt cctttngntt gggggggnan nccenttnng tttgcnnnnn 1500
 ntcnnccggg gccgggtcgg tttntaancn cgngganntt tggcntgggg ggaaaacccc 1560
 cngggggggt nccccctt 1579

<210> 83
 <211> 2641
 <212> DNA
 <213> Homo sapiens

 <220>
 <221> misc_feature
 <223> Incyte clone 2709055CB1

<400> 83
 ttcttttggg acatctgctg tgacacctgc acatacctct cagagccaca tatcctcgca 60
 cagatttgcg acttccaaat caggaggcaa agaaagagaa gaaagatcca acaggtcgaa 120
 aaacaaactt ggattttcag caatatgtat ttattaattc aaatgtgtta ccatctggcc 180
 cttccgtggt attctaagta cttccatac ctagctctta tacatactat tattctcatg 240
 gccagtagca acttttggtt caaatatccc aaaacatgct caaaagtaga acattctgtt 300
 tcaatattag gaaagtgtt tgaatccctt tggacgacaa aagcgttgtc tgagacagca 360
 tgcgaagact cagaggaaaa caagcagaga ataacagggtg ccagactct accaaagcat 420
 gtttctacca gcagtgtatg agggagcccc agtgccagta caccaatgat caataaaact 480
 ggctttaaat tttcagctga gaagcctgtg attgaagttc ccagcatgac aatcctggat 540
 aaaaaggatg cagagcaggc caaagccctg tttgagaaa tgaggaagtt ccgtgcccat 600
 gtggaagata gtgacttgat ctataaaact tatgtggtcc aaacagttat caaaacagcc 660
 aagttcattt ttattctctg ctatacagcg aactttgtca acgcaatcag ctttgaacac 720
 gtctgcaagc ccaaagttga gcattctgatt ggttatgagg tatttgagtg caccacaaat 780
 atggcttaca tgttgaaaaa gcttctcatc agttacatat ccattatttg tgtttatggc 840

```

tttatctgcc tctacactct cttctgggta ttcaggatac ctttgaagga atattctttc 900
gaaaaagtcg gagagagag cagtttttagt gacattccag atgtcaaaaa cgattttgctg 960
ttccttcttc acatggtaga ccagtatgac cagctatatt ccaagcggtt tgggtgtgtc 1020
ttgtcagaag ttagtgaaaa taaacttagg gaaattagtt tgaaccatga gtggacattt 1080
gaaaaactca ggcagcacat ttcacgcaac gcccaggaca agcaggagtt gcatctgttc 1140
atgctgtcgg ggggtgccga tgcgtgtctt gacctcacag acctggatgt gctaaagctt 1200
gaactaattc cagaagctaa aattcctgct aagatttctc aaatgactaa cctccaagag 1260
ctccacctct gccactgccc tgcaaaaagt gaacagactg cttttagctt tcttcgctat 1320
cacttgagat gccttcacgt gaagtctact gatgtggctg aaattcctgc ctgggtgtat 1380
ttgctcaaaa accttcgaga gttgtactta ataggcaatt tgaactctga aaacaataag 1440
atgataggac ttgaatctct ccgagagttg cggcacctta agattctcca cgtgaagagc 1500
aatttgacca aagtccctc caacattaca gatgtggctc cacatcttac aaagttagtc 1560
attcataatg acggcactaa actcttggtt ctgaacagcc ttaagaaaat gatgaatgtc 1620
gctgagctgg aactccagaa ctgtgagcta gagagaatcc cacatgctat tttcagcctc 1680
tctaatttac aggaactgga tttaaagtcc aataacattc gcacaattga ggaaatcatc 1740
agtttcacag atttaaaacg actgacttgt ttaaaattat ggcataacaa aattgttact 1800
attcctccct ctattacca tgtcaaaaac ttggagtcac tttatttctc taacaacaag 1860
ctcgaatcct taccagtggc agtatttagt ttacagaaac tcagatgctt agatgtgagc 1920
tacaacaaca tttcaatgat tccaatagaa ataggattgc ttcagaacct gcagcatttg 1980
catacactg ggaacaaagt ggacattctg ccaaaacaat tgtttaaatg cataaagttg 2040
agcactttga atctgggaca gaactgcac accctactcc cagagaaaag tggtcagctc 2100
tcccagctca ctgagctgga gctgaagggg aactgcttgg accgcctgcc agcccagctg 2160
ggccagtgtc ggatgctcaa gaaaagcggg cttgttgttg aagatcacct ttttgatacc 2220
ctgccactcg aagtcaaaag ggcatgaaat caagacataa atattccctt tgcaaatggg 2280
atttaacta agataatata tgcacagtga tgtgcaggaa caacttctta gattgcaagt 2340
gctcacgtac aagttattac aagataatgc attttaggag tagataacatc ttttaaaata 2400
aaacagagag gatgcataga aggctgatat aagacataac tgaatgttca atgtttgtag 2460
ggtttaagt cattcatttc caaatcattt tttttttct tttggggaaa gggaaggaaa 2520
aattataatc actaatcttg gttcttttta aattgtttgt aacttgatg ctgccgctac 2580
tgaatgttta caaattgctt gcctgctaaa gtaaatgatt aaattgacat tttcttacta 2640
t 2641

```

<210> 84

<211> 3963

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2724537CB1

<400> 84

```

gctcgagggt gagagtcgca cggcagcggg gaaggtgtga gtcgtgaacg gcccggtctt 60
ccgccatggc ctcctacttc gccaaaggac cctacctgca gagcctggcc aagaagatct 120
gctcccattc ggccccggaa cagcagggcg gcacgcgggc tggcaaaact caaggctcag 180
aaactgcagg gcccccaaaa aagaaaagga agaaaacaca aaagaaattc cggaagcgag 240
aagagaaggc tgctgagcac aaggccaagt ccttggggga gaaatctcca gcagcctctg 300
gggccaggag gcctgaggca gccaaagagg aagcagcttg ggcttcagc tcagcaggga 360
acctgacaga tggcctggcc actgagcctg agtctgtctt tgctctggat gttctgcgac 420
agcgactgca tgagaagatc caggaggccc ggggccaggg cagtgcctaa gagctgtccc 480
ctgccgcctt ggagaaaagg cggcggagaa agcaggaaac ggaccggaag aagaggaaac 540
gaaaggagct gcggcgaaaa gagaaggcca ggaaggctga ggaggccacg gaggccacg 600
aggtggttga ggcaaccca gagggggcct gcacggagcc gcgggagccg cccgggtcta 660
tcttcaataa ggtggaggtg agcgaaagac agccggccag caaggcgca cgcagaaaag 720
agaagaggca gaggggtgaag gggaacctca ccgcgctgac cgggaggaac taccggcagc 780
tgctgagagc cctgcaggca cggcagagcc ggctggacga gctgcgcggc caggatgagg 840
ggaaggcgca ggagctggag gcgaagatga agtggaacca cctcctctac aaggcgagg 900
gcgtgaagat ccgtgacgac gaacgcctgc tgcaggagcc cctgaagcgc aaggagaagc 960
gcagggcgca gcggcagcgc cgggtggaga agcgacggc cggcgtggtg gagaagatc 1020
agcagcgcca ggaccggcgg cggcagaacc tgcagaggaa gaaggcggcc cgcgccgagc 1080
gccgcctgct cagagcccgc aagaaggggc gcatcctgcc gcaggacctg gagcgcgag 1140
gcctggtctg agtctttccc acctggggcc gccgtcttcc gtcctaggag actccaggac 1200
acctctgag tccttgacgc tggctctgtc ccaggatctc cacagacctc ggccctctca 1260

```

```

tgtgagcggg acacagtggg gctctgctga gttgtgaggg cccagatcac agatcccatg 1320
tgagaaaagag agagtttcag cgtcatcctt gaacgcagga tccgggacct tcagaccag 1380
ggaaaggggtg agggagactg gggcctgggc tgccttcccg ggctgaaag cttccccgag 1440
gtttgcaggg tcagggagga ggaacgggtg ggggtggcag tcaactgctg tccccactg 1500
cctgtgttcg caggagccac gggacagaag acgggtggcct ctgctgccgg ggccacgtta 1560
gtccgcagct caccgaaca gaggacaacc ctgaggtgtg gcatatgggc acctggcact 1620
gggagtcggg ggagcacgtc caggcgtggg gcatcctggg gcagaacgcc atggctcttc 1680
cccgtctctt tggcttctgc ctgttgggtt ctcatcctt tctgttcccc agtgccccgg 1740
ggcggcattt tactgtctcag aatttgaggg gagggagcag taccttcccc gagtccacgc 1800
atgtgagttg ggtcaagtgc atttgacctt gggaaagaga aagaaagaat aaaagctgga 1860
gagagagtgga agtgaatgca agatacaaaag tgggatggaa gaattaaatc cagagttcca 1920
ggcaatcaaa atgagtgcag gttgaaagaa aacaggtgaa ttttagtggc atatggatga 1980
taaagctgta aataaaattc ttttgatgaa actctccggg tacgagacaa agactgtaac 2040
tgaacaggag ctggtgtgac tgttaccaga cagaggcaac tgatgaaaaa gccctgtgaa 2100
agataggatg tgaggtgagc atgagcttga gctgagagac agacacaaca gtatctgaaa 2160
agaatacata ctctttccat gcatatatgg aacatggatg gaaactgacc acctactttg 2220
tccagaaaaa nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 2280
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnaacata gccctaaaat gtatgtgcat 2340
ctacagataa atagtgccat ttatacacac atacgctgta tgtctgtatt tttaaagcta 2400
aagaaaaata agcatgcagc ttaagtggga acaactcaaa gtaaatggaa gaaaaatctc 2460
caaaactgac taaaagtaat agaaaagcctg agttgtaatc actgatgaaa ttgagtgcag 2520
agttaagaat gttcccctag acgggttttac agggaaagttc cacgatatag agaacaggta 2580
attccagacg tagacaaatt ctaacagaat caattgagag aacacttcat tctgtaactt 2640
agctttgata ccaaaactag gtaagagaaa gggaaagttac caaatacctg tggcgggcaa 2700
gccaccaggg caccgaggca agagacagag gacacgagct gttccagtat aataaaatat 2760
aaaacaagaa tagttatacc agatatagat cttagatatg attatatatg aatatcata 2820
atcattagtt ttagcaaat actctttatt ccaatattat aataatcttc actctacaat 2880
cataacctag gaaaaaccag gccatacaga gataggagct gaggggacat agtgagggtg 2940
gaccagaaga caagagtgcg agccttctgt tatgcccgga caggggccacc agagggtctc 3000
ttggtcttag ggtgacgcca gcatctggga agacacctgt tgccaagccc accgtggtct 3060
agctgtagcg ttagtgtcaa ggaaaaacac ccgctactta gcagaccagg aaagggggtg 3120
tacagtgaga tcaggatgag ggtggtgagg tggatgacag ggggacccat gcttctgctc 3180
aggggggttg cagaagccag caaggcttgg ggtttccctt gttggagcg ctccaagttg 3240
agagtgcaga ggagtgtgag atgcgtgtga aaatgcaaac ttggtctctc ctggctggag 3300
gctggcattg ggtgagtctc tggtaggacc aggccatgta tactttttaa gcttttttat 3360
tcttgaaaaa ttcaaaagata taaaaagata gactatgcag gataatgagc cccacatac 3420
tccgcattct ttgtctgtaa ttatcagctc gtggctacct ctacctctcc cctctacctc 3480
ttgtctcacc tctacctctc cccctgaccc ctgcctctgg gtcattttgc agcaaatccc 3540
aaatgcctat atcatttatc ctaaatattc cataaacatt ccactatgta gctctgaaag 3600
ataaggacgc ttacaacaca actgcaatat ctttttgggn nnnnnnnnnn nnnnnnnnnn 3660
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 3720
nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn nnnnnnnnnn 3780
nnnnnnnnnn cacaccttta caaaattaat aattccaatc atcttatagt tgatcaggtc 3840
tcaaaatttc aattgcctca taaaaaggat attttctnaa cattnnngtn gtcgcaatng 3900
gttgcngnta agtcacctaa atatcttctc ttttgtataa ctttttagtg cngtaaaaaa 3960
ggt

```

<210> 85

<211> 1093

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 025818CB1

<400> 85

```

tgggtgctgat aacagcggaa tccccgtctt acctctctcc ttggtcctgg aacagcgcta 60
ctgatcacca agtagccaca aaatataata aacctcagc acttgctcag tagttttgtg 120
aaagtctcaa gtaaaagaga cacaaacaaa aaattctttt tctgtaagaa ctccaaaaat 180
aaaattctct agagataaaa aaaaaaaaaa aaaaaggaa aatgccagct gatataatgg 240
agaaaaattc ctctgtcccc gtggctgcta cccagccag tgtcaacacg acaccggata 300
aaccaaagac agcatctgag cacagaaagt catcaaagcc tattatggag aaaagacgaa 360

```

```

gagcaagaat aaatgaaagt ctgagccagc tgaaaacact gattttggat gctctgaaga 420
aagatagctc gcggcattcc aagctggaga aggcggacat tctggaaatg acagtgaagc 480
acctccggaa cctgcagcgg gcgcagatga cggctgcgct gagcacagac ccaagtgtgc 540
tggggaagta ccgagccggc ttcagcgagt gcatgaacga ggtgacccgc ttcctgtcat 600
ccccgtctac accagcaaca gcggcacctc cgtgggcccc aacgcagtgt caccttccag 660
cggccctcg cttacggcgg actccatgtg gaggccgtgg cggaactgag ggggctcagg 720
ccaccctcc tcctaaactc cccaaccac ctctcttccc tccggactct aaacaggaa 780
ttgaatactg ggagagaaga ggactttttt gattaagtgg ttactttgtg ttttttaaat 840
ttctaagaag ttactttttg tagagagagc tgtattaagt gactgaccat gcactatatt 900
tgtatatatt ttatatgttc atattggatt gcgcctttgt attataaaaag ctcatatgac 960
atttcgtttt ttacacgaga tttctttttt atgtgatgcc aaagatgttt gaaaatgctc 1020
ttaaaatc ttcctttggg gaagtttatt tgagaaaata taataaaaaga aaaaagttaa 1080
ggcaaaaaaa aaa 1093

```

<210> 86

<211> 2077

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<223> Incyte clone 438283CB1

<400> 86

```

atggcgtgga ctgaaagtgg cacggcggcg tgtgcgtttc ctagtgtgtc ggtgctgcta 60
tatagggggc gtgggggtccc cacagacctg caggttccgg cccctctttt ctcaaccag 120
agcaaattga aacgtccggg atttccaaag actcatgtta cgtgaggaag ccaccaagaa 180
gagcaaaaga aaggagccag ggatggctct tcctcagga cgttggctt tcagggatgt 240
ggctatagag ttctctttgg aggagtggaa atgcctgaac cctgcacaga gggctttata 300
caqggctgtg atgttgaga actacaggaa cctggagtgt gtggatagct ctttaaaatc 360
catgatggag ttctcatcaa ccaggcacag taatacagga gaagtgatcc acacagggac 420
gttgcaaaaga cataaaagtc atcacattgg agatttttgc tcccagaaa tgaagaaaga 480
tattcatcac tttagttttc agtggcaaga agttgaaaga aatggccatg aagcaccat 540
gacaaaaatc aaaaagtga ctggtagtac agaccgaagt gatcacaggc atgctggaaa 600
caagcctatt aaagatcagc ttggattaaag ctttcattcg catctgcctg aactccat 660
gtttcagact aaagggaata ttagcaacca attggacaag tctatcagtg gtgcttctc 720
agcttcagaa tcccagaaga tttctttag gctcaaaact catatttcta ataagtatg 780
gaagaatttc ctccattctt cattcacaca aatacaggaa atatgcatga gagaaaaacc 840
ttgccaaagt aatgagtgtg gcaaaagcctt taattatagc tcactcttaa ggagacacca 900
cataacccat tcaagagaga gagaatataa atgtgatgta tgtggcaaga tctttaatca 960
gaagcaatac attgtatata atcacagatg tcacactggt gagaaaactt acaagtgtaa 1020
tgagtgtggg aagaccttca ctcatatgtc atcccttgta tgccatcgta gacttcatac 1080
tgagagaaaa ccttacaagt gtaatgagtg tggcaagacc ttcagtgaga agtcatccct 1140
tagatgccat cgtagacttc atactggaga gaaaccttac aagtgtaatg agtgtggcaa 1200
gacttttggc cgaaattcag ccttgtaat tcataaggca attcactg gagagaacc 1260
ttacaagtgt aatgagtgtg gcaagacctt cagtcagaaa tcatcccttc aatgccatca 1320
tatacttcac actggagaga aaccttaca atgtgaagaa tgtgacaatg tttacattcg 1380
cagatcacac cttagaagac ataggaaaat tcatactgga gagggatcat acaaatgtaa 1440
ggtttgtgac aaggctttcc ggagtgttc atgccttgca aaccatacga gaggttcatac 1500
tgagagaaaa ccttacaagt gtaataaatg tgcgaagggt tttaatcaaa aaggaatcct 1560
tgcaaacat cagagagtgc atactggaga gaaaccttac aagtgtaatg aatgtggcaa 1620
ggtttttaac caaaaagcaa gccttgcaaa acatcagaga gttcactg cagagaaacc 1680
ttacaagtgt aatgagtgtg gcaaaagcctt tactggacag tcaacactta ttcaccatca 1740
agcaatccat ggggttaggg aaactttaca aatgtaatga ttgtcacaaa gtcttcagta 1800
atgctacaac cattgcaaat cattacagaa tccatattga agagagatct acaagtgtaa 1860
taaatgtggc aaatttttca gacgtcattc ataacttgta gttcctcagt gaactcatac 1920
tgagagaaaa ccttacaat atcatgactg tgacaagtc ttcagtcaag cttcatccta 1980
tgcaaacat agaattgtc caggagagaa acctcacaag tgtgatgatt gtgggcaagc 2040
tttacttcac gttcacaccg tcttagacat cagagaa 2077

```

<210> 87

<211> 2358

<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 619699CB1

<400> 87
ggactttact ggacccaact cagagaaaacc tctacagaga tgtgatgctg gagaactaca 60
agaatttggc cacagtagga tatcagctct tcaaaccag tctgatctct tggctggaac 120
aagaagagtc taggacagtg cagagaggtg atttccaagc ttcagaatgg aaagtgaac 180
ttaaaccacaa agagtttagc cttcagcagg atgttttggg ggagccaacc tccagtggga 240
ttcaaatgat aggaagccac aacggagggg aggtcagtga tgttaagcaa tgtggagatg 300
tctccagtga acactcatgc cttaaagacac atgtgagaac tcaaaatagt gagaacacat 360
ttgagtgtta tctgtatgga gtagacttcc ttactctgca caagaaaacc tctactggag 420
agcaacgttc tgtatttagt cagtgtgga aagccttcag cctgaacca gatgtgttt 480
gccagagaac gtgcacagga gagaaagctt ttgattgcag tgactctggg aaatccttca 540
ttaatcattc acaccttcag ggacatttaa gaactcacia tggagaaagt ctccatgaat 600
ggaagggaatg tgggagaggc ttatttact ccacagacct tgctgtgcgt atacaaactc 660
acaggtcaga aaaaccctac aaatgtaagg aatgtggaaa aggatttaga tattctgcat 720
accttaatat tcacatggga acccacactg gagacaatcc ctatgagtgt aaggagtgtg 780
ggaaaagcctt caccaggtct tgtcaactta ctcagcacag aaaaactcac actggagaga 840
aaccttataa atgtaaggat tgtgggagag ccttactgtt ttctcttgc ttaagtcaac 900
atatgaaaat ccatgtgggt gagaagcctt atgaatgcaa ggaatgtggg atagccttca 960
ctagatcttc tcaacttact gaacatttaa aaactcacac tgcaaaggat ccctttgaa 1020
gtaaggatg tcacactgga gagaagcctt ttgagtgcct cagtgtcac ttctgaattc 1080
acactggaat aaaaccctat aaatgtaagg attgtggaa agccttact cagaactcag 1140
accttactaa gcatgcacga actcacagt gagagaggcc ctatgaatgt aaggaatgtg 1200
gaaaggcctt tgccagatcc tctgcctta gtgaacatac aagaactcac actggagaga 1260
agccttttga atgtgtcaaa tgtgggaaa cctttgctat ttcttcaaa cttagtggac 1320
atgtgagaat tcacactgga gagaagcctt ttgagtgcct ggaatgtggt aaagcattta 1380
cgcatctctc cagtcttaat aatcacatgc ggaccacag cgcaaaaaa ccattcacgt 1440
gtatggaatg tggcaaagcc ttaagtctc ccacgtgtgt taaccttcac atgcggatcc 1500
acactggaga aaaaccctac aaatgtaaac agtgtgggaa atccttcagt tactccaatt 1560
cgtttcagtt acatgaacga actcacactg gagagaaacc ctatgaatgt aaggagtgcg 1620
ggaaaagcctt cagttcttcc agttcctttc gaaatcatga aagaaggcat gcggatgaga 1680
gactgtcagc ataagggaatg tgggaaaacc taaagggtgtc cctgttctct ctgaagacat 1740
gaaaactcac tggggagaaa ccctatgaat gtaaaaatgt ggaagcaact ttgtatctca 1800
ggctcttaatg aacacatatg aattcacagt ggagaagacc ctgcatcagg gaatgtggaa 1860
atgaccttgc tgaattctca agccttacca aacacatcag aaatctcact ggagagaaac 1920
tgtatgaatg tagagaatct gggaatacct ttctgaatcc cacaacactt aatgtgtgta 1980
tgtgaactca cattggagag aaaccctgca atttaaatgg tatggtctgg atgatgcccc 2040
actccatatt tgaagccctt aagtcctagt tccttacact ataactgtat ttggacatag 2100
ggttttcaaa caggtagta acttcaaatg aggttgttgg gttcgatccc taatctgaca 2160
tcactgggtg cctataagg gaaactgaag gaaggataca catggagaag actgtgtgga 2220
tccaccagaa gatggccatc tacaagccaa ggacagagac ctggaacaga tgctttcat 2280
atggcctcca gaggaacca accctgtctc caccttgata ttgcacttcc aggctccaga 2340
actgtgaggc aataaata 2358

<210> 88
<211> 1978
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 693452CB1

<400> 88
gcagcggctg ccacggagct cgtagctgca gctttggagg agtaagcggc gtggtagcga 60
aggtcgccga accgcctgg ctagccggcg agttgagtgg cgactctttt gaaacagatg 120
gtcaccatgt ttagatatta gcagtcctgt atgtgcatgt ctgcatttga aaatggaaqa 180
gggaaacaac aatgaagagg taattcactt gaacaacttt cactgccatc ggggacaaga 240

```

ctttgtaatt ttcttctgga aaacccagat tatccaaaga gagaagacag aatcattata 300
aatcccagta gcagtctgct ggccagccaa gatgagacaa agttgcctaa aataagactt 360
ttttgactat tctaaattga ctctcttga ccagcactgc ttcattcaag ctgctgacct 420
cctcatggcc gacttcaaag tgctcagtag tcaggacatc aagtgggccc tgcacgagct 480
caaaggacac tatgcaatca cccgaaaggc cttgtctgat gccattaaaa aatggcagga 540
gctgtcacca gaaaccagtg gaaaaaggaa gaagagaaaa caaatgaacc agtattctta 600
cattgatttc aagtttgaac aaggtgacat aaaaatagaa aagaggatgt tcttcttga 660
aaataagcga cgacattgta ggtcctatga ccgacgtgct ctcttccag ctgtgcaaca 720
agagcaggag ttctatgagc agaaaatcaa agagatggca gagcatgaag actttttgct 780
tgccctacag atgaatgaag aacagtatca aaaggatggc cagctgattg agtgcgctg 840
ctgctatggg gaatttccat tcgaggagct gacgcagtgc gcagatgctc acttgttctg 900
caaagagtgt ctcatcagat atgcccaga ggcatcttt ggatctggaa agttggagct 960
cagctgcarg gaaggcagct gcacgtgttc gttcccaacc agtgagctgg agaaggtgct 1020
ccccagacc atctgtata agtactatga gcgaaaagcc gaggaggagg ttgcggcagc 1080
ctacgccgac gagcttgtca ggtgcccgct ctgtagcttt ccggctctgt tggacagtga 1140
tgtgaagagg ttcagctgtc ctaatcctca ctgccgaaag gaaacctgta ggaagtgtca 1200
gggactctgg aaagaacata atggcctcac ctgtgaagag ctggctgaaa aagacgacat 1260
caagtaccgt acctctattg aagaaaaaat gactgctgcc cgcattagaa aatgccacaa 1320
gtgtgggact ggctcatca aatctgaagg ctgcaaccgc atgtcttgc gctgtggtgc 1380
ccagatgtgc tacctctgtc gagtttctat taatggatat gaccatttnt gccaacaatc 1440
ccggttaaca gggggccctt tccaggaggt gttcaagatg ctttctatgg acagactcca 1500
atgtaagttag acacatggct gcctatttct ttataggagg gaaataggaa tataatttaa 1560
tgcagatatt ttgataaacg aacataattg ccttgaggga gatatgaaa tcaaaggctt 1620
taaccaagga aaaaatttga acttattaca agtactccaa aggtggtaaa ggagaacgcc 1680
taacaagtta aaggaaaatc cttaaatctc aaggaaaaaa ccttcgccct tgaacccg 1740
gggagaagag gggcttaaaa ggggttgaaa gcggaaaagg ggtccaaggg ggggggggtg 1800
gtatattatt ttgttttcta tgggcatgaa acatgggtaa atggaaaaat tgaactgggg 1860
acaacagggt tctaggaaat aggtggatat aggtgatggg atttaaggca tgggtgggag 1920
ttggagataa agctggaggt gaaaagaaag ttgggggggg ggggaggaaag tgtttttt 1978

```

<210> 89

<211> 2084

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 839651CB1

<400> 89

```

cgtggggggc cagagcctct ggtgcacatg gcttctctcc cggcgggtgga cgtgtcctgc 60
agggcggcgg agaagcggcg gcagctggac gcgcgccgca gcaagtgccg catccgcctg 120
ggcgccacaca tggagcagtg gtgcctcctc aaggagcggc tgggcttctc cctgcactcg 180
cagctcgcca agttcctgtt ggaccggtac acttcttcag gctgtgtcct ctgtgcaggt 240
aggtagggga tggcaggggg tgagagccag agggaaagagg gaccacaggg tgaccagaa 300
acaccctcct ttcaaaggga gccctgagta agtttgggaa cgggtggggtg agttggggag 360
cacagggtag ttgatggag gcaacctctg ggtggggaag ggagcaatgt ctgaggatct 420
agtgtgtcta ggttctgaag aatgataaat tggactgggg ctgaggttgc cctggggttt 480
gagggaaacag ggctccctgg gtatggctct ccagggtgag agggaggagc ttcccagttc 540
agcctgactg cttccccccac ccctccaggt cctgagcctt tgcctccaaa aggtctgcag 600
tatctggtgc tcttgtctca tgcccacagc cgagagtgcg gcctggtgcc cgggcttcgg 660
gggcctggcg gccaaagatgg ggggcttgtg tgggagtgtc cagcaggcca taccttctcc 720
tggggaccct ctttgagccc tacaccttca gaggcaccca agccagcctc ccttccacat 780
actactcgga gaagtgggtg ttccgaggcc acgagtgggg aggagcttgc agatttgtaa 840
tctgagcatg atgagaggac tcaagaggcc aggttgccca gtagtgagcc tgatgcccc 900
agactactgc cttcccctgt cacctgcaca cctaaagagg gggagacacc accagcccct 960
gcagcactct ccagtcctct tgctgtgccg gccttgtcag catcctcatt gagttccaga 1020
gtcctccac ctgcagaagt caggggtgcag ccacagctca gcaggacccc tcaagcggcc 1080
cagcagactg aggccttggc caggtaacct gatggctgag acagaaaggg caggggcgctc 1140
ctgggatgtg gccctccctc gagggcctct gctccctctt tgctgcccgt agcactggga 1200
gtcaggccca gtctgtctca accccggcct gggatgagga cactgcacaa attggcccca 1260
agagaattag gaaagctgcc aaaagagagc tgatgccttg tgacttccct ggctgtggaa 1320
ggatcttctc caaccggcag tatttgaatc accacaaaaa gtaccagcac atccaccaga 1380

```



```

agtctttctc ctgccagag ccagcctgtg ggaagtcttt caactttaag aaacacctga 1440
aggagcacat gaagctgcac agtgacaccc gggactacat ctgtgagttc tgcgcccgtt 1500
ctttccgcac tagcagcaac cttgtcatcc acagacgtat ccacactgga gaaaaacccc 1560
tgagtgatga gatatgcggg ttacctgcc gccagaaggc ttccctgaac tggcaccagc 1620
gcaagcatgc agagacggtg gctgccttgc gcttcccctg tgaattctgc ggcaagcgct 1680
ttgagaagcc agacagtgtt gcagcccacc gtagcaaaag tcacccagcc ctgcttctag 1740
cccccaaga gtcacccagt ggtcccctag agccctgtcc cagcatctct gccctgggsc 1800
ctctggggtc cagcgagggg tccagggcct ctgcatctcc tcagggtcca accctgtctc 1860
ctcagcaatg agctctctc cagctttggc ttggggaagc cagactccag ggactgaaaa 1920
ggagcaacaa ggagagggtc tgcttgagaa atgccagatg cttgggtccc aggaactaag 1980
gcgacagagt gcagggtggg ggcaagactg ggctgtaggg gagctggact accttagtct 2040
tcctaaagga caaaataaac agtattttat gcaaaaaaaaa aaaa 2084

```

<210> 90

<211> 2024

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1253545CB1

<400> 90

```

tgaaattatt gctattaaca acaccaagtt ttcataatac gattcaaaaag agtgggaggc 60
agccatggct aaggctcaag aaactggaca cctagtgatg gatgtgaggc gctatggaaa 120
ggctgggtca cctgaaacaa agtggattga tgcaacttct ggaatttaca actcagaaaa 180
atcttcaaat ctatctgtaa caactgattt ctccgaaagc ctccagagtt ctaatatgta 240
atccaaagaa atcaatggaa ttcattgatga aagcaatgct tttgaatcaa aagcatctga 300
atccatttct ttgaaaaaact taaaaaggcg atcacaattt tttgaacaag gaagctctga 360
ttcgggtggt cctgatcttc cagttccaac catcagtgcc ccgagtcgct ggtgtggga 420
tcaagaggag gagcggaagc ggagggagag gtggcagaag gagcaggacc gactactgca 480
ggaaaaatat caacgtgagc aggagaaact gagggaaagag tggcaaaagg ccaaacagga 540
ggcagagaga gagaattcca agtacttgga tgaggaactg atggtcctaa gctcaaacag 600
catgtctctg accacacggg agccctctct tgccacctgg gaagctacct ggagtgaagg 660
gtccaagtct tcagacagag aaggaacccg agcaggagaa gaggagagga gacagccaca 720
agaggaagtt gttcatgagg accaaggaaa gaagccgcag gatcagcttg ttattgagag 780
agagaggaaa tgggagcaac agcttcagga agagcaagag caaaagcggc ttcagggtga 840
ggctgaggag cagaagcgct ctgcggagga gcagaagcgc caggcagaga tagagcggga 900
aacatcagtc agaataatac agtacaggag gcctgttgat tccatgata taccaaagac 960
agaagaagca tcttcagggt tcttctctgg tgacaggaat aaatccagat ctactactga 1020
actggatgat tactccacaa ataaaaatgg aaacaataaa tatttagacc aaattgggaa 1080
cacgacctct tcacagagga gatccaagaa agaacaagta ccatcaggag cagaattgga 1140
gaggcaacaa atccttcagg aaatgaggaa gagaacaccc cttcaceatg acaacagctg 1200
gatccgacag cgcagtgccg gtgtcaacaa agagcctgtt agtcttctct ggatcatgag 1260
aagaggcgaa tctttagata acctggactc ccccgatcc aattcttggg gacagcctcc 1320
ttggctcaat cagcccacag gattctatgc tcttctctct gtgcaagact ttagtcgccc 1380
acaacctcag ctggtctcca catcaaaccg tgctcatatg cggaacccct cctccagcgt 1440
gccccaccc tcaagtggct ccgtgaagac ctccaccaca ggtgtggcca ccacacagtc 1500
ccccaccccg agaagccatt ccccttcagc ttcacagtca ggctctcagc tgcgtaacag 1560
gtcagtcagt gggaagcgca tatgtccta ctgcaataac attctgggca aaggagccgc 1620
catgatcatc gagtccctgg gtctttgtta tcatttgcag tgttttaagt gtgttgccct 1680
tgagtgtgac ctgcggaggct ctctctcagg agctgaagtc aggatcagaa accaccaact 1740
gtactgcaac gactgctatc tcagattcaa atctggacgg ccaaccgcca tgtgatgtaa 1800
gcctccatac gaaagcactg ttgcagatag aagaagaggt ggttgctgct catgtagatc 1860
tataaatatg tgtgtatgt cttttttgct ttttttttaa aaaaaagaat aacttttttc 1920
gcctctttag attacattga agcattgtag tcctggtaag accagtattt ttggtgttta 1980
tttataaggc aattgtgggt gggggaaaag tgcagaattt accc 2024

```

<210> 91

<211> 3518

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1425691CB1

<400> 91

```
ctctctcggc ccggccatct tgtgggaaga gctgaagcag gcgctcttgg ctccggcgcgg 60
cccgtgcaa tccgtggagg aacgcgcgcg cgagccacca tcatgcctgg gcacttacag 120
gaaggcttcg gctgcgtggt caccaaccga ttcgaccagt tatttgacga cgaatcggac 180
cccttcgagg tgctgaaggc agcagagaac aagaaaaaag aagccggcgg gggcggcgtt 240
ggggggccctg gggccaagag cgcagctcag gccgcggccc agaccaactc caacgcggca 300
ggcaaacagc tgcgcaagga gtcccagaaa gaccgcaaga acccgctgcc cccagcgtt 360
ggcgtggttg acaagaaaga ggagacgcag ccgcccgtgg cgcttaagaa agaaggaata 420
agacgagttg gaagaagacc tgatcaacaa cttcagggtg aagggaaaaa aattgataga 480
agaccagaaa ggccgaccacc tcgtgaacga agattcgaaa agccacttga agaaaagggt 540
gaaggaggcg aattttcagt tgatagaccg attattgacc gacctattcg aggtcgtggt 600
ggctcttgaa gaggtcgagg gggcgtgga cgtggaatgg gccgaggaga tggatttgat 660
tctcgtggca aacgtgaatt tgataggcat agtggaaagt atagatcttc tttttcacat 720
tacagtggcc tgaagcacga ggacaaacgt ggaggtagcg gatctcaca ctgggggaact 780
gtcaaaagac aattaacaga gtcccccaaa tacattcaga aacaaatatt ttataattac 840
agtgaacttg atataacgtc tcagctggag gaaacacctg aaggtgaaga acatcatcca 900
gtggcagaca ctgaaaaataa ggagaatgaa gttgaagagg taaaagagga gggtcacaaa 960
gagatgactt tggatgagtg gaaggctatt caaaataagg accgggcaaa agtagaattt 1020
aatatccgaa aaccaaattga aggtgctgat gggcagtgga agaagggtt tgtcttcat 1080
aaatcaaaga gtgaagaggc tcagtctgaa gattcgggta tggaccatca tttccggaag 1140
ccagcaaatg atataacgtc tcagctggag atcaattttg gagaccttgg ccgccaggga 1200
cgtggcggca ggggaggacg aggtggacgt gggcgtggtg ggcgcccaaa ccgtggcagc 1260
aggaccgaca agtcaagtgc ttctgctcct gatgtggatg acccagaggc attcccagct 1320
ctggcttaac tggatgccat aagacaaccc tgggtccctt gtgaaccctt ctgttcaaa 1380
cttttgcatt cttaaggatt ccaaacgact aagaaattaa aaaaaaaaag actgtcattc 1440
ataccattca cacctaaaaga ctgaatttta tctgttttaa aaatgaactt ctcccgctac 1500
acagaagtaa caaatatggt agtcigtgtt gtatttagaa atgtattggt agcagggatg 1560
ttttcataat ttccagagat tatgcattct tcatgaatac ttttgtattg ctgcttgcaa 1620
atatgcattt ccaaacttga aatatagggt tgaacagtgt gtaccagttt aaagctttca 1680
cttcatttgt ttttttaatt taaggattta gaagttcccc caattacaaa ctggttttaa 1740
atattggaca tactgtttt aatacctgct ttgcatttcc acacatggtc aactgggaca 1800
tgttaaaact tgatttgtca aattttatgc tgtgtggaat actaactata tgtattttaa 1860
cttagtttta atattttcat ttttggggaa aaatcttttt tcaacttctca tgatagctgt 1920
tatatatata tgctaaatct ttatatagag aaatatcagt acttgaacaa attcaaagca 1980
cattttggtt attaaccctt gctccttgca tggctcatta ggttcaaat ataactgatt 2040
tacattttca gctatattta ctttttaaat gcttgagttt cccattttta aatcraaact 2100
agacatctta attggtgaaa gttgtttaaa ctacttattg ttggtaggca catttgttca 2160
agtgaagtag ttttataggt atgggttttt tctccccctt caccaggggt ggtggaataa 2220
gttgatttgg ccaatgtgta atattttaa tgttctgtaa aataagtgtc tggccatttg 2280
gtatgatttc tgtgtgtgaa aggtcccaaa atcaaaaatg tacatccata atcagccacc 2340
atttaaccct tccttgttct aaaacaaa aaagggcg ctggttggtg gggtaggtg 2400
ggggagttat ttaatttttg gaatttggga agcagacagc ttactttgt aaggttggaa 2460
cagcagcact atacatgaaa tataaaccaa aaacctttac tgtttctaaa tttcctagat 2520
tgctattatt tggttgtaag ttgagtattc cacagaaagt ggtaattatc tctctctctt 2580
cctccattag aaaattaggt aaataatgga ttctataaat gggagcatca ccacttatta 2640
aaacacacat agaattgatg attaaaaaag ttttctagga ttgtctttta ttctgccaca 2700
tttattgata aacagtgaag gaatttttaa aaaattttta agaattgtt gtcacgtcat 2760
ttttagaaat gttctacctg tatatggtaa tgtccagttt taaaaatatt ggacattctc 2820
aatcttaaac atttctattt agctgatttg ttctcacata tacttctaaa agaaactttt 2880
atgttataag atttactttt tggataagat ttattaatct cagttaccta ctattctgac 2940
attttaggaa ggaggttaatt gtttttaatt atggataaac ttgtgctggt gttttggatc 3000
ttatgatgct gagcatgttc tgcactggtg ctaatgtcta atataatttt atatttacac 3060
acatacgtgc taccagaga ttaatttagt ccatatgaac tattgacca ttgttcattg 3120
agacagcaac atacgcactc taaaatcagt gtgtttagac ttttcaagta tctaactcat 3180
ttccaacat ttccatgttt ttataaacct ctgattttcc agcaacatac tatagaaaaa 3240
acctgctact caaaacacaa ctctcagtg tcatccattg ctgtcgtgag agacaacata 3300
gcaatatctg gtatgttgca agctttcaag atagcctgaa cttaaaaagt tgggtgcatta 3360
gttgratctg atggatataa atttgcctcc tagttcactt tgtgtcaaga gctaaaactg 3420
```

tgaacctaac tttctcttat tgggtgggtaa taactgaaaa taaagattta ttttcatgct 3480
cacttcttaa aagtcataaa aacaatcaaa aaaaaaaa 3518

<210> 92

<211> 2741

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> incyte clone 1484257CB1

<400> 92

tcccgcccgga ctctaacatg gcggcgcctt ttgtctgctc tggagtgccg tccccggcct 60
tctcgcgccg gtgatgcacc tccctctgcg gtgggtccg ggacatggca ggtaatgagc 120
cggacgaggg gagccaagct ggagtttaca caggcaaaact gtcagaaaaag agtagcctgg 180
gctgtctgga aatctgagcc atggactttc cccagcacag ccagcatgtc ttggaacagc 240
tgaaccagca gcggcagctg gggcttctct gtgactgcac ctttgtgggt gacgggtgtc 300
actttaaggc tcataaagca gtgctggcgg cctgcagcga gtacttcaag atgctcttcg 360
tggaccagaa ggacgtggtg caccctggaca tcagtaacgc ggacggcctg gggcagggtc 420
tggagtttat gtacacggcc aagctgagcc tgagccctga gaacgtggat gatgtgctgg 480
ccgtggccac tttcctccaa atgcaggaca tcatcacggc ctgccatgcc ctcaagtcc 540
ttgctgagcc ggctaccagc cctgggggaa atgcggaggc cttggcacag aaggtctgcc 600
ctgttccatc tccaggaggg gacaagagag ccaaagagga gaaggtggcc accagcacgc 660
tgagcaggct ggagcaggca ggacgcagca caccatagg cccagcagg gacctcaagg 720
aggagcgcgg cggtcaggcc cagagtgcgg ccagcgggtc agagcagaca gagaaagccg 780
atgcgccccg ggagccgccc cctgtggagc tcaagccaga cccacagag ggcatggctg 840
ctgcagaagc tgagcggcgt ttgtccgaga gtccggagca agaatggag gtggagcccg 900
cccgaaaagg ggaagaggag caaaaggagc aagaggagca agaggaggag ggcgaggggc 960
cagctgaggt caaggaggag ggttcccagc tggagaacgg agaggccccc gaggagaacg 1020
agaatgagga gtcagcgggc acagactcgg gccaggagct cggctccgag gcccgggccc 1080
tgcgctcagg caccctacggc gaccgcacgg agtccaaggc ctacggctcc gtcattccaca 1140
agtgcgagga ctgtgggaag gagttcacgc acacggggaa cttcaagcgg cacatccgca 1200
tccacacggg ggagaagccc ttctcgtgcc gggagtgcag caaggccttt tccgacccgg 1260
ccgctgtcga ggcccattgag aagacgcaca gccctctgaa gccctacggc tgcgaggagt 1320
gcgggaaagc ctaccgcctc atcagcctgc tgaacctgca caagaagcgg cactcgggcy 1380
aggcgcgcta ccgctgcgag gactgcggca agctcttcac cactcgggc aacctcaagc 1440
gccaccagct ggtgcacagc ggcgagaagc cctaccagtg cgactactgc ggccgctccc 1500
tctccgaccc cacttccaag atgcgccacc tggagacca cgacacggac aaggagcaca 1560
agtgcaccaca ctgcgacaag aagttcaacc aggtaggga cctgaaggcc cactgaaga 1620
tccacatcgc tgacgggccc ctcaagtgcc gagagtgtgg gaagcagttc accacctcag 1680
ggaacctgaa gcggcacctt cggatccaca gcggggagaa gccctacgtg tgcattccac 1740
gccagcgaca gtttgcagac cccggcgctc tgacgcggca cgtccgcat caccaggtg 1800
agaagccatg ccagtgtgtg atgtgcggta aggccttcac ccaggccagc tccctcatcg 1860
cccacgtgcg ccagcacacc ggggagaagc cctacgtctg cgagcgctgc ggcaagagat 1920
tcgtccagtc cagccagttg gccaatcata ttcgccacca cgacaacatc cgcccacaca 1980
agtgcagcgt gtgcagcaag gccttcgtga acgtggggga cctgtccaag cacatcatca 2040
ttcacactgg agagaagcct tacctgtgtg ataagtgtgg gcgtggcttc aaccgggtag 2100
acaacctgcg ctcccacgtg aagaccgtgc accagggcaa ggcaggcatc aagatcctgg 2160
agcccaggga gggcagtgag gtcagcgtgg tcaactgtga tgacatggtc acgctggcta 2220
ccgaggcact ggcagcgaca gccgtcactc agctcacagt ggtgccgggt ggagctgcag 2280
tgacagccga tgagacggaa gtcctgaagg ccgagatcag caaagctgtg aagcaagtgc 2340
aggaagaaga ccccaacact cacatcctct acgcctgtga ctctgtggg gacaagtttc 2400
tggatgccaa cagcctggct cagcatgtgc gaatccacac agcccaggca ctggtcatgt 2460
tccagacaga cgcggacttc tatcagcagt atgggccagg tggcacgtgg cctgcccggc 2520
aggtgctgca ggctggggag ctggtcttcc gccctcgcga cggggctgag ggccagcccc 2580
cactggcaga gacctcccct acagctcctg aatgtccccc gcctgcccag tgagctggcg 2640
gcccttctga ctgtttatct aaggatggat ggcaccctgg aaccgggaag ggtggcctgt 2700
tccctagaga gaataaattg gattattttc taaaaaaaaa a 2741

<210> 93

<211> 1305

<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<223> Incyte clone 1732368CB1

<400> 93
gaggaaatac cgatggacct aacggtagtg aagcaggaaa ttatagactg gccagggtaca 60
gaaggcagga gacggatagt agtttagtgg taaaagaagc gaagggtggg gaaccagagg 120
taaagggaaga gaaggtaaaag gaagaggtaa tggactgggc agaagtgaag gaagagaagg 180
ataacttgga gataaaacag gaggagaagt ttgttggtca atgcataaaa gaggaaatga 240
tgcatggaga gtgtgtaaaa gaagagaagg atttcctgaa gaaagaaatc gtggatgata 300
caaagggtgaa agaagagcct ccgataaatc acccggtggg ctgcaagcgg aaactggcca 360
tgtcaagggtg tgagacttgt ggtacagaag aagcaaaagta cagatgtcca cgttgtatgc 420
gatattcctg cagtttgccc tgtgtaaaaga aacacaaaagc agaactgaca tgtaatggag 480
ttcgagataa aactgcatac atttcaatac aacagtttac tgaaatgaat ctccctaagt 540
attatcgatt tttggaagat gtggcaagaa cagcggacca tatttctaga gatgcttttt 600
tgaagagacc aataagcaat aaatatatgt actttatgaa aaatcgtgcc cggaggcaag 660
gtattaaactt aaaacttcta cccaatggat tcaccaagag gaaggagaat tcaacctttt 720
ttgataagaa aaaacaacag tttgttggtc atgtgaagct ccagtttctt caaagtcagg 780
ctgagtcacat agaaaaaaga gtaccagatg ataaaaactat taatgaaatc ctaaaacctt 840
acattgatcc tgaaaagtct gatcctgtaa ttcgtaaaag gttgaaagcc tacattcgct 900
ctcagactgg ggttcagatt ttaatagaaga ttgaatata gcagcaaaat ttagtaagat 960
attatgaact agatccttat aaaagtctcc tagacaattt gaggaaacaaa gtgatcattg 1020
agtatccaac attacatgtg gtattgaaag gatccaataa tgacatgaaa gttcttcacc 1080
aagtgaagag tgaatctacc aagaacgttg gcaatgaaaa ttgagcattt tttctggaag 1140
aagaaagtga aaacttccag acaactgcag cagactctgc attgatgggc tgttggtgta 1200
ttgggggtatt gtcaatgggt gattggaatt ttttcttgt atgaaaaata agcttaactc 1260
ttttaaaaaa tgtattttat aacctcttga attaatgac ttgta 1305

<210> 94
<211> 1145
<212> DNA
<213> Homo sapiens

<220>
<221> misc feature
<223> Incyte clone 1870914CB1

<400> 94
cacgaaggcg gcaaaggcga cggaaatggag gaggtgcctc acgactgtcc agggggccgac 60
agcgcgccag cgggcagagg ggcttcatgt cagggatgcc ccaaccagcg gctgtgcgct 120
tctggagcgg gggccactcc ggacacggct atagaggaaa tcaaagagaa aatgaagact 180
gtaaaacaca aaatcttggg attgtctggg aaaggcgggtg ttgggaaaaag cacattcagc 240
gcccaccttg cccatggcct agcagaggat gaaaacacac agattgctct tctagacatc 300
gatatatgtg ggccatcgat tcccaagata atgggattgg aaggagagca ggttcaccag 360
agtggctcag gctggctctc agtgtagctg gaagacaacc tgggggtgat gtcagtgggc 420
ttctgtctca gcagtctga tgatgtgtt atctggagg gaccaagaa aaacggcatg 480
atcaagcagt tcctccgaga tgtggactgg ggagaggtcg actacctcat tgtggacacc 540
ccacctggga cgtcggatga acacctctcg gtcgtccggc acctggccac agcacacatc 600
gatggagcag tgatcatcac cactccccag gaggtgtcac tccaggatgt ccggaagaa 660
atcaacttct gccgcaagggt gaagctgccc atcatcgggg ttggtggagaa catgagtggc 720
ttcatctgtc ctaagtgcga gaaagaatct cagatatctc ctcccacaac cgggggcgcg 780
gagctcatgt gccaggactt ggaggtccct ctccctcgga gagtgccctt ggatccgctc 840
ataggaatcc aagagttttg taatctccat cagtcaaaag aagagaacct catcagtcc 900
tgaaagcaga gaatgttcag gaccaagcag ttaccgagcg aggcactcac tgggcagcac 960
atccagccag acccgaccag ctccgggatg ggggtgggtca cagcaaaagg accagatgct 1020
gggtgggtcc gaagccactt tctcagagac actttaatca ttgagtattt gtacactttt 1080
ctttagaaca tatataaagg gcattctcta caaatgtgcc gttttaagaa tagggccccg 1140
gtcga 1145

<210> 95
<211> 1470
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 1910984CB1

<400> 95
acccccgaac agctgctgga gcataagaaa tgccacactg tccccaccgg tgggctcaat 60
ttatgttcta ggatgaccaa gtagaagaat actttgaaaa aattgataat gccttctggc 120
tatacagtgc ccattctgca ttattccac caaccgcccc gctgccatgg agtgccacct 180
caagaccacac tacaagatgg agtacaagt cggatctgc cagacggtga aggccaaacca 240
gctggagctg gagacgcaca cccgggagca ccgcttgggc aaccactaca agtgcgacca 300
gtgcggctac ctgtccaaga ccgccaacaa gctcatcgag cacgtgcgag tccacaccgg 360
ggagcggccc ttccactgtg accagtgcag ctacagctgc acaggcaagg acaatctcaa 420
cctgcacaag aagctgaagc acgccccacg ccagaccttc agctgcgaag agtgctgtt 480
caagaccaca cacccttctg tcttcagccg ccacgtcaag aagcaccaga gtggggactg 540
ccctgaggag gacaagaagg gcctgtgtcc agcccccaag gaaccggccg gcccgggggc 600
cccgcctctg gtggtcggga gctcccggaa tctcctgtct cccctgtcag ttatgtctgc 660
ctcccaggct ctgcagaccg tggccctgtc ggccagccac ggccagcagt cagagcccaa 720
cctggcactc aaggcttttg ccttcaacgg ctcccctttg cgctttgaca agtaccggaa 780
ctcagatttt gcccatctca ttcccttgac aatgttatac cccaagaacc acttggatct 840
cacattccac cctccccgac ctccagactg gcctcccagc atcccctcac ccaaactctc 900
cttcctggcc tatctcgac tgagagaaag agcagagact gtctgagggc agccatgttc 960
tgtaccaaaa acagagagac aaaagacaaa aaaaaaaaaa aaaccacaaa acttaaacac 1020
aaccacagca ggtgtatgtt gctgcaaaac ctacagaccc cgatgggtct ggaacatgtg 1080
tactgtatat cttagtaag gaataaaaa ttggctctgt gtgtatacct attgcattga 1140
cctgaaagct gctttatcca atcttcagag aggtgacct ctgcatact ctaccttcag 1200
aggca:gcct ccccagccac ccactcccac tctcagccct tctccgtact ttctctgaa 1260
aggaatcttg tcttgtaaaa cctaaagag agtgtcctta atagcaatca gcacttgtaa 1320
gcttatatac tgggtgattt cggttttctg ttagggtgaa tgccgtgtgt gggcgttgt 1380
ggattctgaa agagaaaagg gtgtgtcgtg tgccatgaca ttctattcc acattcttgg 1440
tactggcttc tttaacagcg atgaacgttc 1470

<210> 96
<211> 1399
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 1943040CB1

<400> 96
ctgggaaggc cccggaccgg caggaccccc aggacgcgga gtccgactct gccaccggat 60
cgcagaggga gtccgtcatc cagcagcctg ccccgagacg gggcacggcg aaactgggaa 120
ccaagaggcc gcaccccag gatggggacg ggccagagcct cgaggggcgtc tctagctccg 180
gcgacagcgc agggctggag gccgggcagg gccctggggc tgacgagccg ggcttgtccc 240
gcggaagcc ctatgcctgc ggcgagtgcg gggaggcctt cgcgtggctc tcgcacctga 300
tgagcacca cagcagccat ggcggccgga agcgtacgc ctgtcagggc tgctggaaga 360
ccttccactt cagcctggcc ctagccgagc accagaagac ccacgagaag gagaaaagct 420
acgcgctggg ggcgccccgg ggcccccaac cgtccaccgg cgaaccagc cgggggctag 480
ggcgggcggt cccccagaga gcgtggaggg cgaggctccc cccgcacccc cagaggcgca 540
gaggtgagcc gctgtgctgt cccgttccgg aggggcccgt ttgccggccg tgaatcccag 600
acgaggcatt gggcctttcc acgcccctgg gtggcggtt cctgtggtgt ttgtggact 660
cctctgcctg tgccctgaat ccgtcctga ggctaagcgc tcccacagag aagggtccac 720
gggaagccct cactctgta aacacaccct gggccagcgc tcgcatccga ggggagccgc 780
cggtgtgga agaagactcg gctttctgc agccatttag tgccgccccca tgctaggtaa 840
tttgacattg tgagtgtag agttgcctta aagtgcgtga tctgccagt ctttcttcaa 900
gtcacccctg ccccgattcc tctgtttgc gtcgccagg gttgctcaag tggaaatctt 960
gtcagctgtt tagccttttc gtacttggcg tgatgtcaac ttcacttcta atctgcaaaa 1020

```

gcagaagctg tttcctagtt tacctcgcgt gtgtttacct atatggagta gctcgcagag 1080
atcacagaaa tgcttgacgc ctaaggcagg gttttcagac cgtgggtccc agcccattta 1140
gtaaaatggg aaatcaatta gcaagtggc accagcatta cacagcaatg aagcagaata 1200
aagtaggcca gaatgcatca tgtagttaa gcaaatactg ttttgtagaa cttttcacc 1260
atacatctaa atgtgagaac tggttgcaat gtaagacatt tcttgctggg aagttgtgag 1320
caaaaatagt tgaaaacact aataaagatc tgtctgtctg agcaaaggag actaaactcc 1380
ttgggctaca aaaaaaaaaa

```

<210> 97

<211> 3247

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2076520CB1

<400> 97

```

cggctcagaga tcgaaccaag gaaaaacttc ccttgagctc agtatcatatc agtaatatga 60
ttgaaccgga tcagtgtttc tgccgttttg atttaacagg aacatgtaat gatgatgatt 120
gtcaatggca gcatatacaa gactatacac tttagccgaaa acagtatttc caggacattc 180
tgtcatataa tctgtctttg attggttggtg cagagacaag tactaatgaa gaaattactg 240
cttcacagaga aaaatatgtt gagaaaacttt ttggagtaaa caaagatcga atgtcaatgg 300
accagatggc tgttctcctt gtttagcaata tcaatgaaag taaaggtcat actcctccat 360
ttacaacctta caaagataaa agaaagtggg agccaaagt ttggagaaaa cctattttcag 420
ataatagctt cagtagtgat gaggaacagt ctacaggacc aattaagtat gctttccagc 480
cagagaacca aataaatgtt ccagctctgg atacagttgt cactccagat gatgtcagat 540
actttacaaa tgagactgat gacatcgcta atttagaagc aagtgtgctt gaaaatcctt 600
ctcatgtaca actttggctc aagcttgctg acaagtactt gaatcaaaa gagggggagt 660
gctcagaatc ctttgattct gctttaaatg ttctggcgcg agcattggaa aataacaaaag 720
acaatccaga aatttggtgc cattacctca gattgttctc aaaaagagga accaaggacg 780
aggtgcagga aatgtgtgaa acagctgttg aatatgtctc agattatcaa agcttttgga 840
cttttctaca cctagaaagt acctttgaag aaaaggatta cgtatgtgag agaattgttg 900
agtttctgat gggagcagcc aagcaggaaa catccaatat ttgtctctt cagcttttag 960
aggctctttt gtttagagtt cagctgcaca tatttactgg aagatgccaa agtgacattg 1020
caattttaca gaatgcattg aaatctgcta atgatggaat agtagctgaa taccttaaaa 1080
ccagtcatcg atgtttggca tggttggcct acatacatct tattgaattc aacattctcc 1140
cttcaaaatt ttatgatcca tctaatagata atccttcaag aattgttaac actgaatcat 1200
ttgtaatgcc atggcaagct gttcaagatg taaagactaa tcttgacatg ttgttagcag 1260
tttttgaaag tcgagtgaag gcttgacacg atgagagcct tgctgttgag gaaagaatag 1320
aggcctgcct tccactttac acaaacatga ttgctctgca ccaactcctg gagagggtatg 1380
aggctgcaat ggagctttgt aaatctttat tggaatcatg tcctattaac tgccagttgc 1440
tggaagccct tgttgcatat tatttgcaaa caaatcagca tgacaaagcc agagcaggtg 1500
ggcttactgc atttgaaaaa aatcctcaga atgcagaggt tttttatcat atgtgcaaat 1560
tcttcattct acagaatcga ggcgataatc ttcttccatt ttgcggaat tttattgcat 1620
ccttctctaa accgggggtt gagaagtata ataacttggg tctgtttcgg tatctcttaa 1680
atattccagg accaattgac attccatctc gtttatgtaa agggaaattt gatgatgata 1740
tgtttaacca ccaagttcct tatttgggtg tgatttactg cctttgtcat cctcttcaat 1800
caagtattaa agaaacagtg gaggcataat aggcagcatt aggggtggct atgagatgtg 1860
atatagtaca gaagatatgg atggattatc ttgtctttgc aaataataga gctgctggat 1920
ccagaaacaa agttcaagaa ttcagatttt ttaactgattt agtgaataga tgtttggtra 1980
cagtccctgc ccgatacccc attcctttta gcagtgtcga ttactggctc aactatgaat 2040
ttcataatag ggttattttc ttttatttga gctgtgttcc aaagacccag cattccaaaa 2100
ccttggaacg gttttgttca gttatgccag ctaattctgg acttgcatg aggttacttc 2160
aacatgaatg ggaagaaaagc aatgttcaga ttctgaaact tcaagccaag atgtttacat 2220
ataatatccc aacatgcctg gccacctgga aaatagccat tgctgctgag attgttctaa 2280
agggacaaaag agaggtccac cgtttatatc agagagcctt acagaagtta cctctttgtg 2340
catcactgtg gaaagatcaa ctctgtttg aagcatcaga aggaggtaaa actgataacc 2400
tgagaaaaact agtttccaag tgccaagaga ttggagttag cctaaatgag ctcttaaatc 2460
taaacagtaa caaacagaa agcaagaatc actgaacact ggggtgcagtc agttctaaat 2520
ccttataata attgccaaaa ttatttgaat gattcttcaa gattaggctg atccctggct 2580
aaggtctgtg taaggcagac aagcgttatt gatcatatca agttccctac aatatcctgt 2640
cctcaaaacc ggaagcaatg aacatgatcc tcttcggttg gataaatgaa cttcctgttt 2700

```

```

ggcctgcttc taggccctgc cagattctca taacatcata tacgtaagta tagttcctca 2760
aagtgactga catttatttt aattttgctt tgtttttttt tattttctcc cccattccct 2820
tattttgtgt tattcctgac tcacttgaca ctctctgatg cctgagagat tcctgtttgg 2880
gatttaatat ccagggtgtg gtttacagta aaaaaagcag gcagtccctt ttagtttttc 2940
ctttttaaat ttttttgaga ttcttcattt caggatttaa aactatagca gtccatctta 3000
aggaaagtgt aactgccatg gccacaagtc tgctagtgtc acttgaatgc tctatcaggg 3060
ttgtttatta cctttctac gttctggact ccttgccgag actgtttaac ttgaagatta 3120
aagaaactat tgcaaatgcc agtgcacag aacctaaag tggtcaaata ttatgtgcaa 3180
tttttttgta aagaaatttt aatttataat aaagtttaac agtttaaaga acaaaaaaaa 3240
aaaaaa 3247

```

<210> 98

<211> 2348

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2291241CB1

<400> 98

```

ttcggcagag gccgaacctg gcttcgctaa cgccctccca gtcctctcgg gtctgacttc 60
cggtttcctc gcgcgtccct ggcgccgagc ccgcggacag cggcagcccc ttttccggct 120
gagagctcat ccacacttcc aatcactttc cggagtgtct cccctccctc cggcccggtc 180
tggtcccgcg ggccggcctg ggtctcgcgc gcgtatttgt gggtaacggg ccttctcccg 240
cgtcggcccg gcccctcctg cctcggctcg tccctccttc cagaacgtcc cgggctcctg 300
ccgagtcaga agaaatggga ctccctccgc gacgtgcccg gagcagctcc ctctcgtgtg 360
gaagcggcgg tgtcttcgaa gaaaccggaa gcccggtgtg acccctggcg acccggtttg 420
tttccggctc gtttccaaac actaaggaat cgaaactcgg cggccttggg ggcggcccta 480
cgtagcctgg cttctggttg tcatggatgc actggtagaa gatgatctct gtattctgaa 540
tcatgaaaaa gcccataaga gagatacagt gactccagtt tcaatatatt caggagatga 600
atctgttgtc tcccattttg ctcttgtcac tgcatatgaa gacatcaaaa aacgacttaa 660
ggattcagag aaagagaact ctttgttaaa gaagagaata agattttttg aagaaaagct 720
aatagctcga tttgaagaag aaacaagtgc cgtgggacga gaacaagtaa ataaggccta 780
tcagtcatat cgagaggttt gcattgtag agataatttg aagagcaaac tggacaaaat 840
gaataaagac aactctgaat ctttgaaggt attgaatgag cagctacaat ctaaagaagt 900
agaactcctc cagctgagga cagaggtgga aactcagcag gtgatgagga atttaaatcc 960
accttcatca aactgggagg tggaaaagt gagctgtgac ctgaagatcc atggtttgga 1020
acaagagctg gaactgatga ggaaagaatg tagcgatctc aaaatagaac tacagaaaag 1080
caaacaaaacg gaccatatac aggaagacaa tctgaagagc agagatctcc aaaaactaac 1140
catttcaagt gataatatgc agcatgcata ctgggaactg aagagagaaa tgtctaattt 1200
acatctggtg actcaagtac aagctgaact actaagaaaa ctgaaaacct caactgcaat 1260
caagaaagcc tgtgcccctg taggatgcag tgaagacctt ggaagagaca gcacaaaact 1320
gcacttgatg aattttactg caacatacac aagacatccc cctctcttac caaatggcaa 1380
agctccttgt cataccacat cttccctttt accaggagat gtaaagggtt tatcagagaa 1440
agcaatcttc caatcatgga cagacaatga gagatccatt cctaattgat gtacatgctt 1500
tcaggaacac agttcttatg gcagaaattc tctggaagac aattcctggg tatttccaag 1560
tcctcctaaa tcaagtgaga cagcatttgg ggaactaaa actaaaactt tgcctttacc 1620
caaccttcca ccactgcatt acttggatca acataatcag aactgccttt ataagaatta 1680
atltggaaga gattcacgat ttcacatga ggacacttat ctctttcagt ggtcctccca 1740
agaaattatt taacaaactg aaaggagatt ttgattaaaa ttttgcagag gtcttcagta 1800
tctatatatt aacacactgt acaatagtac aaaaaccaac atagtgtggt ttctagtarg 1860
aaagagcacc ctctagctcc atattctaag aatctgaaat atgctactat actaattaat 1920
aagtaaaactt aaggtgttta aaaaactctg cctctatat taattgtaaa attttgccc 1980
tcagaagaat ggaattggag attgtagacg tggttttaca aaatgtgaaa tgtctaata 2040
tctgttcata aaaataaaag gaaaacatgt ttcttcaaat tgcataatgg aacaaatggc 2100
aatgtgagta ggttacattt ctgttgttat aatgcgtaaa gatattgaaa atataatgaa 2160
ataaaagcat cttaggttat accatcttta tatgctattg cgtttcaata ttttaagatt 2220
aaagtgtatt tttgttcaca gtgttttgtt gataaaattt ttttagaat gaagtttgaa 2280
ttctaagact tgaaacaacc ttatcactga agccaacttt ttcccagcac attccttaan 2340
tcctaatt 2348

```

<210> 99
 <211> 2508
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc feature
 <223> Incyte clone 2329692CB1

<400> 99
 catncnggaa accaaaactn gtaccaaacac cactacaact ccccatcgcc agagacacac 60
 acccnccttc aggaaaagag taacccccaa gggggataac aacccaagc taanccaaac 120
 ctccctnacc gtgtaagcan ccattccanc cacaaattccc anaccccca aaaccaccaa 180
 cctaattnaa aggccctccc cctnctaatt gacctnacag nagccaaga tnaaaaagtt 240
 tagggaccac ccctgtttta gcaaaaagat aatnttgggg gncctntttg nnttaacat 300
 tgtcagaana ttgggctaaa gagaagacga cgagagtaag gaaataaagg gaattgcctc 360
 tggctagaga gtagttagggt gtaataacct ggtagagatg taaggatata gacctccctt 420
 tctttatgtg ctactgagg atctgagggg accctgttag gagagcatag catcatgatg 480
 tattagctgt tcatctgcta ctgggtggat ggacataact attgtaacta ttcagtattt 540
 actgtagggc actgtcctct gattaaactt ggctactg caatggctac ttaggattga 600
 tctaaggggc aaagtgcagg gtgggtgaac tttattgtac tttggatttg gtttaacctgt 660
 tttcttcaag cctgaggttt tatatacaaa ctccctgaat actctttttg ccttgatatc 720
 tctcagcctc ctagccaagt cctatgtaat atggaaaaca aacactgcag acttgagatt 780
 cagttccga tcaaggctct ggcatcaga gaacccctgc aactcgagaa gctgttttca 840
 tttctttttt gttttgatcc agtgcctctc catctaaca ctaaacagga gccatttcaa 900
 ggcgaggagat attttaaaca cccaaaatgt tgggtctgat tttcaaaact ttaaaactca 960
 tactgatgat tctcacgcta ggcgaatttg tccaaacaca tagtgtgtgt gttttgtata 1020
 cactgtatga cccaccccca aatctttgta ttgtccacat tctccaaca taaagcacag 1080
 agtggaattt attaagcaca caaatgctaa ggcagaattt tgagggtggg agagaagaaa 1140
 agggaaagaa gctgaaaatg taaaaccaca ccaggaggga aaaatgacat tcagaaccag 1200
 caaacactga atttctcttg ttgttttaac tctgccaca gaatgcaatt tcgttaattg 1260
 agatgtatga agttggcagc agtaattctt ttttaggagc ttgtaccaca gtcttgaca 1320
 taagtgcaga tttggctcaa gtaaagagaa tttcctcaac actaacttca ctgggataat 1380
 cagcagcgta actaccctaa aagcatatca ctagccaaag agggaaatat ctgttcttct 1440
 tactgtgcct atattaagac tagtacaat gtggtgtgtc ttccaacttt cattgaaaat 1500
 gccatatcta taccatattt tattcgagtc actgatgatg taatgatata ttttttcat 1560
 attatagtag aatattttta tggcaagata tttgtggtct tgatcatacc tattaataa 1620
 atgccaaaca ccaaatatga attttatgat gtacactttg tgcttgccat taaaagaaaa 1680
 aaacacacat cctggaagtc tgtaaagtgt tttttgttac tgtaggtctt caaagttaag 1740
 agtgtaagtg aaaaatctgg aggagaggat aatttccact gtgtggaatg tgaatagtta 1800
 aatgaaaagt tatggttatt taatgtaatt attacttcaa atcctttggt cactgtgatt 1860
 tcaagcatgt tttcttttct tcttttatat gactttctct gagttgggca aagaagaagc 1920
 tgacacaccg tatgttgta gagtctttta tctggtcagg ggaaacaaaa tcttgacca 1980
 gctgaacatg tcttcttgag tcagtgcctg aatctttatt ttttaaatg aatgttctt 2040
 aaaggtaac atttctaaa caatattaag aaagacttta aatgttatt tggagacct 2100
 acgatgcatg tatacaaacg aatagcagat aatgatgact agttcacaca taaagtcct 2160
 ttaaggagaa aatctaaaat gaaaagtga taaacagaac atttataagt gatcagttaa 2220
 tgccaaagag tgaagtagt tctattgaca ttcctcaaga tatttaatat caactgcat 2280
 atgtattatg tctgcttaaa tcatttaaaa acggcaaaag attatataga ctatgaggta 2340
 ccttgctgtg taggaggatg aaaggggagt tgatagtcct ataaaactaa tttggcttca 2400
 agtttcatga atctgtaact agaatttaatt tttcacccca ataattgtct atatagcctt 2460
 tgctaaagag caactaataa attaaaccta ttttttcaaa aaaaaaaa 2508

<210> 100
 <211> 2232
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc feature
 <223> Incyte clone 2474110CB1

<400> 100


```

tttccagggg gacgagggcg cctgcccgcg ccgggacttc gtggtagggag cgcttatcc 60
ggcctctatc ggcatggacc cgagcgacat ctacgcggtc atccagatcc cgggcagccg 120
cgaattcgac gtgagcttcc gctcagcgga gaagctggcc ctgttcttac gcgtctacga 180
ggagaagcgg gacgagggag actgctggga gaactttgtg gtgctggggc ggagcaagtc 240
cagcttgaag acgctcttca tctcttccg gaacgagacg gtggacgtgg aggacattgt 300
gacttggtcc aagcgccact gcgacgtgct ggccgtgccg gtgaaagtga ccgacaggtt 360
tgggatctgg accggggagt acaaatgcga gatcgagctg cgccaggggg agggcggggt 420
caggcacttg ccaggggcct tcttctggg ggccgagagg ggctacagct ggtacaagg 480
gcagcccaag acatgcttta aatgtggttc ccggacccac atgagcggca gctgcacgca 540
ggacaggtgc ttcaggtgcc gggaggagg gacactgagc ccttactgcc ggaagggcat 600
cgtgtgcaac ctctgtggca agcgaggaca cgcttttgc cagtgtccca aagcagtgca 660
caattccgtg gcagctcagc taaccggcgt ggccgggcac taaacaccg cctgcctgcc 720
aggggtgaaca cacagccagc ttaccctct taagtgccaa aactttttt taaaccattt 780
tttatcgttt ttgaaggaga tctttttaa acctacaaga gacatctctc tatgccttct 840
taaaccgagt ttactccatt tcagcctgtt ctgaattggg gactctgtca ccaataacga 900
ctgcggagaa ctgtagcgtg cagatgtgtt gccctccct tttaaaattt tatttctgt 960
ttctattgg gtattgttt tgttcttgt actttttctc tctctccttg ccccccctcc 1020
gccctccccg ccccatacct tttcttccc tggattttca ccttttggg tgccttgctc 1080
atctttatgc ccagcacta ggtacgggg ccaacacgtg gtaggcactc catcagttt 1140
tgctgaattg aaaacattgt tgactgtggc ttctatcaga gtgtctacct tttgcagctc 1200
ttcccctccc tcatttaatt tgctgctttt aatctacgtg gtctgagaat ttgtgaaacc 1260
agtgtgttta gaagtgtata taatctgaat caataagctc tgaatggtgg ccaagggcct 1320
ctcttatggc acaaagatgc atggacttca tgacagctct tttggtggct cagaagccat 1380
tttttataga atcatggaat ctagaatatt cctgctggaa agaacctgag agttggtttg 1440
gaccaattcc ctggttttcc agcagatgaa acaggcccaa agaggttaaa tgactgggtg 1500
aaaatcacat agctgtctgg tgccagagcc agcctatagt agagtccct gacccaagc 1560
ccggtgtcca ttccactacc tctcacactt cactcaacac ttgagggccc 1620
agaaagtctg atctctccag aatgatcagc ccagaggaa gctgagaaat cacctggagg 1680
agggagcaga aagagaaggt ttttaaggag gggcttctga atacttggga gatacggaac 1740
ggaccaagga ccacactcca ggggtgcatt gttgtccct ggggcaccac tcttgatta 1800
cagtgtgcca ggtcctttgg aggcctacc ccttcccct tcattgccac cagtgaagaa 1860
tgggggtgcc cctgtgtaaa gaaacctacc aaaggtttac atttgacct tagcctaatt 1920
agctacgaac ctagagaag cagctagctg gagctcatgt gcaactcctg attctcagga 1980
gaaagatgga ttttaacca aaattatgag tgagctgtta actctaaaat gtacttggga 2040
gataggccaa gcgagaggtc atgggccaac taagtgttat ccagtagaaa agacagtaca 2100
ctgctttctt tttagtgttt gcttttccct ttgtctatgt tttgtattt cctgtgggt 2160
tagaatgtaa aattgattgt taaaagtgtt gttctgaata aatatttatc ttttgtattg 2220
ctaaaaaaaa aa 2232

```

<210> 101
 <211> 1620
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2495790CB1

```

<400> 101
aacatggcgt tctggggttg gcgcgccgcg gcagccctcc ggctgtgggg ccgggtagtt 60
gaacgggtcg aggcgggggg aggcgtgggg ccgtttcagg cctgcggctg tcggctgggt 120
cttggcggca gggacgatta ttaaagggtg aagaaggtcc atatctttt ctgtgggtgc 180
ttcaagtgtt gttggaagtg gaggcagcag tgacaagggg aagctttccc tgcaaggatg 240
agctgagctg attcgggcca gagcctgcca gagggtgggt gtcagtgtgg gggccggcct 300
cagcacaccc agtggcattc cagacttcag atcgccgggg agtggcctgt acagcaacct 360
ccagcagtac gatctcccgt accccgaggc catttttgaa ctcccattct tctttcacia 420
ccccaagccc tttttcactt tggccaagga gctgtaccct ggaaactaca agcccaacct 480
cactcactac tttctccggc tgcttcatga caaggggctg cttctgcggc tctacacgca 540
gaacatcgat ggccttgaga gagtgtcggg catccctgcc tcaaagctgg ttgaagctca 600
tggaaccttt gcctctgcca cctgcacagt ctgccaaaga cccttcccag gggaggacat 660
tcgggctgac gtgatggcag acagggttcc ccgctgcccg gtctgcaccg gcgttgtgaa 720
gcccagacatt gtgttctttg gggagccgct gccccagagg ttcttgctgc atgtggttga 780
tttcccctat gcagatctgc tgctcatcct tgggacctcc ctggaggtgg agccttttgc 840

```

```

cagcttgacc gaggccgtgc ggagctcagt tccccgactg ctcatcaacc gggacttggg 900
ggggcccttg gcttggcatc ctgcgagcag ggacgtggcc cagctggggg acgtggttca 960
cgcgctggaa agcctagtgg agcttctggg ctggacagaa gagatgcggg accttgtgca 1020
gcgggaaact gggaagcttg atggaccaga caaataggat gatggctgcc cccacacaat 1080
aaatggtaac ataggagaca tccacatccc aattctgaca agacctcatg cctgaagaca 1140
gcttgggcag gtgaaaccag aatatgtgaa ctgagtggac acccgaggct gccactggaa 1200
tgtcttctca ggccatgagc tgcagtgact ggtagggctg tgtttacagt cagggccacc 1260
ccgtcacata tacaaggag ctgcctgcct gtttgcctgt ttgaactctt cactctgctg 1320
aagctcctaa tggaaaaagc tttcttctga ctgtgaccct cttgaactga atcagaccaa 1380
ctggaatccc agaccgagtc tgctttctgt gcctagttag acggcaagct cggcatctgt 1440
tggttacaag atccagactt gggccgagcg gtccccagcc ctcttcatgt tccgaagtgt 1500
agtcttgagg ccctggtgcc gcacttctag catgttggtc tcttttagtg gggctatttt 1560
taatgagaga aaatctgttc tttccagcat gaaatacatt tagtctcttc aaaaaaaaaa 1620

```

<210> 102
 <211> 608
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2661254CB1

```

<400> 102
gcaatacgtt atggcgacca aacgcctttt cggggctacc cggacgtggg cgggctgggg 60
ggcctgggag ctctaaacc ccgccacttc cggagactc ctggcccggg attatgccaa 120
gaaaccagtt atgaaggggg ccaaatcggg aaaaggtgca gtgaccagcg aggccctcaa 180
ggaccccgac gtatgcacag atcctgtcca gctcaccaca tatgccatgg gcgtcaacat 240
ctacaaggaa gggcaggatg taccctgaa accggtgct gaggaccctg aatggctgtt 300
cgagatgaac ttgggtcccc caaagaccct ggaggagctg gaccccgaga gccgggagta 360
ctggcggcgg ctgcggaac agaacatctg gcgccacaac cggctgagca agaacaagag 420
jttgtagcat ggagggcccg gcatcgctga cccccacgcc gagggcttgc cgttttcccg 480
gaggacgtgg acttttgtga gacaagaggg ggctccccag cctgggtttc catgtgaccc 540
cacagtgggg ctggaccagg gccctggagg ccaataaaga gctttctggg tagaccctaa 600
aaaaaaaaa 608

```

<210> 103
 <211> 3257
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2674047CB1

```

<400> 103
ggannccant tggaacggga aangtcggag ccattgngtg tgnccatttg cccttgggat 60
ttagcctggg aaancctgct ttcattgggac cgagcagatt aaggttgggt ttttttngna 120
agagaggatg ttctagagcc atggttgaaa ttgaattgtt cagggttctt ggaaatcttg 180
taatcaccgg tgagattgat gtggcaaaaa atcagtcctt ttggttcac acaaaaaaat 240
ctacaaccga gnaaatagtg gaagagaaag ttgcagcctt aaatattcaa gtggggaatc 300
tttgccagtt tctccctcag gacaaagttg gagaatttgc taaactcagc aaaattgaac 360
tcctcgaagc cactgaaaag tcaattggtc cccagaaaat gcacaaatat cactgtgaac 420
tcaaaaactt aaggggagaaa gaaaaacagc tcgagacctc atgcaaagag aaaactgagt 480
atctacagaa aatggttcag aggaatgaaa gatataaaca agatgtggag aggttctatg 540
aacggaagcg acatttagat ttaattgaga tgcttgaaag aaaaaggcca tgggtggaat 600
atgaaaatgt tcgtcaggaa tatgaagaag taaaactagt tcgtgaccga gtgaaggag 660
aggtcagaaa acttaagaa gggcagattc ctataacatg tcgaattgaa gaaatggaaa 720
acgagcgtca caatttgag gctcgaatca aagaaaaggg aacagatatt aaggaggcat 780
ctcaaaaatg caaacagaag caagatgta tagaaaggaa agataaacat attgaggaac 840
ttcagcaggg tttaatagta aagcaaatg aagagcttga ccgacagagg agaataggta 900
ataccgcgaa aatgatagag gatttgcaaa atgaactaaa gaccacggaa aactgcgaga 960

```

```

atcttcagcc ccagattgat gccattacaa atgatctgag acggattcag gatgaaaagg 1020
cattatgtga aggcgaaata attgataagc gaagagagag ggaaactcta gagaaggaga 1080
aaaagagtgt ggacgatcat attgtacgtt ttgacaatct tatgaatcag aagggaagata 1140
agctaagaca gagattccgt gacacgtatg atgctgtttt atgggctaaga aataacagag 1200
acaaatttaa acaaagagtc tgtgagccca taatgctcac gatcaatatg aaagataata 1260
aaaatgccaa atatattgaa aatcatattc catcaaatga cttaaagagcc tttgtatttg 1320
aaagtcaaga agatatggag gttttcctca aagaggttcg tgacaataaa aaattaagag 1380
taaatgctgt tattgctccc aagagttcat atgcagacaa agcaccttca agatctttga 1440
atgaacctaa acaatacggg tttttctctt atttgagaga attatttgat gcacctgatc 1500
ctgtaatgag ttacctttgc tgtcagtatc atattcatga agttcctgta ggaactgaaa 1560
agaccagaga aagaattgaa cgggtaatac aagaaacccg attaaaacag atttatacag 1620
cagaagaaaa gtatgtggtg aaaacttctt tttattcaaa caaagttatt tctagtaaca 1680
catctctaaa agtagcgag tttctcactg tcaactgtga cctagagcag agaagacact 1740
tagaagaaaca gctaaaggaa attcatagaa aattgcaagc agtggattca ggggtgattg 1800
ccttacgtga aacaagcaaa catctggagc acaaagacaa tgaacttaga caaaaagaaga 1860
aggagcttct tgagagaaaa accaagaaaa gacaactgga acaaaaaatc agttccaaac 1920
taggaagttt aaagctgatg gaacaggata cttgcaatct tgaagaggaa gagcgaaaag 1980
caagtaccaa aatcaaagaa ataaatgttc aaaaagcgaa acttggtacc gaattaacaa 2040
acctaataaa gatttgtact tctttgcata tacaanaagt agatttaatt ctccaaaata 2100
ctacagtgat ctctgagaag aacaaattag aatcagatta tatggccgca tcttcacaac 2160
tcctgtctac agagcaacat ttcatgtaat tggatgaaaa tagacagaga ttattgcaga 2220
aatgcaagga acctatgaaa agagctaggc aagtatgtaa cctgggtgca gagcagactc 2280
ttcctcaaga ataccagaca caagtaccca ccattccaaa tggacacaac tcctcactcc 2340
ccatggtttt ccaagacctt ccaaacacat tggatgaaat tgatgcttta ttaactgaag 2400
aaagatcaag agcttctgac ttcacgggac tgaatcctac aattgttcag gaataataca 2460
aaagagaaga agaaatagaa cagttaactg aggaactaaa gggaaagaaa gttgaactag 2520
atcaatacag ggaaaacatt tcacaggtaa aagaaagggtg gcttaatcct ttaaaagagc 2580
tggtagaaaa aattaatgaa aaattcagca atttttttag ttccatgcag tgtgctggtg 2640
aagtgtatct ccatacagaa aatgaggaag attatgataa atatggaatt cgaattagag 2700
tcaaaattcg aagttagtact caactgcatg aattaactcc tcatcatcaa agtggagggtg 2760
aaagaagtgt ttctaccatg ttatacttga tggcacttca ggagctaaat agatgtccat 2820
tcagagtagt tgatgaaatc aatcagggaa tggacccaat caatgaacgg agagtgtttg 2880
aaatggttgt aaatactgcc tgtaagaaaa atacatctca atactttttc ataacaccaa 2940
agctcctgca aaatcttctt tattctgaaa agatgacagt tttgtttgtc tacaatggcc 3000
ctcatatgct ggaacaaaac acatggaatt taaaggcttt ccaaaggcgg cggcgccgta 3060
ttcatctcac tcaaccttct taataaaagt aaagagaggg aacttgggaa ttttttttgt 3120
taaattctgt ttataagtat ggctcaactg aataaaaagga gattcactaa aacgaaaagc 3180
agttattttt ggaacctgac ttttaaatat aaataggttg ataatggaaa ctataatgac 3240
ctttccaaaa tagcagc 3257

```

<210> 104

<211> 1945

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<223> Incyte clone 2762174CB1

<400> 104

```

caggggactt agacctggtt gttggcatgg agtggaggat gaagagggtat cttctgagca 60
gagcattttt gtagtaggag tgtcagaggt caggactctc atggcagagc tggagtctca 120
cccatgtgac atatgtggcc caatatgtga agatacctta cacctggcta aataccatgg 180
gggaaaagcc aggcagaaac cataactgtg tggggcatgt ggaaagcaat tctggttcag 240
tacagacttt gaccagcacc agaaccagcc caatggaggg aaacttttcc caaggaaagga 300
gggcagagac tctgtgaaaa gctgcagagt ccatgtgccg gagaagaccc tcacatgtgg 360
gaaaggtagg agagactttt cagccacatc tggccttctt cagcatcagg cctctctcag 420
cagcatgaag ccccaacaaga gcactaagct tgtgagtggc tttctcatgg gacagaggta 480
tcacaggtgt ggtgaatgtg ggaaagcctt caccgcgaaa gacacacttg ctgcgcatca 540
gagaatccac actggagaaa ggccttatga gtgtaacgaa tgtgggaaat tcttcagcca 600
aagctatgac ctctttaaac accagacagt tcacactgga gaaaggccat acgagtgcag 660
cgaatgtggg aaattcttta gacaaatctc cggcctgatt gagcacaggc gagttcacac 720
gggtgaaaga ctctatcagt gtggcaaatg tgggaaattt tttagcagta agtctaactc 780

```

```

cattcgacac caggaagttc acacaggagc caggccttat gtatgcagcg aatgtgggaa 840
agaattcagt cggaaacaca cacttggtct gcaccaacga actcacactg gagaaaggcc 900
ttatgagtgc agtgaatgtg ggaaggcctt tagccaaagc tcccacctta atgtacactg 960
gagaattcac agcagtgatt atgagtgtag cagatgtggt aaagctttca gctgcacttc 1020
caaactcatt cagcaccaga aagttcactc tggagaaaaa ccttatgagt gcagcaagtg 1080
cgggaaagcc ttcaactcaa gacccaacct catcaggcac tggaaagtcc aactgggga 1140
aaggccttat gtgtgtagtg agtgcgggag agaattcatc cggaaacaga cacttggtct 1200
gcaccagagg gttcatgctg gagaaaagct ttaagagtgt agcaaagtgt ggggaaagtc 1260
ttaggccaat gcccccgact tactatatgg tggggaacta gcagtagtta atgagtgcag 1320
cagatgcagg aaagccttcc cctggaggct gaaccttacc cgccattggg aatttcacac 1380
cggacacagg ccttagcagt ctaagcaatg tgctgtctct gttcagccca acagctcacc 1440
ctagagtggg actctgggag cagccattgg gagggaacca tcagtaagaa gtgaaacttc 1500
atagatatgg acattcccac tggggagatt ccctgtgagt gccaaagtatg tgagatgctt 1560
tcagcagctg tgttgcaact tttaaatggc tattggcctt tgctggggca ggagccatct 1620
gctcctacca tctggcagaa tcatactgag tttaccattt accccagcat gcttgtgacg 1680
ggcagaccct tcttctctcc ccagtcctta aaagtggtg tgagtgggtc cacagccac 1740
taggggtctt aatttcctct cttttgatgt aaatggcatg gaaataatca gctttgttca 1800
agaggacaca gaaggattct gcaaatagcc tgcagagact tacctgtgtt gattgatttc 1860
atatgatgct cgttatggat atatccaata tccaagtcac ccagctctg aactgcctgc 1920
ttcacattgc tcatgataat aaagg 1945

```

<210> 105

<211> 1829

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2765991CB1

<400> 105

```

gcaacttctt gcctcttctc aatatagaat tcaaagattt gaggggatct gcaagctttt 60
tcttgaaacc aagtacctct ggtgacagtt tacaaagtgg aagcattcca ttggcaaatg 120
aatccttgga gcacaaacct gtatccagtt tagcagaacc tgacttgatc aactttatgg 180
acttcccaaa acataaccag atcataactg aagaaacagc ctctgcagtt gaaccaagtg 240
atgaaataaaa gagagccagt ggagatgtcc aaactatgaa aatttcatct gtgcctaata 300
gtttatcaaaa gcgaaatgtg tctttgactc gaagtcacag tgttgaggcg ccattgcaga 360
atattgactt taccagcgga ccgtttcatg gcatctcaac agttagtctt ccaggtagtc 420
tgcaggaagt tgtggtacct ttaggaaaaa gacccaatcc tccccctgtt tctgtgcccc 480
acttgagtcc attagtactc cgtaaaagaa ttgaatcttt gctagaaaaa gaaggtgatc 540
agggtattca tacatcttct ttcataatc aacatccaat cattttctgg aacctcgttt 600
ggtatttcag acgtttggac ctccctagta acttgccagg acttatcctc acatctgaac 660
attgtaatga aggtgtacag ctccctctgt catctctgtc ccaggatagc aaacttgtgt 720
ataattcggct gttatgggat aatatcaacc ttcatacaga accaagagaa cctctgtatg 780
tctcatggag gaattttaat tctgaaaaga aatcatctct cctgtcagag gaacaacaag 840
aaacaagcac tttagtagaa accatcaggc agagtattca gcacaataat gttcttaaac 900
ccatcaacct actttcacag caaatgaagc caggcatgaa aagacaaagg agtttataca 960
gagaaatcct cttcttatca ttagtgtctc taggaagaga gaattatgat attgaggcat 1020
ttgacaatga atatggaatt gcatacaata gtctgtcttc agagattctt gaaaggttgc 1080
agaaaaattga tgctccacca agtgccagtg tgcagtggtg caggaaagtgt tttggagcgc 1140
ctctcattta aatagagatt cactagaatg ttgacacaca aggcttgggg attagatttc 1200
atctggaaac attcaagttt ttttttccaa atcgtaagaa ctggtgaata cggaattgaa 1260
gtaactcttg gggacaatat ataatgaatt atgattcata ttgcattacc ttgaaatatg 1320
aagtgccatt tgaatgtccc agggcttatt aatattgaag attttcaacc cctgaactgc 1380
ttttctgcct ctgtgaaaaa ctactttggg attcttcagt attttagta gtttgataga 1440
aataatgagg aacctatatt attctaggca ttgtttatat ttgaagttac tgagtttgag 1500
gaatggcaaa ttaaatttgc ctaaccccca aaacaaatga aatatctcaa ttataaaagc 1560
aacatggccg ggcacggtgg ctcaggcctg taatcccagc actttgggag gctgagcaag 1620
tggtgtggat cacttgaggc caggagtgc agaccagcct ggccaacacg gtgagacctt 1680
gtctttacta aaaatacaaa aattagccag gcgcaccact gtagtcccag ctactcaggc 1740
tgaggcagga gaatcgcttg aactgaggca gaggtacag tgagtggaga tcacgccact 1800
gcaactccag cttgggtgac agagtgagc 1829

```

<210> 106
 <211> 1353
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2775157CB1

<400> 106
 cccacgcgtc cgccacgcg tccgcccacg cgtccgatgc cttgtcccat gctgctgcc 60
 tcaggcaagg tcacgacca gagcacactg gagaagtgtg accgcagtga agccacatgg 120
 ggccgagtgcc ccagtgaccc ttccacgggg gtagctttta ctcgcactc tcagccccctg 180
 cctcaccctt cctcaaggc ccggattgac catttcctgc tccagcactc catccctggc 240
 tgccacctgc ttgggagagc acagacggca ttggcagtga tcccttcttc cattgttctg 300
 cccttcaga aaaggaagat agagcaggct gaacatgtcc cagacagtaa ctttggtgta 360
 aatgcttctt gttttctgc cacaagccct ttggtcttac ccactacctc agagcacact 420
 gctaagaaaa tgaaagccac caatgagccc agcctgacac atatggactg ttcgacaggt 480
 ccactgtccc acgagcagaa gctgtcacia agcttgaaa ttgccttggc atccaccctt 540
 ggctctatgc cctcctcac ggcaaggctg accaggggac agctccagca ccttggcaca 600
 agaggagaca acacttctg gaggcctggc accggctcgg agcagcctgg gagcatcctg 660
 ggccccgaat gtgcctcctg caaaagagta tttctccct acttcaaaaa ggagccggcg 720
 taccagctgc cctgcggcca cctcctgtgc cgcctcctg tgggtgagaa gcaacgctcc 780
 ctgcccatac cgtgcacagc ctgcccagcg ccggttgcta gccaagacgt gctgcgggtc 840
 cacttctgag tgactgacct ccactggagg agaccattg ctgggaggag ctgaggggga 900
 acaggagcag ggccacagca cccctgaggt ctggccaggc ccaggcaca gagctgcccg 960
 ctccctcccg gggctcttct tcacacctc acggtatagc acattgcttc tgcgtgtgtg 1020
 gcaatagggc aacaaagcca taggccagag ggccggggga tgtccctgcc tccctgccac 1080
 cccactgcc tgagcccagg acccactgga gccagcccca ccctaggcag gaagaccctt 1140
 gctgaggggc ccccgtgca gtccgcatac cccctgtcc agcagggcac tgtgggtggc 1200
 tcaccctaga ttgtggcca gatctcagga gtctctgcct tcagggtcat ccaaaagtgg 1260
 accttgggag cagtgggggt gtctgtggag tgcattgact agcccccca ctcgcagcct 1320
 taataaagcg atggttacg tctaaaaaaa aaa 1353

<210> 107
 <211> 1025
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 2918375CB1

<400> 107
 gggccacttc gggctcccg ctagccgcct tctcccgca ccgcccagca gggaccagc 60
 ctcttggtga tgctgctct cagctccgga gctgactaag gctttggaac agaaaccaga 120
 tgatgcacag tattattgtc aaagagctta ttgtcacatt cttcttggga attactgtc 180
 tgctgtgtg gatgcaaaga agtctctaga actcaatcca aataattcca ctgctatgct 240
 gagaaaagga atatgtgaat accatgaaaa aaactatgct gctgccctag aaacttttac 300
 agaaggacaa aaattagata gtgcagatgc taatttcagt gtctggatta aaagggtgca 360
 agaagctcag aatggctcag aatctgaggt gtggactcat cagtcaaaaa tcaagtatga 420
 ctggatatcaa acagaatctc aagtagtcat tacacttatg atcaagaatg ttcagaagaa 480
 tgatgtaaat gtggaatttt cagaaaaaga gttgtctgct ttggttaaac ttccttctgg 540
 agaggattac aatttgaaac tggaacttct tcatcctata ataccagaac agagcacgtt 600
 taaagtactt tcaacaaaga ttgaaattaa actgaaaaag ccagaggctg tgagatggga 660
 aaagctagag gggcaaggag atgtgcctac gccaaaacaa ttcgtagcag atgtaaagaa 720
 cctatatcca tcatcatctc cttatacaag aaattgggat aaattggtt gtgagatcaa 780
 agaagaagaa aagaatgaaa agttggagg agatgcagct ttaaacagat tatttcagca 840
 gatctattca gatggttctg atgaagtga acgtgccatg aacaaatcct ttatggagtc 900
 ggggtgtaca gttttgagta ccaactggtc tgatgtaggt aaaaggaaa ttgaaatcaa 960
 tcctcctgat gatatggaat ggaaaaagta ctaataaat taatttgctc tcaaaaaaaa 1020
 aaaa 1025

<210> 108
<211> 3641
<212> DNA
<213> Homo sapiens

<220>
<221> misc_feature
<223> Incyte clone 3149729CB1

<400> 108
gactacgtcg agccccagcg gctgatggct gtctggcggg cgctgtggat ggaggggggc 60
cggtccgcga cgactccccg gacggcggtt ctctccgag cggcgccggt ttcggtcttg 120
ggggggcggg gtacagccca tccatgacca tggcgacaa gaagagcccc accaggccaa 180
aaagacaagc gaaacctgcc gcagacgaag ggttttggga ttgtagcgtc tgcaccttca 240
gaaacagtgc tgaagccttt aaatgcagca tctgcgatgt gaggaaaggc acctccacca 300
gaaaacctcg gatcaattct cagctgggtg cacaacaagt ggcacaacag tatgccacc 360
caccaccccc taaaaaggag aagaaggaga aagtgaata gcaggacaaa gagaaacctg 420
agaaagacaa ggaaattagt cctagtgtta ccaagaaaaa taccaacaag aaaaccaaac 480
caaagtctga cattctgaaa gatcctccta gtgaagcaaa cagcatacag tctgcaaatg 540
ctacaacaaa gaccagcgaa acaaatcaca cctcaaggcc cgggctgaaa aacgtggaca 600
ggagcactgc acagcagttg gcagtaactg tgggcaacgt caccgtcatt atcacagact 660
ttaaggaaaa gactcgctcc tcatcgacat cctcatccac agtgacctcc agtgagggt 720
cagaacagca gaaccagagc agctcggggt cagagagcac agacaagggc tctcccgtt 780
cctccacgcc aaaggcgagc atgtcagcag tcaatgatga atctttctga aattgcacat 840
ggaattgtga aaactatgaa tcagggtatg aaattcaaaa cctccacctg cccatgctgc 900
ttgcatccct ggagaatctt ctgtggacat cgacctctta gtgatgctgc caggataatt 960
tctgcttggc atgggcatct ggccaccaag gaatttcgca ccctgacgat tactcttgac 1020
acttttatgt attccattgt tttatatgat tttcctaaca atcatttata attggatgtg 1080
ctcctgaatc tactttttat aaaaaaaaaa aaaaatctgt gtgcacaatt ttccatgtac 1140
attacaactg gttttttgt tttgtttgt tgcgggtggg gagggctggg agggggaggg 1200
aacttttact tattgtgttc aaaaactcca tcccttcagc atatcctttt aagtttagtt 1260
ctttcttcca gttatactat gtactatcag tttgatata actatatata tataaatata 1320
aaattatata taaagggtta tttgaaacca atccatggca acgctgtgtc ttgatacact 1380
gtgaagtga tacaacattg aacagttaca gatctgggac agtccctct atgaaagtgc 1440
tgaaatttaa ttaaaatcag tcttacatga agtatgttcc aatccatgtg ggaacttgac 1500
tctctcatct gtctaaagag tactggagca tataaaaaata tatattttt aaacaatgtg 1560
atctcaaat taaagactgc tccagatagc ctgcatttgc aatggaataa ctgacaaatc 1620
acaagtgtt tagttgggca gggctttgat cattcaaaag taactaaagt agtccagaa 1680
tgccaagtat tctgtataat tacggttaca tgttatcatt tgcgtgttct acataagcac 1740
tcatgaaaat atggtattct gtaacttgaa ttccatccat tttccagacg tctactcatg 1800
tctgaggtaa atctagaaat tgtcttagtt taggattga aacagtctat aaactgtatt 1860
tttgggtccat ccaggaagct agtcccttgt tttcccttcc tacatgacat tgcagtgtg 1920
gtttctgtaa ttaaaatttg tttgcctcat gtccctttgt ctgataaacc ttactctac 1980
cgattcagtt gtgagcatc ttttttccct tctcaaaacc tactatgatt tgttttactg 2040
aacaagggtt atcaaccaca catccagtc tgacatggag cttttcagtg tttggagaca 2100
tttctcaatc cctgctgtg gttaggaactc cagtgttgaa cggcttgccg gcctgcagcc 2160
agagtgcag ggaaagctcg tacttactgc gagcagcatg taatctttt tcttccgtga 2220
cataaagata gcttgagtaa actgttctat ttcattctct tcaactcttt tactgtcttg 2280
caaaaaaaaaa aaataataat aataataatc aaagaccact aataagattc cactctctct 2340
tattaaaaa attttttaa attttgttt gctttgttt ggatgtggg tctctcttct 2400
atttgacttt tacattttag tacagagttt gtagtacttc agagacattt caagcatgag 2460
aatttgaggt tactctctt tatttgacct ttagggactc acgggagggc agcctgattt 2520
gtaatgaagc accacatttt ggtgttaaaa acctggtttg ctttaataata gcagtaattt 2580
ctgtctgtg aggcaacaaa taaaaaatt aacagcttga attgagtagc caacaggaaa 2640
ggttcccttc acatttacat taaaactatt ctgtagtcac taatgtacca taatttaa 2700
tcttttctca aagggtatga ttataaagca gtgccatttg ttgctgtggt cctattctca 2760
aatgcatgga caatgttccc ccttttttaa aataatgctt gtgtctggga tgcaagcttt 2820
gcttatcttt ttaaatacat ttttaaagta tttattaatg aaccaaaagg aatcagatgc 2880
tttctataag catcagaata tataatacat agtgatttga ctatgaattt taaatccaca 2940
ttttaaatat ggtgggatat tgcaaagaca ttcttctaa agtttttaata ttcttttat 3000
taagggtctc agggagggt aattagtcag ccatatttat tttccagagg ttttaagaaat 3060
tgctgtttt aactttttga aaaaacttaa atgccacca actcatgtag gttgactgc 3120
ttattgaacc aataactgtt ggtatgcact ttgttcagac aactgtgta ctttttcaa 3180
aactagttc atgtaaaagt attggacccc atagattagt ggaaaaagct gattaaccag 3240

```

ctactcatag gctgctaatt cattcatgcc aatgttttgg tttttcagtt ttgcctccgt 3300
gataaattaa agaattggga ggggtgaagg aaggggaaga agattgctt agaacaagt 3360
gcatgaaatt accatctttg tagaaaccgc agctaacagt gggagttatc taagcaatca 3420
gatgttacag ggccagccct ttagctgctg tgggtgattc tgttgggtag tgaggtagta 3480
ggtactttat agacttttaa ttttggaat tgatgacatc ctcaggcat gtattctggg 3540
aatggaattc ctgtaacttc ctgtgtctgc agtatgccct acaattagta ggcagcgtgt 3600
aaaaacacta gtgtagatta taaaggata cattaataag g 3641

```

<210> 109

<211> 699

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 3705895CB1

<400> 109

```

gccgcgcgca cacgctcaag gccgggatgg cggcgcgggc ggcggcagga agcgggacgc 60
cccagagagga ggaggacct gctggggagg cagcgccctc gcagcccccag gcccacga 120
gtgtgcctgg ggctcgtctc tcgaggttgc ctctggcgcg agtgaaggcc ttggtgaagg 180
cagatcccga cgtgacgcta gccggacagc aagccatctt cattctggca cgagccgcgg 240
aactgtttgt ggagaccatt gcaaaagatg cctactgttg cgctcagcag ggaaaaagga 300
aaacccttca gaggagagac ttggataatg caatagaagc tgtggatgaa ttgcttttc 360
tggaaggtag tttagattga ttgccgagcg gggcagtttt gtgagccttc atctgaagcc 420
ttcagttcac cctctgcac aggcctcagc ttgaaagaac ggagtccttg cacttacaca 480
cactcttctt gttctgcctt cacctatgcc gggataagca gagatctcat caattagctc 540
ttctctgcaa ggtcttcac tatttctgtc tgtcttccat atcaagcctg gatgcagctg 600
ctgctgctta ggcagagat gaagaaagtg ttctgcataa gtggcttctt gaatgatgag 660
gaccagaata aagggtttttg atcaacctca aaaaaaaaaa 699

```

<210> 110

<211> 2186

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 003256CB1

<400> 110

```

attccgtaaa cctgttttgc gtattttgac tgtatgttct ttaaagattt ctgcagagct 60
caagtgaagt tgagagccca gctgtgccat cttcatcaag acagcccccct gctcagcctc 120
cacggacagg atccgagttc cccaggctgg agggagcccc ggccacaatg acgcccagc 180
tggggcgagg tgtcttgaa ggagatgatg ttctcttta tgatgagta ccaccacaa 240
gacaaaaact gagtgtttta gcagaagcca aaaagttagc tgctatcac aaattaagg 300
caaaaggcca gttcttaca aaaacaaacc caaacagcat taagaagaaa caaaaggacc 360
ctcaggacat cctggagggtg aaggaaacgtg tagaaaaaaa caccatgttt tcttctcaag 420
ctgaggatga attggagcct gccaggaaaa aaaggagaga acaacttgc tatctggaat 480
ctgagggaatt tcagaaaatc ctaaaagcaa aatcaaaaca cacaggcatc ctgaaagg 540
ccgaggctga gatgcaggag cgctactttg agccactggt gaaaaaagaa caaatggaag 600
aaaagatgag aaacatcaga gaagtgaagt gccgtgtcgt gacatgcaag acgtgcgcct 660
atacccactt caagtgtctg gagacctgcg tcagttagca gcatgaatac cactggcatg 720
atggtgtgaa gaggtttttc aaatgtccct gtgaaacag aagcatctcc ttggacagac 780
tcccgaacaa gcactgcagt aactgtggcc tctacaaatg ggaacgggac ggaatgctaa 840
aggaaaagac tgggtccaaag ataggaggag aaactctgtt accaagagga gaagaacatg 900
ctaaatttct gaacagcctt aaataacccg aacttcagac attttccac agacttctg 960
cctctctgtg actctggaag gcaaaaggatt ggctgtgtat tgtccattga ttcctgattg 1020
acgccgtcaa aaacaaatgc ttgttaagcc cataagcttt gcctgcttac tttctgcat 1080
tggtgtggtg tgataaccaca ttaacattg acatttaagt ggaacacaa gttatcattg 1140
tcttttctaa gctcagtgtg gatgattgca ttacttcatt cactgaagt tttgcccata 1200
aattggaagg taaacagaga gctatgtttc tgtatctttt ggttatagag tgttcacttc 1260

```

```

tttatcataa caaaattcta gtgtttatag gaacacccag aggcaaaaga atttggctta 1320
attctcactc caggttaagta gcttaacttc tgggcttcag ttttctcatc tgtaaaatca 1380
ggaagatttg actaagtgat cctgaaatgt attttttagc actggatttc tacaaaataat 1440
aaaactttcc catctagata atgatgatca catagtcttg atgtacggac attaaaagcc 1500
agatttcttc attcaattct gtatctctcg ttttactctt tgaaattgat caagccactg 1560
aatcactttg catttcagtt tatatataga gagagaaaga aggctgtctg ctcttacatt 1620
attgtggagc cctgtgatag aaatatgtaa aatctcatat tttttttttt ttttaattttt 1680
ttatttttta tgacagggtc tcaactatgtc accctggctg gagtgcagta gtgcgatcgc 1740
ggcacactgc agccttggct tccctgggct caagcagtc tcccacctca gtctcccaaa 1800
tagctaggac tacaggcgtg cgtgaccaag cccagctaatt ttttgcatth tttgtagaga 1860
tggtgttttg ccatgttgct caggctgtgc tcaaactcct gagcactagc aatccaccac 1920
ctcgttttca aaaaagaaaa aaaaaccccg gggggggggc ccgaactcaa ttggcccaaa 1980
agggggggcg gaataaaaaa tcagggggcc ggggggtttt aaaaaggcgg aaaactgggg 2040
aaacacctct ggggggtacc ccaagttaaa gggcgctttt caggcctngt gnccggatgt 2100
agagggggat gacnnnngca gtattttctg gggagtaaga ggcgcgagat gcgtgcaggg 2160
aggactgtgc gagtgaaggg aggggtg

```

<210> 111

<211> 2133

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 156986CB1

<400> 111

```

gttccctcgtc tgccagccgg cttggctagc gcgcggcgcc cgtggctaag gctgctacga 60
agcgaagcttg ggaggagcag cggcctgcgg ggagaggag catcccgtct accaggtccc 120
aagcggcggtg gcccgcgggt catggccaaa ggagaaggcg ccgagagcgg ctccgcggcg 180
gggctgctac ccaccagcat cctccaaaag actgaacgcc cggcccaggt gaagaaagaa 240
ccgaaaaaga agaaacaaca gttgtctgtt tgcaacaagc tttgctatgc acttggggga 300
gccccctacc aggtgacggg ctgtgcctcg ggtttcttcc ttcagatcta cctattggat 360
gtggctcagg tgggcccctt ctctgcctcc atcatcctgt ttgtgggccc agcctgggat 420
gccatcacag accccctggg gggcctctgc atcagcaaat cccctgggac ctgcctgggt 480
cgccctatgc cctggatcat cttctccacg cccctggccg tcattgccta cttcctcatc 540
tggttcgtgc ccgacttccc acacggccag acctatttgt acctgctttt ctattgcctc 600
tttgaacaaa tgggtcacgtg ttccatgtt cctactcgg ctctcaccat gttcatcagc 660
accgaacaga ctgagcgga ttctgccacc gcctatcgga tgactgtgga agtgcctggc 720
acagtgtctg gcacggcgat ccagggacaa atcgtgggccc aagcagacac gccttgtttc 780
caggacctca atagctctac agtagcttca caaagtgcc accatacaca tggcaccacc 840
tcacacaggg aaacgcaaaa ggcatacctg ctggcagcgg gggtcattgt ctgtatctat 900
ataatctgtg ctgtcatcct gatcctgggc gtgcgggagc agagagaacc ctatgaagcc 960
cagcagctcg agccaatcgc ctacttccgg ggctacggc tggctcatga ccacggccca 1020
tacatcaaac ttattactgg ctctctcttc acctccttgg ctttcatgct ggtggagggg 1080
aactttgtct tgttttgac ctacaccttg ggcttccgca atgaattcca gaatctactc 1140
ctggccatca tgctctcggc cactttaacc attcccatct ggcagtgggt cttgaccggg 1200
tttggaaga agacagctgt atatgttggg atctcatcag cagtgccatt tctcatcttg 1260
gtggccctca tggagagtaa cctcatcatt acatatgcgg tagctgtggc agctggcatc 1320
agtgtggcag ctgccttctt actaccttgg tccatgctgc ctgatgtcat tgacgacttc 1380
catctgaagc agccccactt ccatggaacc gagcccatct tcttctcctt ctatgtcttc 1440
ttcaccaggt ttgcctctgg agtgctactg ggcatttcta ccctcagtc ggacttttga 1500
gggtaccaga cccgtggctg ctgcagccg gaacgtgtca agttttactt gaacatgctc 1560
gtggccctag ctcccatagt tctcatcctg ctgggcttgc tgctcttcaa aatgtacccc 1620
attgatgagg agaggcgggc gcagaataag aaggccctgc aggcactgag ggacgagggc 1680
agcagctctg gctgctcaga aacagactcc acagagctgg ctagatcct ctagggcccg 1740
ccacgttgcc cgaagccacc atgcagaagg ccacagaagg gatcaggacc tgtctgccgg 1800
cttgctgagc agctggactg caggtgctag gaagggaact gaagactcaa ggaggtggcc 1860
caggacactt gctgtgctca ctgtggggcc ggctgctctg tggcctctcg cctcccctct 1920
gcctgcctgt ggggccaagc cctggggctg ccactgtgaa tatgccaagg actgatcggg 1980
cctagcccgg aacactaatg tagaaacctt tttttttaca gagcctaatt aataacttaa 2040
tgactgtgta catagcaatg tgtgtgtatg tatatgtctg tgagctatta atgttattaa 2100
ttttcataaa agctggaag caaaaaaaaaaaa

```


<210> 112
 <211> 1649
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 319415CB1

<400> 112
 cacgtgtttg gtttgcctcg agcctaacct agagtgcctg cagcagctctt tcagttgagc 60
 ttggggactg cagctgtggg gagatttcag tgcattgcct cccctgggtg ctcttcatct 120
 tggattattc cttgggcctg aatgacttga atgtttcccc gcctgagcta acagtccatg 180
 tgggtgattc agctctgatg ggatgtgttt tccagagcac agaagacaaa tgtatattca 240
 agatagactg gactctgtca ccaggagagc acgccaagga cgaatatgtg ctatactatt 300
 actccaatct cagtgtgcct attgggcgct tccagaaccg cgtacacttg atgggggaca 360
 tcttatgcaa tgatggctct ctctgctcc aagatgtgca agaggctgac cagggaacct 420
 atatctgtga aatccgcctc aaaggggaga gccaggtgtt caagaaggcg gtggtactgc 480
 atgtgcttcc agaggagccc aaagagctca tgggtccatg ggggtgattg attcagatgg 540
 gatgtgtttt ccagagcaca gaagtgaac acgtgaccaa ggtagaatgg atattttcag 600
 gacggcgctc aaaggaggag attgtatttc gttactacca caaactcagg atgtctgtgg 660
 agtaccacca gagctggggc cacttccaga atcgtgtgaa cctgggtggg gacattttcc 720
 gcaatgacgg ttccatcatg cttcaaggag tgagggagtc agatggagga aactacacct 780
 gcagtatcca cctagggaac ctggtgttca agaaaacat tgtgctgcat gtcagcccgg 840
 aagagcctcg aacactgggtg acccggcgag ccctgaggcc tctggtcttg ggtggtaatc 900
 agttggtgat cattgtggga attgtctgtg ccacaatcct gctgctccct gttctgatat 960
 tgatcgtgaa gaagacctgt ggaataaaga gttagtgaa ttctacagtc ttggtgaaga 1020
 acacgaagaa gactaatcca gagataaaag aaaaacctg ccattttgaa agatgtgaag 1080
 gggagaaaca ctttactcc ccaataattg tacgggaggt gatcgaggaa gaagaaccaa 1140
 gtgaaaaatc agaggccacc tacatgacca tgcaccagt ttggccttct ctgaggtcag 1200
 atcgaacaa ctcaactgaa aaaaagtcag gtgggggaat gccaaaaaca cagcaagcct 1260
 tttgagaaga atggagagtc ccttcatctc agcagcggtg gagactctct cctgtgtgtg 1320
 tcctgggcc cctaccagt gatttcagac tcccgctctc ccagctgtcc tcctgtctca 1380
 ttgtttggtc aatacactga agatggagaa ttggagcct ggcagagaga ctggacagct 1440
 ctggaggaa acgacctgtg aggggagggg agcatggact tggcctctgg agtgggacac 1500
 tggccctggg aaccaggctg agctgagtgg cctcaaacc cccgttggat cagaccctcc 1560
 tgtgggcagg gttcttagtg gatgagttac tgggaagaat cagagataaa aaccaaccca 1620
 aatcattcct ctggcaaaaa aaaaaaaaaa 1649

<210> 113
 <211> 714
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 635581CB1

<400> 113
 cttgtgggct aggtgccag gagccactga gaacagaaga cttgttgctg ctctagagga 60
 cctatggtag ggcagacaga ggatgataca gctcagcagc ttgtccctac gtgtggcatg 120
 aaaggtgttg gagagagaat agtggagtat gtgtccaaca ttccagcact tcagagagct 180
 acccccagg gactggcttc tgtttcacct gacttggagc acaggcagga gtggacatac 240
 tctaaaagcc cactgatggg aaagggcacc aggttggagg cctctgaaaa caagagagct 300
 ggggtggctg cagcagctcc agagaacctg aagtaccaca gacagatagc acagggagca 360
 aaagattatg agatcctgaa aaaggaaacg aacaagttca tcttgagaat ttatacacac 420
 tggtcgagaa gaagcatcct caggaaaagg tcaaaaaggc tgcagaatct ctagttaggc 480
 cgatcagtga gcatctttct ctgtacagag ccagaccaca aagactggga ngggtgatat 540
 tttttcaaat gcttggatcc caacatgatg ttaaaagaca caccaagaaa taaggaaaca 600
 tggcacaatc aaagagtcaa aattatccag gaccctactt taaggaaacc cagttatctt 660
 ccattatcct cagaaggatt tccagcctaa ccaccattaa acatgttcac gtgg 714

<210> 114
 <211> 1165
 <212> DNA
 <213> Homo sapiens
 <220>
 <221> misc_feature
 <223> Incyte clone 921803CB1

<400> 114
 cgtacgagat ggcaggagg agtggagaga ggcaggtaa ttcggaggag ggaagaggca 60
 gccccctgcc cggccagctc gtgactaatt taggcaaaag gcagcctgga gctatttcca 120
 ttcggcgcg ggaacagggt cggcgccctc cgccccatcc ccaggggccg cctcccccg 180
 ggcggcctcc aggtctgccga gacctataaa ggcgcagggt tttctcaatg aagccgggac 240
 gcactccgga ggcactgcg tggctcgacc ctaccgggc tgccttgga gtcgtccccg 300
 ccgccccctc gcaccggcat gaagctcatc gtgggcatcg gaggcacgac caacggcgcc 360
 aagaccacgc tgaccaacag cctgctcaga gccctgccca actgctgcgt gatccatcag 420
 gatgacttct tcaagcccca agaccaaata gcagttgggg aagacggcctt caaacagtgg 480
 gacgtgctgg agtctctgga catggaggcc atgctggaca ccgtgcaggc ctggctgagc 540
 agcccgagga agtttgccc tgcccacggg gtcagcgtcc agccagaggc ctcggacacc 600
 cacatcctcc tcttggaagg ctctctgctc tacagctaca agccctggg ggacttgtag 660
 agccgcccgt acttctgac cgtcccgtat gaagagtga agtggaggag aagtaccgc 720
 aactacacag tccctgatcc ccccgccctc ttcgatggcc acgtgtggcc catgtaccag 780
 aagtataggc aggagatgga ggccaacggt gtggaagtgg tctacctgga cggcatgaag 840
 tcccgagagg agctcttcc tgaagtctcg gaagacattc agaactcgct gctgaaccgc 900
 tcccaggaat agcggccctc cccggctcgc ccagccagga cacagggacc cggacgcgga 960
 tgcggccaca gaacggccag gcctgcagcg tcccagcagg acagcatgtg agcgtttccc 1020
 tatgggggtg tctgtacgta ggagagtgga ggcgccactc ccagttgggc gtcccgagc 1080
 tcagggactg agccccaaga cgcctctgta acctcgctgc agcttcagta gtaaaactggg 1140
 tccctgtttt tataaaaaaa aaaaa 1165

<210> 115
 <211> 2143
 <212> DNA
 <213> Homo sapiens

<220>
 <221> misc_feature
 <223> Incyte clone 1250492CB1

<400> 115
 tgcagcaagt gctgcgagga cttggaggag ggcaggagg ggcaggatgt ccctgtcaag 60
 gctcctgaga cctttgataa cataaccatt agcagagagg ctcaagggtga ggtccctgcc 120
 tccgactcaa agaccgaatg caggcccttg taggggacgc ccagattgt cagggatggg 180
 gggatgggtc ttgagttttg catgctctcc tccctccac tctgcaccc ttccaccacc 240
 tcgaggagat ttgctcccca ttagcgaatg aaattgatgc agtcctacct aactcgattc 300
 cctttggcct ggtgggtagg cctgcagggc acttttattc caaccctgg tcaactcagta 360
 atcttttact ccaggaaggc acaggatggt acctaaagag aattagagaa tgaacctggc 420
 gggacggatg tctaactctg cacttagctg ggttggtcag tagaacctat ttccagactc 480
 aaaaaccatc ttcagaaaga aaaggcccag ggaaggaatg tatgagaggc tctcccagat 540
 gaggaagtgt actctctatg actatcaagc tcaggcctct ccctttttt aaaccaaagt 600
 ctggcaacca agagcagcag ctccatggcc tccttgcccc agatcagcct gggtcagggg 660
 acatagtgtc attgtttgga aactgcagac cacaagggtg ggtctatcc cacttccatg 720
 tgctcccccac attcccatc agggcttcc cactgggaca ggtgtgctag tccaggcagt 780
 tcaactgcag tttccttgct ctcagtcttc ggggatggga gccacgcctg aactagagt 840
 caggctggat acatgtgctc acctgctgct cttgtcttcc taagagacag agagtggggc 900
 agatggaggga gaagaaagtg aggaatgagt agcatagcat tctgccaaaa gggccccaga 960
 ttcttaattt agcaaaactaa gaagcccaat tcaaaagcat tgtggctaaa gtctaaccgt 1020
 cctctcttgg tcagataaca aaagccctcc ctgttggatc ttttgaata aaacgtgcaa 1080
 gttatccagg ctcgtagcct gcatgctgcc acctgaatc ccaggagta tctgcacctg 1140
 gaatagctct ccaccctct ctgcctcctt acttctgtg caagatgact tctgggtta 1200
 acttcttctt ttccatccac ccaccactg gaatctcttt ccaaactttt ttccattttc 1260
 ccacagatgg gctttgatta gctgtcctct ctccatgcct gcaaagctcc agatttttgg 1320

```

gaaagctgt acccaactgg actgcccagt gaactgggat cattgagtag agtcgagcac 1380
acgtgtgtgc atgggtcaaa ggggtgtgtt ccttctcatc ctagatgcct tctctgtgcc 1440
ttccacagcc tctgcctga ttacaccact gccccgccc caccctcagc catcccaatt 1500
cttcctggcc agtgcgctcc agccttatct aggaagggag gagggtgtgt agccgtgcag 1560
caagattggg gcctccccc tcccagcttc tccaccatcc cagcaagtca ggatatacaga 1620
cagtcctccc ctgaccctcc cccttgtaga tatcaattcc caaacagagc caaatactct 1680
atatctatag tcacagccct gtacagcatt ttctataagt tatatagtaa atggtctgca 1740
tgatttgtgc ttctagtgtc ctcatcttga aatgaggcag gcttcttcta tgaaatgtaa 1800
agaaagaaac cactttgtat attttgtaat accacctctg tggccatgcc tgccccgccc 1860
actctgtata tatgtaagt aaaccgggc aggggctgtg gccgtctttg tactctgtgt 1920
atttttaaaa attgaatctt tgtacttgca ttgattgtat aataattttg agaccaggtc 1980
tcgtgtgtgt gctcaggctg gtctcaaaact cctgagatca agcaatccgc ccacctcagc 2040
ctcccaaagt gctgagatca caggcgtgag ccaccaccag gcctgattgt aatttttttt 2100
tttttttttt tactggttat gggaaggag aaataaaatc ata 2143

```

<210> 116

<211> 1010

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1427838CB1

<400> 116

```

atcactagta gctggtgctc caggctggcg gcgctcacct ttctcctagc cgggtgaccc 60
aggggattta ttttatgttg gctttctctg aaatgccaaa gccacccgat tattcagagc 120
tgagtgaactc ttttaacgctt gccgtgggaa caggaagatt ttcgggacca ttgcacagag 180
catggagaat gatgaacttc cgtcagcgga tgggatggat tggagtggga ttgtatctgt 240
tagccagtgc agcagcattt tactatgttt ttgaaatcag tgagacttac aacaggctgg 300
ccttggaaac cattcaacag caccctgagg agcccttga aggaaccaca tggacacact 360
ccttgaaagc tcaattactc tccttgccct ttgggtgtg gacagtattt tttctgttac 420
cttacttaca gatgtttttg ttctataact ctgtacaag agctgatccc aaaacagtgg 480
gtactgtat catccctata tgcttgccag ttatttgcaa tcgccaccag gcatttgtca 540
aggcttctaa tcagatcagc agactacaac tgattgacac gtaaaatcag tcaccgtttt 600
ttccctacga ttacaaaact gccagtccta tatggagtct gatcacaaga ctgcagtttc 660
ttcacagatc tcaggaagtt gtcgtggggc agaggctttt taaaaacatg tgattagggg 720
gctatcttta tctgaataat aacgaatttt taggtaaaac ctgagataga gtactacaaa 780
atcatgttga tgacttcaga ttttggaagt taaatcatgt ctgttatttg cattctttag 840
aaacttgact aagtaacctga attcatattt ctattctact gtgcaacata gtgatgttc 900
agaaattttt cctttgggga aaaaaatgaa tatgaacatt tccattgtgt taagtgtaaa 960
aaggtccaga catgatcata aaatttaaat ttatataaat aaaaaaaaaa 1010

```

<210> 117

<211> 2059

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1448258CB1

<400> 117

```

aggggctcag atgactcagt gccagttatt tcatttaaag atgctgcttt tgatgatgtc 60
agtgtgactg atgaaggaag acctgatctt cttgtaaat tacctgttga attggagtca 120
acaagagaag ctgcagcaat gggacctact aagtttacac aaactaatat agggataata 180
gaaaataaac tcttgaagc ccctgatgtt ttatgcctca ggcttagtac tgaacaatgc 240
caagcacatg aggagaaagg catagaggaa ctgagtgtac cctctgggcc caaatcctat 300
agtataacag agaaacacta tgcacaggag gatcccagga tgttatttgt agcagctgtt 360
gatcatagta gtccaggaga tatgtctttg ttaccagct cagatcctaa gtttcaagg 420
cttgaggtgg ttgagtcagc agtaactgca aacaacacag aagaaagctt attccgtatt 480
tgtagtccac tctcaggtgc taatgaatat attgcaagca cagacacttt aaaaacagaa 540

```

```

gaagtattgc tgtttacaga tcagactgat gatttggcta aagaggaacc aacttcttta 600
ttccagagag actctgagac taagggtgaa agtgggttag tgctagaagg agacaaggaa 660
atacatcaga tttttgagga ccttgataaa aaattagcac tagcctccag gttttacatc 720
ccagaggggt gcatcctaaag atgggcagct gaaatgggtg tagcccttga tgctttacat 780
agagagggaa ttgtgtgccg cgatttgaac ccaacaaca tcttattgaa tgatagagga 840
cacattcagc taacgtattt tagcaggtgg agtgaggttg aagattcctg tgacagcgat 900
gccatagaga gaatgtactg tgccccagag gttggagcaa tcaactgaaga aactgaagcc 960
tgtgattggg ggagtttggg tgctgtcctc ttggaacttc tcaactggcaa gactctggtt 1020
gaatgccatc cagcaggaat aaatactcac actactttga acatgccaga atgtgtctct 1080
gaagaggctc gctcactcat tcaacagctc ttgcagttca atcctctgga acgacttggt 1140
gctggagttg ctggtgttga agatatcaaa tctcatccat tttttacccc tgtggattgg 1200
gcagaactga tgagatgaac gtaatgcagg gttatcttca cacattctga tcttctctgt 1260
gacagggcatc tccagcactg aggcacctct gactcacagt tacttatgga gcaccaagc 1320
atttggataa agaccgttat aggaaatggg ggggaaatgg ctaaaagaga acaattcggt 1380
tacaattaca agatattagc taattgtgcc aggggctggt atatacatat atacacaacc 1440
aagggtgat ctgaatttaa tccacatttg gtgttcaga tgagttgtaa agccaactga 1500
aagagttcct tcaagaagtt cctctgatag gaagctagaa gtgtagaatg aagttttact 1560
tgacagaagg acctttacat ggcagctaac agtgcctttt gctgaccagg attggtttat 1620
atgattaaat taatatttgc ttaataatac actaaaagta tatgaacaat gtcacatg 1680
aaacctaaaa gcgagaaaaa agaataatac cataatttct gacgaaaaac ctgtaccctg 1740
atgctgtata atgtatgttg aatgtgttcc cagattatct ctgtaagaag acactccatg 1800
ttgtcagctt tgtactcttt gttgatactg cttattttaga gaagggttca tataaacact 1860
cactcctgtg cttcaacagc atctttcttt ccccatcttt ctattttctg caccctctgc 1920
ttgtccctc atattctgtt cttccgactc ctgctaacac acatgcaaca aaaaaggga 1980
gggagtgctt atttccctt gtgtaaggac taagaaatca tgatatcaaa taaacatggt 2040
gaaacattaa aaaaaaaaaa

```

<210> 118

<211> 2273

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1645941CB1

<400> 118

```

ctgagagagc tgggggagga gcgcggcggc gacggcggcg gtggctctag aaggggaggt 60
ggaggatctc ctttctctt ctccagaccg ggagcgctcg ggacgcggac ccggagctgg 120
ggcgacgagg cgattgcggg ggcctgggct agctgctggc taccaatatt ctactttctg 180
actctatgaa tgtgactacc ctggttacct catataatct ccctggaaaa ggagacatga 240
atgtctgcaa tgatacttcc tgacaagaag ttgatacaag aaaaggaaaag gagattaaca 300
gctagtgcag agaatttoga acagcaggat ttctgtattt ttgcttccaa ctgcacactt 360
ccgttgccca cttttaaatc agagatacct acactcaaaa ccagagacaag gcaaaaggat 420
acttttcttg tatattttt gagatcgaag aaacgacaat gtccaggaaa cagaaccaga 480
aggattcatc aggattcatt tttgatttgc agtccaatac cgtactggcc cagggaggag 540
cttttgagaa catgaaagag aagataaatg cgttacgtgc aatagttcct aataagagca 600
acaatgaaat tatcctgggt ttgcagcact ttgataactg tgtggacaaa acagtacaag 660
cattcatgga aggtagtgcc agtgaagtac tcaaagaatg gacagtaaca ggcaagaaaa 720
agaacaaaaa gaagaaaaac aaaccgaaac ctgccgcaga accaagtaac ggcattccag 780
attccagtaa atcagtttcc attcaagagg aacagtctgc gccttctca gagaaagggt 840
gtatgaatgg ctaccatgtc aatgggtcca tcaatgacac tgagtctgtg gactactca 900
gtgaagggtt ggagacactt tcaatagatg ccagagaatt ggaggatccc gagtctgcca 960
tgctagatac gctggataga acaggatcca tgctgcagaa tgggtgtctt gattttgaga 1020
ccaagtcttt gactatgcac tctattcaca atttcaaca acccaggaat gctgccaaat 1080
ctctctcaag acctaccaca gaaactcagt ttcaaatat ggggatggaa gatgttcccc 1140
tcgccaccag taaaaagcta agttccaata ttgaaaaatc tgtaaaagac ctccagcgct 1200
gcacagtgct ccttgacagg tatcgagttg tagttaaaga agagatggat gcctccatta 1260
agaaaaatga acaagccttt gctgaattgg agagctgttt aatggatcga gaagtggcgt 1320
tgcttgctga aatggacaaa gtgaaagctg aagcaatgga aattttgctc agccgacaaa 1380
agaaggctga acttctaaag aagatgactc atgtggctgt tcaaatgtca gacgagcaat 1440
tggttgagct cagagctgat atcaagcact ttgttagtga acgtaaatat gatgaggatc 1500
tgggacgagt agcccgttc acctgtgatg tagagaccct aaagaagagc attgattcat 1560

```

```

ttggacaagt gtctcatcca aagaacagct attcgaccag atccccgatgt agctcagtta 1620
catctgtgtc cttgagtagc ccaagtgatg cctctgctgc ttcctcttcc acctgtgcct 1680
ctcctcccag ccttacaagt gctaacaaga aaaactttgc accgggagag actcctgcag 1740
ccatagcaaa ctccagtggc cagccctacc agccacttcg ggaggtattg ccagggaaca 1800
gacgaggagg acagggttat aggcacaag gccaaaagtc caatgacccc atgaaccaag 1860
ggcggcatga cagtatgggt cgttacagaa acagctcgtg gtattcatct ggttccaggt 1920
atcagagtgc tccatctcag gcaccaggaa acaccattga aagaggccag actcactctg 1980
cagggaccaaa tggaaactgga gtcagcatgg agcccagccc tcccacgcct tcattcaaaa 2040
aggggctccc ccagcgcaaa cccaggacct ctcagactga agccgtgaac tcttgagaga 2100
aaatccagtt ggctctctc ctctatccac acaattcaac ttgataactg gacttttagga 2160
aacttacagt tagatgtaat aacaaaaaga agtttatgcg tatcactttt tgtgccattc 2220
taagtatttt tggtttcttg tctccttatt tcctctttac catttttggg ggg 2273

```

<210> 119

<211> 1772

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1646005CB1

<400> 119

```

ccctgctgtc atcaaaataa aagctttctg aagggtggagg catctgatac ccagagtgtc 60
gctatcagcc ggcacgggtg gccgctggtg gcaggagcgt cgagaaggcc agctcgcttc 120
ctatccggga ttcagaatca gctatggaaa cttgagagac cttagagaaa taacttcttt 180
cactttgaac tgattctttg cttcataaga aaagtattat ccagccacaa aaatggtcaa 240
aattcagatc taaaaagcc tgtcaggcag aaactgaccc cacttaggcc acgccaatga 300
gcaagtcatc aaagcagcca agacaggtcc tgtgggggcc acccatgcac agggcccagc 360
ctcggtccct aaccccgct atgctttccg ccaccataaa gagggccatc tgggtaagac 420
ctgtcccgcc tgtgtgggg tattaggcca gatgggtctg gaggggtctg agggctctga 480
gagcagctgg cagctcaagg acatccggag ttggaggatg gagcaatgca ggcccttggtg 540
gtaaaagacag tctgcagcc gcgcaggcag ggaagtgtga agtggagtgc caggcgggtg 600
cggagccctg tgggactgtg gaggggtcag agggaagcca ggattttggg gtctctgaga 660
gtttggagaa ggggaagaag attaaagctt gttcaaaaag tttctaatac ggtgggcagg 720
gccaaagggtg gctgtgggtg gagaccatg actcagggtg gccactgtt actctattga 780
tttttgggcg tttttttcca aattgattat tcttgctgaa tgagacctga gtccttgact 840
gtccccctaa agccacctga cttgttttca gttccactgg cctgtcgggc tgttttctac 900
tcaactccac tcttgcttgt ctgccctccc tgccctgggc ccagccagca gtcagctcaa 960
gggccagatg aattgggtgg ctgtgctctg cccactgggc atcgtgtgga tgggtgggtga 1020
ccagccccct cagggtgtca gccaggcctc aagccttgct gtgtacctca gagcagctcc 1080
gtaccctgat gtcacagcaa agaaacttag acatgacaca aactgtggct tcccaaggca 1140
gcaaaagatg gccagggtgc atgagggccg tgccccactt ttggacagac ctactctaaa 1200
gtcacgctac ctgctgcaa atcataaaat caacactttt gaggagatca cagctatgcc 1260
ttcgtaacac agcccagtcc gaccagatag acggtgcctc gtgaccgaa aacaagcccc 1320
cggcccccca ccatgtgtgt gagccttacc ttggactgca cgctgaggga gcgatggaa 1380
gggacagcaa ggaggccgaa gcgctcgtag aggtactcat tggaggagct tcccttcagg 1440
agggcgaaag gaatgaggtg gagctcccc tccagaacca ggatgagctg ccggtgccgg 1500
cccacggggc cgctggagtg catcaggccc tatggagcaa gcacggagag gctgacatgg 1560
gtggcccagc aggcagggtt ttcaggcacc aggacaaccc ctgagcccta cctggatgac 1620
accagcacga acaggttaag cctgttgggg gtttggggcg ccaatgggga atgggcccaa 1680
gtggcaaac ctgcaggaa cgggaacaaa cttggcatgc tccgctcggt gaacttgga 1740
aagggtgtgc ccttgaagc attcaatctt gc 1772

```

<210> 120

<211> 2260

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1686561CB1

<400> 120

```

gagaaggtgg agggagacga gaagccgccc agagccgact accctccggg cccagtctgt 60
ctgtccgtgg tggatctaag aaactagaat gaaccgaagc attcctgtgg aggttgatga 120
atcagaacca tacccaagtc agttgttgaa accaatccca gaatatcccc cggaagagga 180
atcagaacca cctgctccaa atataaggaa catggcaccc aacagcttgt ctgcacccac 240
aatgcttcac aattcctccg gagacttttc tcaagctcac tcaaccctga aacttgcaaa 300
tcaccagcgg cctgtatccc ggcaggtcac ctgcctgcgc actcaagttc tggaggacag 360
tgaagacagt ttctgcagga gacaccagc cctgggcaaa gctttccctt ctgggtgctc 420
tgcagtcagc gagcctgcgt ctgagtcgtt ggttgaggcc ctccctgcag agcatcagtt 480
ttcatttatg gaaaaacgta atcaatggct ggtatctcag ctttcagcgg cttctcctga 540
cactggccat gactcagaca aatcagacca aagtttacct aatgcctcag cagactcctt 600
gggcggtagc caggagatgg tgcaacggcc ccagcctcac aggaaccgag caggcctgga 660
tctgccaacc atagacacgg gatatgattc ccagccccag gatgtcctgg gcatcaggca 720
gctggaaaag cccctgcccc tcacctccgt gtgttaccct caggacctcc ccagacctct 780
caggtccagg gagttccctc agtttgaacc tcagaggat ccagcatgtg cacagatgtc 840
gcctcccaat ctttccccc acgtctccat gaactatcat taccattgtc ctggaagtcc 900
cgatcaccag gtgccatatg gccatgacta ccctcgagca gcctaccagc aagtgatcca 960
gccggctctg cctgggcagc ccctgcctgg agccagtgtg agaggcctgc accctgtgca 1020
gaaggttatc ctgaattatc ccagccccct ggaccaagaa gagaggcccc caccagagga 1080
ctgtcctctt cgggggcttc caaggcacca ggaccagcca catcaccagc cacctaatag 1140
agctgggtgt cctggggagt ccttgagtg ccctgcagag ctgagaccac aggttcccca 1200
gcctccgttc ccagctgctg tgccatagac ccctagcaac cctccagcca gaggaactct 1260
aaaaacaagc aatttgccag aagaattgag gaaagtcttt atcacttatt cgatggacac 1320
agctatggag gtggtgaaat tcgtgaaatt tttgttggtt aatggcttcc aaactgcaat 1380
tgacatatat gaggatagaa tccgaggcat tgatatcatt aaatggatgg agcgctacct 1440
tagggataag accgtgatga taatcgtagc aatcagcccc aaatacaaac aggacgtgga 1500
aggcgctgag tcgcagctgg acgaggatga gcatggctta catactaagt acattcatcg 1560
aatgatgcag attgagttca taaaacaagg aagcatgaat ttcagattca tccctgtgct 1620
cttcccaaat gctaagaagg agcatgtgcc cacctggctt cagaacactc atgtctacag 1680
ctggcccaag aataaaaaaa acatcctgtc gcggctgctg agagaggaag agtatgtggc 1740
tcctccacgg ggccctctgc ccaccctca ggtggttccc ttgtgacacc gttcatcccc 1800
agatcactga ggccaggcca tgtttggggc cttgttctga cagcattctg gctgaggctg 1860
gtcggtagca ctccctggctg gttttttctt gttcctcccc gagaggccct ctggcccca 1920
ggaaacctgt tgtgcagagc tcttcccccg agacctccac acaccctggc tttgaagtgg 1980
agtcctgtac tgctgtgcat tctctgctt taaaaaaacc attgcaggtg ccagtgtccc 2040
atatgttccct cctgacagtt tgatgtgtcc attctgggcc tctcagtgct tagcaagtga 2100
ataatgtaag ggatgtggca gcaaatggaa atgactacaa acactctcct atcaatcact 2160
tcaggctact tttatgagtt agccagatgc ttgtgtatcc tcagaccaa ctgattcatg 2220
tacaataaat aaaatgttta ctcttttgta aaaaaaaaaa 2260

```

<210> 121

<211> 1602

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1821233CB1

<400> 121

```

gccaagacc gtgcgcgaca cgctgctggc gctgcaccag cacggccact cggggccctt 60
cgagagcaag ttaagaagg agccggcctt gactgcaggc aggttggtgg gtttcgaggc 120
caacggggcc aacgggtcta aagcagttgc aagaacagca aggaaaagga agccctctcc 180
agaaccagaa ggtgaagtgc ggccccctaa gatcaacgga gaggccagc cgtggctgtc 240
cacatccaca gaggggctca agatcccat gactcctaca tcctcttttg tgtctccgcc 300
accaccact gcctcacctc attccaaccg gaccacaccg cctgaagcgg cccagaatgg 360
ccagtcctcc atggcagccc tgatcttagt agcagacaat gcagggggca gtcagtgcctc 420
aaaagatgcc aaccaggttc actccactac caggaggaat agcaacagtc cgccctctcc 480
gtcctctatg aaccaaagaa ggctgggtcc cagagaggtg gggggccagg gagcaggcaa 540
cacaggagga ctggagccag tgcaccctgc cagcctcccg gactcctctc tggcaaccag 600
tgccccgctg tgctgcaccc tctgccacga gcggctggag gacaccatt ttgtgcagt 660
cccgtccgtc ccttcgcaca agttctgctt cccttgcctc agacaaaagca tcaaacagca 720
gggagctagt ggagaggtct attgtcccag tggggaaaaa tgcctctctg tgggtccaa 780

```

```

tgtcccctgg gcctttatgc aaggggaaat tgcaaccatc cttgctggag atgtgaaagt 840
gaaaaaagag agagactcgt gacttttccg gtttcagaaa aaccacatga ttacccttaa 900
ttaaaactgc ttgaattgta tatatatctc catatatata tatatccaag acaaggghaa 960
tgtagacttc ataaacatgg ctgtataatt ttgatttttt ttgaatacat tgtgtttcta 1020
tatttttttt gacgacaaaa ggtatgtact tataaagaca tttttttctt ttgttaacgt 1080
tattagcata tctttgtgct ttattatcct ggtgacagtt accgttctat gtaggctgtg 1140
acttgcgctg cttttttaga gcacttggca aatcagaaat gcttctagct gtatttgtat 1200
gcacttattt taaaaagaaa aaaaaagcca aatacatttt ctgacattgt aagattgcct 1260
tactgtctgt cattccttat tgctggcccc ttctcaggc cggagcgaat gtgggtggaga 1320
aggaaaggaa atgaacgaac gggcatgttg tcaagtgggc atgccactgg gaaataccac 1380
cagtttaccg tgaaacattg tctcagagg agtaggaaag tggattttga atctctattt 1440
tgctcaaaag ttcagtctct gagatactga tgactgagag tgctgctggg aaattttcag 1500
gattgtgtgg tcttttgggg ttttttgttt tttttttttt aagacaaagt tgaccgctgt 1560
tcactgtcca cgtgatcagt tgtaagatta caatgctgca tc 1602

```

<210> 122

<211> 1655

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1877278CB1

<400> 122

```

gcggggcgac tccgggtgcaa gcgaggacac gacacatgca gtggcttctg gactgcgcga 60
tgactggacg caagtaactt ctaggctctg agacaagagg aagagaagat gaaggaagac 120
tgtctgccga gttctcacgt gcccatcagt gacagcaagt ccattcagaa gtcggagctc 180
ttaggcctgc tgaaaaaccta caactgctac catgagggca agagcttcca gctgagacac 240
cgtgagggaag aagggaactct gatcatcgag gggctcctca acattgcctg ggggctgagc 300
cggcccatcc ggctgcagat gcaggatgac cgggagcagg tgcacctccc ctccacctca 360
tggtatgccc gacggcctag ctgccctcta aagcagccat cggcccaqaa cgggaacatc 420
acagcccagg ggccaagcat tcagccagtg cacaaggctg agagtccac agacagctcg 480
gggcccctgg aggagcgaga ggaggcccc cagctgatgc ggaccaagag cgacgccagt 540
tgcatgagcc agaggaggcc caagtggcgc gccccgggtg agggccagcg catccggcga 600
caccggttct ctatcaacgg ccacttctac aatcataaga cctccgtgtt tactccagcc 660
tatggtatcc tgaccaatgt gaggggtcaac agcaccatga caaccctgca ggtgctcacc 720
ctgctgctga acaaatttag ggtggaagat ggccccagtg agttcgact ctacatcgtt 780
cacgagtctg gggagcgagc aaaattaaaa gactgagagt acccgctgat ttccagaatc 840
ctgcatgggc catgtgagaa gatcgccagg atcttcctga tggaaagctga cttgggctgtg 900
gaagtccccc atgaagtgc tcagtacatt aagtttgaaa tgccggtgct ggacagtttt 960
gttgaaaaat taaaagaaga ggaagaaaga gaaataatca aactgaccat gaagttccaa 1020
gccctgcgtc tgacgatgct gcagcgctg gacagctgg tggaggccaa gtaactggcc 1080
aacacctgcc tcttccaaag tccccagcag tggcaggtgt aactgagcc ctggttgctg 1140
gccccggccg gtcacattga ctgatggcca ccgctgacg aatcgagtgc ctgtgtgtct 1200
acctctctga agcctgagca ccattgattc cacagccagc tcttggtctc aagatgagca 1260
cccacaggaa gccgaccag gcctgagggg ccaggaaact gctgggtcag atctgtgttg 1320
ccagccctgt ccacaccatg cctctcctgc actggagagc agtgctggcc cagcccctgc 1380
ggcttaggct tcatctgctt gcacattgcc tgtcccagag cccctgtggg tccacaagcc 1440
cctgtcctct tcttcatat gagattcttg tctgccctca tatcacgctg cccacagga 1500
atgctgctgg gaaaagcagg gcctgccagc aggtatgaga tctagcctgc tttcagccat 1560
caccttgcca cagtgtcccc ggcttctaag cctccaatat caccctgtga gcctcgca 1620
gctcagcccc aacacagagg tgagaccagg aataa 1655

```

<210> 123

<211> 2225

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 1880692CB1

<400> 123

```

cttttagaan cttggggncn tttgaccang. ccccaanac caangtttca ggcccnttna 60
taanctacnc gatncangnc ggttcangaa acncccnaaa aattggatcn nnttgatcac 120
atgccaaagct gatggagtg ctaaagagta cagattatgg aaaatatgaa ggactaacia 180
agaattacat ggattattta tcccgaactat atgaaagaga aatcaaagat ttctttgaa 240
ttgcaaaagat caagatgact ggcaacaacta aagaaagcaa gaagtgtgtt cttcatggaa 300
gttcgggggaa attaaactgga tctacttcta gtctaaataa gctcagtggt cagagttcag 360
ggatcgcag atctcagtc tcttcctgt tggatatggg aaacatgtct gcctctgac 420
tcgatgttg tgacaggacc aaatttgata agatctttga acaggtacta agtgaactgg 480
agcccctatg tctggcagaa caggacttca taagtaaatt tttcaacta cagcaacatc 540
aaagtatgcc tggaaactatg gctgaagcag aggacctgga tggaggaaca ttatcacggc 600
aacataattg tggcacacca ctgcctgttt catctgagaa agatatgac cgccaaatga 660
tgattaaaa atttcgctgc attgagccag agctgaacaa cctaattgca ttaggagaca 720
aaattgatag ctttaactct ctttatatgt tagtcaaaat gagtcatcat gtgtggactg 780
cacaaaatgt ggaccctgct tctttcctaa gtactacatt gggaaatgtt ttggtgactg 840
tcaaaaggaa ctttgacaaa tgcattagta accaaataag gcaaatggaa gaagtaaga 900
tctcaaaaaa gagtaaagtt ggaattcttc cattgtgtgc tgaattgaa gaatttgctg 960
gacttgca atcaatcttc aaaaatgctg agcgtcgtg agacctggat aaagcataca 1020
ccaaacttat cagaggagta tttgttaatg tggagaaagt agcaaatgaa agccagaaga 1080
ccccaggga tgtggttatg atggaaaact ttcaccatat ttttgcaact ctttctcgat 1140
tgaaaatctc atgtctagaa gcagaaaaaa aagaagccgc tataaaccac aaattcttct 1200
gatgttaata ttattagcct ccactaaag tctacttacc aaaaccatgt gggctattag 1260
attgccccca agagctccaa atgtataata tacaagagcc tttgcctgac ttgaattaac 1320
accaagtcca gaggcataca gaaagccaag agcagtcgtt cccttgggag agccttcttc 1380
agtcagcttc tcaaacatct ctctcgctgc ctggatattc tgtggcaagt aatcaccaaa 1440
taaaagagca tatgacactc tctccagggc tttggtatgg ttcatgcttg ctgccttttg 1500
gagataccga tatgcttctc ttttttggtt tttcttattg cttccattaa ggattttcat 1560
tccagtttga tacatcattt ctgcttctcg catctgccgt ctcttagcag cctcttcttc 1620
agtttcacaa aagccccact tttcatctgc tttgtagtca taggtttag cacaccacag 1680
tctgccatct tccctcccat ctgatgtaca ttcatacat tcttatcta ggaaaagaaa 1740
agggaagtgg cagggtccct catgtgctgt gccttcaatg gcggtcaaag ctggtttccg 1800
tactttctt ggctcttcat agtcttgtt ttctggattt ggagactcta gaaagctgat 1860
atcttctgtg acactttccc cctcttggct cttgaggtg tcttctctc cttgaataga 1920
ggattcta atcagattct ctgaatcaag aaatatttga ccagcaacta ctctgcctgc 1980
agtagtatgg tctttactg actcatctga tgtcaaagta gtcttggaa ctaaggattc 2040
atcctggctg ccttcttcat ccgaggacgc cgaggccaag ctacagcag caagcacacag 2100
cagcagcgtc agccctatcc ggaccgcgat cctcctctcg gggccggtgc caaccctag 2160
agctgtgcc ttcgcctctg ccaccacgga ctacgccacc accgcccct cgcgctgct 2220
cttcc 2225

```

<210> 124

<211> 1516

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2280456CB1

<400> 124

```

cggattttaa cctcagcggc cggcggttaa ccgcaggctc ggcgcgtggg ccggcagtcg 60
gcctgcgcaa gttacgcgaa agctaacaga atctgcgttg ctctgctggc gactggcatg 120
acgcgggtgca gagagcggac ttccgcgacg cgggtgtttt tttttacttg aatgtaaaata 180
ccaatcaaga tacattgaaa taagaaggtc ctacagtgtt ggggaagcaa tggagaact 240
tctacctgat ggacaaatat gggctaatat ggatccagaa gaacgaatgt tggcagctgc 300
tacagctttt acccacatct gtgcagggca ggggtgaagga gatgtcagga gagaagccca 360
atctatccaa tatgatccct acagttaaagc ttcagtagcc ccagggaagc gacctgctct 420
tctgtgcaa ctacagtacc cacatgtaga aagtaatgtc cttcagaaa cagtctctga 480
ggcctcccaa agactccgaa agccagtgtg gaagagaaa gtgctgcgca gaaagccaga 540
tggggaagta ttagtaacag atgagtcgat tatcagttaa tcagaatctg gtacagaaaa 600
tgatcaggat ctctgggact taagacaaag gctgatgaat gtacagttcc aggaagacaa 660
ggaatcttca tttgatgttt cacaataat taacctacca catgaatacc aaggaatttc 720
tcaagatcag ctcatgtgct ctctacaaag agaaggaatg ggctctccag cttacgaaca 780

```



```
agacctgatt gttgccagca gacccaagtc ctttattctc ccaaagctgg accagttaaag 840
ccgaaaccgg ggcaagacag accgggtagc ccggtatttt gagtacaaac gggactggga 900
ctcaatacgt ttacctggtg aagatcatag aaaggaatta cgctgggggtg tccgagagca 960
gatgctttgt cgagcagaac cccaatccaa acctcagcat atatatgtcc caaacaatta 1020
tctagtacca acagagaaga aaaggtctgc actccgttgg ggtgttcggt gtgaccttgc 1080
aaatgggtgc ataccagga agcttccctt ccctctttct ccttcttaaa tctttttaaa 1140
cttctttcac aggattgttt gagataacct agctctttat atcttccctt ttaaatagaa 1200
acaactgtct tgagaagctc ttcgaaacat tttatggtaa ggacttcacc tatcattggt 1260
ctttcctagc tatatatcac attgggtatca gatgatactt ccaaattgcc actcaaatcc 1320
agcaattgca agataaatca tatcagagaa agaacaacag acctggtcct tctattttgt 1380
caaattagta cgggcccttt gagtctgtga acttttttta cctatcaata tgagttgctg 1440
tgcttcagtg tgtgtttttt aagttgctgg gcattacact taccaattaa agaattttgg 1500
aaattcaaaa aaaaaa 1516
```

<210> 125

<211> 1635

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2284580CB1

<400> 125

```
cgggggagct gggagcccga cgtttccggg agcgccgcgt ggttagcgtc ggcggctttt 60
ggcatggcga ctttttctgg cccggctggg ccaatcctgt cgcttaatcc gcaggaagat 120
gtcgagtttc aaaaggaggt ggcgcaggtt cgcaagcgca taaccacagc aaaaaacaa 180
gaacaactta ctctggagt agtctatgtg cgccacctac ctaacctact tgacgaaacc 240
cagatctttt catatttctc ccagtttggc actgtgacac ggttcaggtc gtccagaagt 300
aaaaggactg gaaatagcaa aggctatgca tttgtggagt ttgagtctga ggatgttgcc 360
aaaatagttg ctgaaacaat gaacaactac ctgtttggtg aaagactcct ggagtgtcat 420
tttatgccac ctgaaaaagt acataagaa ctctttaaag actggaatat tccatttaag 480
cagccatcat atccatcagt gaaacggtat aatcggaatc ggacactaac acaaaagcta 540
cggttgagg agcgatttaa aaagaaagaa agattactca ggaagaaatt agctaaaaaa 600
ggaattgact atgattttcc ttctttgatt ttacagaaaa cggaagtat ttcaaaaact 660
aatcgtcaga cgtctacaaa aggccaggtt ttacgtaaga agaagaaaaa agtttcaggt 720
actcttgaca ctctgagaa gactgtggat agccagggcc ccacaccagt ttgtacacca 780
acatttttgg agaggcgaaa atctcaagtg gctgaactga atgatgatga taaagatgat 840
gaaatagttt tcaaacagcc catatcctgt gtaaaagaag aaatacaaga gactcaaaac 900
cctacacatt cacgaaaaaa aagacgaaga agcagcaatc agtgattttc aatgtattat 960
atttcttttg aaaaatataa tatttttatg agagtggact ttgtatttca ctaggtaaca 1020
tggaatacaa ctttgacaa gattttcaga ggaaaaatac actgtttggt caagttaagg 1080
aaagcagtggt gtaattttgg attgcctgcc cttggctgaa atacaggggt gcataccatc 1140
ttgcagtggt ttggctgaca ttgcctcttt gtccctggcct ctagttttct tttgatattt 1200
catagctctc cttagtttac tctgcctgga tagaaagttg accactaact gcaggtttaa 1260
gtactaaact gcagcctttt ctgtcgccag caattaaaga ccaccaatct tgtttgtcca 1320
tctacatggt ttgtcgggga catttaactc atggaggtgc tttagatttc aacatcagat 1380
ggttgaagct ggaagtttaa ttatatgtag agtgagaagg cagttccagt tttagcacag 1440
atttgtttat gtgttcagat ttaatatag agttcaaaaat gactcatttt taccaataat 1500
gttaaattag ttttggttgt gctagcatga attaataacc accattttat accagtatca 1560
tcagtgaaga attgtatttc aagattcaaa caataaccag caattaaact tttttctaca 1620
atgtaaaaaa aaaaaa 1635
```

<210> 126

<211> 2673

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 2779172CB1

```

<400> 126
cagggggcctt tcctcagaga atatctttat gtttacaaga atgtaagtca gctgtcacca 60
gatggctcctt tgccacagct tcctttaccg tatattaaca gttcagcaac acgggttttt 120
ttttggccat gacagacgac cagcggatgg tgaaaaacaa gcagctactc atgtaagtct 180
tgatcaagaa tatgattctg aatcctctca gcagtggcga gaacttgagg aacaagttgt 240
ttctgtggtt aacaaaaggag taattccatc caattttcat cccacacaat actgtttgaa 300
cagttactca gataattcaa gatttccact tgcagttgta gaagaaccaa ttacagtggg 360
agtggtcttt agaaaccctt tgaaagttct acttttgttg actgatttgt cattgctttg 420
gaagtttcat cctaaagatt tcagtggaaa ggataatgaa gaagttaaac aactagttac 480
aagtgaacct gaaatgattg gagctgaagt tatttcagag ttcttaatta atggcgaaga 540
atcaaaaagt gcaagactaa agctctttcc ccatcacata ggggagctgc atattctggg 600
agttgtttat aatcttggca ctattcaggg ctctatgaca gtagatggca ttggtgctct 660
tcccgatgt cacacaggaa aatattcctt gagtatgtca gtccgaggga agcaggattt 720
agaaattcaa ggtcctcgac ttaacaacac aaaagaagag aaaacatctg ttaaatatgg 780
ccctgatcga cgtttagatc ccataatcac agaagaaatg ccaactgttg aggtgttctt 840
tatacatttt cctacagggc ttctctgtgg agaaatccga aaagcatatg tagaatttgt 900
caatgtcagc aatgtccac ttactggtt gaaggttgtt tctaaacgtc cagagtctt 960
tactttcggg ggttaatactg ctgttctaac accactaagt ccctcagctt ctgagaattg 1020
tagtgcttac aagactgttg tgacagatgc tacctctgtg tgtacagcac tcatatcatc 1080
agcttcttct gtagactttg gcattggcac aggaagtcaa ccagaggta ttctgttcc 1140
ccttctgac actgttcttc taccggagc ctcagtgca ctgccaatgt ggttacgtgg 1200
gcctgatgaa gaaggtgtcc atgaaattaa ctttttgttt tactatgaaa gtgtcaaaaa 1260
gcagccaaaa atacggcaca gaatattaag acacactgca attatttcta ccagtcgggtc 1320
tttaaatgta cggggccactg tctgcagaag taattctctt gaaaatgaag aaggcagagg 1380
aggcaatatg ctagtctttg tggatgtgga aaataccaat actagtgaag caggcgtaa 1440
ggaaattccac atagtgcagg tatcaagtag tagcaaacac tggaaagtac agaaatctgt 1500
aaatctttct gaaaacaaag ataccaaact tgccagtagg gagaaggga agttttgctt 1560
taaggcaata agatgtgaga aagaagaagc ggccacacag tcctctgaaa aatatacctt 1620
tgcagatata atctttggaa atgaacagat aataagttca gcaagcccat gtgcagactt 1680
cttttatcga agtttatctt ctgaattgaa aaaaccacaa gctcacttgc ctgtgcatac 1740
agaaaaaacag tcaacagagg atgctgtgag attgattcaa aaatgcagtg aggtagattt 1800
gaatattgtc atattatgga aggcatacgt tgtggaagac agtaaacag ttattttgga 1860
aggtcaacat catgttatct ttcgcactat agggaaaaga gccttttcat atcctcagaa 1920
acaggagcca ccagaaatgg aactattgaa atttttcagg ccagaaaaa ttacagtttc 1980
ctcaaggcca tcagtagagc agctttctag tctcattaaa acgagtcttc actaccaga 2040
atcatttaat catccatttc atcaaaaaag cctttgttta gtaccagtca ctcttttact 2100
ttccaattgt tctaaggctg atgtagatgt catagtgtat cttcggcata aaacaacaag 2160
tccagaagca ctggaaatcc atggatcatt cacatggctt ggacaaacac agtataaact 2220
tcaacttaaa agccaggaga ttcacagtct gcagctgaaa gcatgctttg ttcatacagg 2280
tgtttataac ctgggaactc ctagggtatt tgccaagtta tcggaccaag ttacagtgtt 2340
tgaacaagat cagcgaatt ccatgcctgc cctgatcatc atcagtaatg tgtgacaact 2400
tggaattttg tactgaaatc cacaataatc agtttttgc ggatgggttt tacagcagta 2460
tttgatatac ctaacttgtt atggagggtt attgatatct gatccctgca aaatactttg 2520
acttgtcatt ttgttgatga tgcaagcac gttggactga gaatacttaa cattctttct 2580
ctgtatctct taaaccctgg gataaattac atgcgcacaa tacagggtat ccgcataatt 2640
gtgcacctta ttaagcccca tcttaagaga aca 2673

```

<210> 127

<211> 2206

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 3279329CB1

<400> 127

```

gtctggcctt tgcactagta gatcattgct gacataggtc agtttagaga cctttctgtg 60
ttaatgcctc ctgggtactgt cttaagatac gtacagtgtc tgtttttaga tctatgcata 120
tgtcatgaag ctcttgttgg gctctgcatg aagctgctgc tttgtttttg ggttaacaga 180
tgtgcctgtc aactagcatg tgtattgtcc aaattccata aacttaaggt ttttaagggc 240
tgtgtggttt ctgagctcta tgtgtctttc ctatccttgt accttcaaag ggtgagaaat 300
gagatttata catccaaagt tagtctgata aatatggctt tttgtttctc catgtaacct 360

```

```

agactgtcaa aaataagtga tgggtgataag taggcctgga gcctcagctt ctgtaaatct 420
cattcctaaa attttgctag actcgtgttg gcaaaaacaa atacctgtgg attgtcctta 480
aggcttttaa tcaataacct gtgttgctgt tagctgaact gtagtgaagc atcgatccaa 540
atcggctctt tgaagtatca gttatgcttt tgagtttaga aaatacttag gtgttagtct 600
agtccttcca ttcataatc agtgtatgtc catatcagag agcctcaact tctttttct 660
tcttttttaa aaatgatttt agtgttttga tttagtgtat actacatagt tcagtattat 720
tggctttacc agtgttgaca gaaaaatttt aaatctccag ttgcaaacag caatggatta 780
ggatatggaa ataaaatcat ggtgacatca ctgctgagtt atcttaaac tctgctactt 840
aattctccat attgaaatgc atactcctcc acatacatgg ctccaagta aaggcaattg 900
tagagggggc ctgtctatcc cagtatggtt ggatttttaa catatctgtg tttccggtta 960
tttgggaact gattaatatt tacaattttt tttgtttatg agttattttg atactaagaa 1020
aagagagaat ctagaacatc ttgcagttga aatacaaat ttattctttt ggtcttgga 1080
gaatttaagc agtctatgca actcatcaaa tgggtgagaaa tagccctccg aggttccagt 1140
aagctttcag tgactttgat acctcccaa gtttcttgag ttgctgcttg ttaacaccca 1200
gcttttaact gagtgtttgc tctgatggt ttaggagatt ttcagtgtgt atcacactgt 1260
caagttttat tttgtctttt tatccctccg tggatgtgag tttgaaacaa gcacggtaca 1320
gtaatcctgc ctgatagagt agtctggaat gagaattact ttttgggtga gagagtctc 1380
catttttaag tttctaaagt ttttcatatg aacttggcat tggaaaagg aggtaaagaa 1440
aaaggacgtt tactaaaagc agtgtctact cttccctttt gtgagtgttt attcatggct 1500
aatgaaaaaa agagaaggac tcttgggttt tgtgttgcca tgtaagcat ggagaggat 1560
gcttgacagc atgctaattg aagccagagc aagtatgtcc ttcacaggt aatcaggaa 1620
tcttcagttg aagctgagga actaactgat tagttgttga tcataatata attggttaca 1680
aagtggaaat gccagctggc ttaagtacct aaagaaaaga atgcagcagc ctaacttagt 1740
gttaccatat gttactgaat ttgaaactga ctttttttcc caccctactt cacacaccta 1800
aaactctttt ctgttcagac caaagagcga aaagaaaaaa aaaagtaaaa cactttacca 1860
atctgtcact caggtacaat ttttgggtga gatttttgtc tgttctcttt gtattgctct 1920
taagagtcct ttctcagcat attattctgc cattgctctt gtcttctctg gggcacctca 1980
gctctggatg ctaccctctg gatattctact gctgttatgt gaatgatagg aggtaaagta 2040
ccattatagt aagggtctct tgtaaaaaaa ttcaaaaaat ttaaaaagga tgtatacatt 2100
ttatagtcgt gctatcagtt tgatactctg ctgtcaagta tgtttctcaa tctgtattta 2160
tccatcccat caataaatgt taatggtaaa acautcaaaa aaaaaa 2206

```

<210> 128

<211> 1426

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 3340290CB1

<400> 128

```

gcccgagcgc gcccgcgagg gcggtcgagg ccgtgacggc ggctccgggc cgggctcccc 60
ttccnctcnc gntccccctt ccgcgcnccct ccgcccggag atgaggggaa gatgtccgtg 120
tcagggctca aggccgagct gaagttcctg gcgtccatct tcgacaagaa ccacgagcga 180
ttccgcatcg tcagttggaa gctggacgag ctgcaactgc agttccttgt gccgcagcag 240
ggcagcccgcc actcgtctgcc gccgccaact acgctccact gcaacatcac ggaatcctat 300
ccatcttctt caccgatatg gtttgtggat tctgaagacc caaatctgac atcagtctctg 360
gaacgtctag aagatactaa gaacaacaat ttgaatggga caacagaaga agtgacttca 420
gaagaagagg aagaagaaga agagatggct gaagatatag aagacttaga tcactatgag 480
atgaaggaa aagagcctat tagtgggaaa aagtcagagg atgaaggaa tgaaaaagaa 540
aatttggcaa tattagagaa aattaggaag actcaaaggc aagaccattt aaatgggtga 600
gtgtctgggt cagtgaagc ttcatagaga cttatgaaag agctcaggga catatacaga 660
tcacagagtt ataaaacagg gatttattca gtggaactca taaatgacag tttatatgac 720
tggcatgtta aactgcagaa ggttgacctt gatagtcctt tgcaacagtga tcttcagatc 780
ttaaaagaaa aagaaggcat agaatatatt ttgcttaact tctcttttaa ggataacttt 840
ccatttgatc ctccatttgt tcgagtgggt ttacctgttc tctcaggagg gtatgtattg 900
ggtggaggag cattatgtat ggaacttctc acaaaacaga atcaatataa tctagcaaga 960
gcccaacaat cctataattc cattgtacag atacatgaga aaaatggctg gtacacccct 1020
ccaaaggaag atggctaaat atgttgactg ttgtatgttt ggactaatgt tgttttaag 1080
aaaatctttc caacatgcag acaaaagctt tgagtgcctt tattacagca gtaccgaaga 1140
tgtaggttaa tagatatttt agtggataat ctgtcatctg acatccagta taagtacag 1200
ccttcgcatt ttgctcattt tagatatctt ggactgagca gtggggcctt tactgtattt 1260

```

ttcctgataa atacacatac tggccactcc ttatctcttt ttcttgaaaa gtgaactttt 1320
taaagcagcc aagtcaacat caggctactg aagttgagggc tttangggta ctttcctata 1380
ttgagcccat gggggtacag gatttgcaat atattggtcc attttc 1426

<210> 129

<211> 1703

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 3376404CB1

<400> 129

gcactttcgg caatcacgta tcgggtcgac ccacgcgtcc ggaggtcagg agatcgagac 60
tagcctggcc aacacggta aaccccgctc ctactaaaaa tacagaaaat tagccgggag 120
tggtggcacc tcctgtgaat cccagctact caggaggctg aggcaggaga atggcttgaa 180
cctgggagac ggagcttgca gtgagccgag attgcgctcc agcctgggag acagagcgag 240
actctgtctc aaaaaattaa aaaaaaaat aataataaca atgaatgaag ctggacggac 300
ttcgcgtgca ccgcgggtcag ctccgggtct gctgggggtt ctgggtcagc tcagggtcca 360
ggaaccgagg ccaacggcac cccgtgctgc gctgggggtg ggggtctgcc ctgggtcttc 420
ggggttcagg gctaggtcac ggaggagtcg gctctgggag ctcccttcct gaggagagga 480
gctgggagag ccggggccgac ggggtgggac gcatagcccg gcctgtgctc atctccagca 540
taaaactcca ctccatggag cctgcacctc gctcgtgctc caacgcttct gccaccgccg 600
accacggccc tcgcgccag ccaggcctga ggacatgagg cggccggcgg cgggtgccgt 660
cctgctgctg ctgtgttttg ggtctcagag ggccaaggca gcaacagcct gtggtcgccc 720
caggatgctg aaccgaatgg tggcggggca ggacacgcag gaggcgagat ggcctgggca 780
agtcagcatc cagcgcaacg gaagccactt ctgcgggggc agcctcatcg cggagcagt 840
ggtcctgacg gctgcgcaact gcttcggcaa cactctgag acgtccctgt accaggctct 900
gctgggggca aggcagctag tgcagccggg accacacgct atgtatgccg gggtagggca 960
ggtggagagc aacccctgt accagggcac ggcctccagc gctgacgtgg ccctgggtga 1020
gctggaggca ccagtgcctt tcaccaatta catcctcccc gtgtgcctgc ctgaccctc 1080
ggtgatcttt gagacgggca tgaactgctg ggtcactggc tggggcagcc ccagtggga 1140
agacctctg cccgaaccgc ggtcctgca gaaactcgct gtgccatca tcgacacacc 1200
caagtgaac ctgctctaca gcaaagacac cgagtttggc taccaacca aaaccatcaa 1260
gaatgacatg ctgtgcgcgg gcttcgagga gggcaagaag gatgcctgca agggcgactc 1320
gggcggcccc ctggtgtgcc tcgtgggtca gtcgtggtg caggcggggg tgatcagctg 1380
gggtgagggc tgtgcccgcc agaaccgccc aggtgtctac atccgtgtca ccgccacca 1440
caactggatc catcgatca tccccaaact gcagttccag ccagcgaggt tggcgggcca 1500
gaagtggagc ccccgggaaa aggagccctt tgagcagagc tctgcacca gcctgcccgc 1560
ccacaccatc ctgctggacc tcccagcgct gctgttgca cgtgtgagcc caccagactc 1620
atttgtaaat agcgcaccta cctcacaat caaataccct tattttatt atgatctccc 1680
aataaaacgc cggcagagag aga 1703

<210> 130

<211> 1118

<212> DNA

<213> Homo sapiens

<220>

<221> misc_feature

<223> Incyte clone 4173111CB1

<400> 130

agctcggggt gcgcccgggt ggcggggtgc tttccacgca cctgcacctg cgcagcctcc 60
aaggcgctct tttggaggag ggacttctct ttcggtaacc agctcccttg cggatagtct 120
atgtttccca tataaaccga gcacttccct taattgagat acgtgggact tcaactccgtc 180
cccagcccg gaccacaagt gagggcactg cgtttctgta ttgacctt tgccgattac 240
ttccgcccag gggcctggaa tactggaggc ctttcgacgg agaacaaca gaaaggcact 300
tccggtgtct gttcgccagg cgcggggccc gtgggcccga gggcgacat tgttgccgtc 360
gtctttcccc cccagtcctc ggggatggag atgtcgggac tcagcttttc agagatggag 420
ggctgcccga acctacttgg cctactggac aacgacgaga tcatggccct atgcgacacc 480

gtcaccaacc gcctggtgca gcctcaggac cgccaagatg ctgttcatgc aatattagca 540
tacagtcaaa gtgcagaaga acttctgagg cgtagaaaag tccaccgaga agttatattt 600
aagtacttgg caacacaggg gattgttata cctccagcta ctgaaaaaca caatcttatt 660
cagcatgcaa aagattactg gcaaaagcaa ccacaactga aattgaagga aacgccagag 720
ccagttacaa agacagagga catccaccta tttcaacagc aggtgaaaga agataaaaaa 780
gctgaaaaag ttgattttcg tcgcctagga gaagaattct gtcattggtt ctttggactt 840
cttaattctc agaatccttt tctaggacca cctcaagatg aatggggacc acagcacttc 900
tggtcatgat tgaagcttag gttttattac aacacatcag aacaaaatgt tatgggacta 960
accatggagc cagaatcgtg agccctcgtt tgctgtcact agtaaaagaa gaatttcttt 1020
ttctcagccc caacctagat tcacatggac tgaaatgtgc atcttctcct catgggctgg 1080
ctaaggctgg gagtagctgg gactgtccat cgaggaaa 1118